Xia Li

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10674225/xia-li-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91	7,537 citations	45	86
papers		h-index	g-index
93	9,083 ext. citations	9.3	5.75
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
91	ER-phagy requires the assembly of actin at sites of contact between the cortical ER and endocytic pits <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	2
90	Regulating liquid and solid-state electrolytes for solid-phase conversion in LiB batteries. <i>CheM</i> , 2022 , 8, 1201-1230	16.2	3
89	Immobilization and kinetic promotion of polysulfides by molybdenum carbide in lithium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2021 , 411, 128563	14.7	14
88	Realizing Solid-Phase Reaction in Liß Batteries via Localized High-Concentration Carbonate Electrolyte. <i>Advanced Energy Materials</i> , 2021 , 11, 2101004	21.8	9
87	Dissecting the role of CB and CB receptors in cannabinoid reward versus aversion using transgenic CB- and CB-knockout mice. <i>European Neuropsychopharmacology</i> , 2021 , 43, 38-51	1.2	7
86	Flame-Retardant and Polysulfide-Suppressed Ether-Based Electrolytes for High-Temperature Li-S Batteries. <i>ACS Applied Materials & Date of the Suppressed Ether-Based Electrolytes for High-Temperature Li-S and Electrolytes for High-Temperatur</i>	9.5	0
85	Dynamic Expression of mA Regulators During Multiple Human Tissue Development and Cancers. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 629030	5.7	1
84	Natural SEI-Inspired Dual-Protective Layers via Atomic/Molecular Layer Deposition for Long-Life Metallic Lithium Anode. <i>Matter</i> , 2019 , 1, 1215-1231	12.7	72
83	Promoting the Transformation of Li S to Li S: Significantly Increasing Utilization of Active Materials for High-Sulfur-Loading Li-S Batteries. <i>Advanced Materials</i> , 2019 , 31, e1901220	24	186
82	High-Performance Li-SeS All-Solid-State Lithium Batteries. <i>Advanced Materials</i> , 2019 , 31, e1808100	24	79
81	Survey of miRNA-miRNA cooperative regulation principles across cancer types. <i>Briefings in Bioinformatics</i> , 2019 , 20, 1621-1638	13.4	17
80	Suppressing Corrosion of Aluminum Foils via Highly Conductive Graphene-like Carbon Coating in High-Performance Lithium-Based Batteries. <i>ACS Applied Materials & District Materials</i> , 11, 32826-32	8 3 2	17
79	Stabilizing Sulfur Cathode in Carbonate and Ether Electrolytes: Excluding Long-Chain Lithium Polysulfide Formation and Switching Lithiation/Delithiation Route. <i>Chemistry of Materials</i> , 2019 , 31, 200	02 : 200	9 ¹⁸
78	Computational Epigenetics for Breast Cancer 2019 , 233-246		
77	MERIT: Systematic Analysis and Characterization of Mutational Effect on RNA Interactome Topology. <i>Hepatology</i> , 2019 , 70, 532-546	11.2	16
76	Evaluation of 5-HT receptor antagonism for the treatment of anxiety, depression, and schizophrenia through the use of receptor-deficient mice. <i>Behavioural Brain Research</i> , 2019 , 360, 270-2	78 ^{.4}	15
75	Effects of 5-HT receptor antagonists on behaviors of mice that detect drugs used in the treatment of anxiety, depression, or schizophrenia. <i>Behavioural Brain Research</i> , 2019 , 359, 467-473	3.4	7

(2016-2019)

74	CellMarker: a manually curated resource of cell markers in human and mouse. <i>Nucleic Acids Research</i> , 2019 , 47, D721-D728	20.1	305
73	Systematic review regulatory principles of non-coding RNAs in cardiovascular diseases. <i>Briefings in Bioinformatics</i> , 2019 , 20, 66-76	13.4	12
72	mGluR5 antagonism inhibits cocaine reinforcement and relapse by elevation of extracellular glutamate in the nucleus accumbens via a CB1 receptor mechanism. <i>Scientific Reports</i> , 2018 , 8, 3686	4.9	25
71	Negative allosteric modulation of alpha 5-containing GABA receptors engenders antidepressant-like effects and selectively prevents age-associated hyperactivity in tau-depositing mice. <i>Psychopharmacology</i> , 2018 , 235, 1151-1161	4.7	13
7°	Two subunits of the exocyst, Sec3p and Exo70p, can function exclusively on the plasma membrane. <i>Molecular Biology of the Cell</i> , 2018 , 29, 736-750	3.5	11
69	DiseaseEnhancer: a resource of human disease-associated enhancer catalog. <i>Nucleic Acids Research</i> , 2018 , 46, D78-D84	20.1	43
68	Multi-functional nanowall arrays with unrestricted Li+ transport channels and an integrated conductive network for high-areal-capacity LiB batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 2295	58 ⁻² 290	6 3 5
67	Structural Design of LithiumBulfur Batteries: From Fundamental Research to Practical Application. <i>Electrochemical Energy Reviews</i> , 2018 , 1, 239-293	29.3	197
66	Hollow boron nitride nanospheres as boron reservoir for prostate cancer treatment. <i>Nature Communications</i> , 2017 , 8, 13936	17.4	86
65	KK-92A, a novel GABA receptor positive allosteric modulator, attenuates nicotine self-administration and cue-induced nicotine seeking in rats. <i>Psychopharmacology</i> , 2017 , 234, 1633-164	4 ^{4.7}	10
64	miRNA-miRNA crosstalk: from genomics to phenomics. <i>Briefings in Bioinformatics</i> , 2017 , 18, 1002-1011	13.4	16
63	Behavioral Effects of a Novel Benzofuranyl-Piperazine Serotonin-2C Receptor Agonist Suggest a Potential Therapeutic Application in the Treatment of Obsessive-Compulsive Disorder. <i>Frontiers in Psychiatry</i> , 2017 , 8, 89	5	9
62	Corrosion resistance of dicalcium phosphate dihydrate/poly(lactic-co-glycolic acid) hybrid coating on AZ31 magnesium alloy. <i>Corrosion Science</i> , 2016 , 102, 209-221	6.8	71
61	Antibacterial Activity of Silver Doped Titanate Nanowires on Ti Implants. <i>ACS Applied Materials & Amp; Interfaces</i> , 2016 , 8, 16584-94	9.5	80
60	Tunable porous structure of metal organic framework derived carbon and the application in lithiumBulfur batteries. <i>Journal of Power Sources</i> , 2016 , 302, 174-179	8.9	81
59	Identification and characterization of lncRNA mediated transcriptional dysregulation dictates lncRNA roles in glioblastoma. <i>Oncotarget</i> , 2016 , 7, 45027-45041	3.3	27
58	Boron nitride nanotube-enhanced osteogenic differentiation of mesenchymal stem cells. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2016 , 104, 323-9	3.5	39
57	Extensive ceRNA-ceRNA interaction networks mediated by miRNAs regulate development in multiple rhesus tissues. <i>Nucleic Acids Research</i> , 2016 , 44, 9438-9451	20.1	38

56	Safe and Durable High-Temperature Lithium-Sulfur Batteries via Molecular Layer Deposited Coating. <i>Nano Letters</i> , 2016 , 16, 3545-9	11.5	126
55	Surface functionalization of biomaterials by radical polymerization. <i>Progress in Materials Science</i> , 2016 , 83, 191-235	42.2	99
54	Design of magnesium alloys with controllable degradation for biomedical implants: From bulk to surface. <i>Acta Biomaterialia</i> , 2016 , 45, 2-30	10.8	203
53	Biomedical Applications of Functionalized ZnO Nanomaterials: from Biosensors to Bioimaging. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500494	4.6	111
52	Identification of TaWD40D, a wheat WD40 repeat-containing protein that is associated with plant tolerance to abiotic stresses. <i>Plant Cell Reports</i> , 2015 , 34, 395-410	5.1	51
51	The GABA(B) receptor positive modulator BHF177 attenuated anxiety, but not conditioned fear, in rats. <i>Neuropharmacology</i> , 2015 , 97, 357-64	5.5	16
50	Recent Progress on Fabrications and Applications of Boron Nitride Nanomaterials: A Review. <i>Journal of Materials Science and Technology</i> , 2015 , 31, 589-598	9.1	199
49	Expression of nhaA gene confers salt-sensitivity in transgenic rice cultures and plants 2015 , 1-2, 16-22		
48	A global view of network of lncRNAs and their binding proteins. <i>Molecular BioSystems</i> , 2015 , 11, 656-63	3	19
47	Species differences in cannabinoid receptor 2 and receptor responses to cocaine self-administration in mice and rats. <i>Neuropsychopharmacology</i> , 2015 , 40, 1037-51	8.7	87
46	Construction and analysis of dynamic transcription factor regulatory networks in the progression of glioma. <i>Scientific Reports</i> , 2015 , 5, 15953	4.9	11
45	Construction and analysis of lncRNA-lncRNA synergistic networks to reveal clinically relevant lncRNAs in cancer. <i>Oncotarget</i> , 2015 , 6, 25003-16	3.3	33
44	Biomass-directed synthesis of 20 g high-quality boron nitride nanosheets for thermoconductive polymeric composites. <i>ACS Nano</i> , 2014 , 8, 9081-8	16.7	114
43	Highly water-soluble, porous, and biocompatible boron nitrides for anticancer drug delivery. <i>ACS Nano</i> , 2014 , 8, 6123-30	16.7	307
42	Multimodal luminescent-magnetic boron nitride nanotubes@NaGdFŒu structures for cancer therapy. <i>Chemical Communications</i> , 2014 , 50, 4371-4	5.8	41
41	Identification of a core miRNA-pathway regulatory network in glioma by therapeutically targeting miR-181d, miR-21, miR-23b, ECatenin, CBP, and STAT3. <i>PLoS ONE</i> , 2014 , 9, e101903	3.7	16
40	Cannabinoid CB2 receptors modulate midbrain dopamine neuronal activity and dopamine-related behavior in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E5007-15	11.5	222
39	Walking the interactome to identify human miRNA-disease associations through the functional link between miRNA targets and disease genes. <i>BMC Systems Biology</i> , 2013 , 7, 101	3.5	184

(2009-2013)

38	Boron nitride nanotubes functionalized with mesoporous silica for intracellular delivery of chemotherapy drugs. <i>Chemical Communications</i> , 2013 , 49, 7337-9	5.8	74
37	Dissection of the potential characteristic of miRNA-miRNA functional synergistic regulations. <i>Molecular BioSystems</i> , 2013 , 9, 217-24		19
36	Identifying dysfunctional miRNA-mRNA regulatory modules by inverse activation, cofunction, and high interconnection of target genes: a case study of glioblastoma. <i>Neuro-Oncology</i> , 2013 , 15, 818-28	1	22
35	Different polarisome components play distinct roles in Slt2p-regulated cortical ER inheritance in Saccharomyces cerevisiae. <i>Molecular Biology of the Cell</i> , 2013 , 24, 3145-54	3.5	11
34	The Salt Overly Sensitive (SOS) pathway: established and emerging roles. <i>Molecular Plant</i> , 2013 , 6, 275-	8 6 4.4	359
33	Validation of the General Practitioner Assessment of Cognition - Chinese version (GPCOG-C) in China. <i>International Psychogeriatrics</i> , 2013 , 25, 1649-57	3.4	13
32	Dissection of miRNA-miRNA interaction in esophageal squamous cell carcinoma. <i>PLoS ONE</i> , 2013 , 8, e73	3 <u>1</u> 59 / 1	24
31	Methodology of ChinaS national study on the evaluation, early recognition, and treatment of psychological problems in the elderly: the China Longitudinal Aging Study (CLAS). <i>Shanghai Archives of Psychiatry</i> , 2013 , 25, 91-8		27
30	Dissection of human MiRNA regulatory influence to subpathway. <i>Briefings in Bioinformatics</i> , 2012 , 13, 175-86	13.4	30
29	Increased vulnerability to cocaine in mice lacking dopamine D3 receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 17675-80	11.5	62
28	Discovering dysfunction of multiple microRNAs cooperation in disease by a conserved microRNA co-expression network. <i>PLoS ONE</i> , 2012 , 7, e32201	3.7	29
27	Characterizing the network of drugs and their affected metabolic subpathways. <i>PLoS ONE</i> , 2012 , 7, e47	′3 32,6	26
26	Prioritizing Candidate Disease miRNAs by Topological Features in the miRNA-Target Dysregulated Network 2012 , 289-306		1
25	Brain cannabinoid CBI eceptors modulate cocaines actions in mice. <i>Nature Neuroscience</i> , 2011 , 14, 1160	0 .65 .5	304
24	MiRNA-miRNA synergistic network: construction via co-regulating functional modules and disease miRNA topological features. <i>Nucleic Acids Research</i> , 2011 , 39, 825-36	20.1	218
23	SOS3 mediates lateral root development under low salt stress through regulation of auxin redistribution and maxima in Arabidopsis. <i>New Phytologist</i> , 2011 , 189, 1122-1134	9.8	80
22	Prioritizing candidate disease miRNAs by topological features in the miRNA target-dysregulated network: case study of prostate cancer. <i>Molecular Cancer Therapeutics</i> , 2011 , 10, 1857-66	6.1	179
21	Preclinical evaluation of melanin-concentrating hormone receptor 1 antagonism for the treatment of obesity and depression. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 329, 429-38	4.7	68

20	Metabotropic glutamate receptor 7 modulates the rewarding effects of cocaine in rats: involvement of a ventral pallidal GABAergic mechanism. <i>Neuropsychopharmacology</i> , 2009 , 34, 1783-96	8.7	55
19	New approaches to the pharmacological management of major depressive disorder. <i>Advances in Pharmacology</i> , 2009 , 57, 347-79	5.7	11
18	Attenuation of basal and cocaine-enhanced locomotion and nucleus accumbens dopamine in cannabinoid CB1-receptor-knockout mice. <i>Psychopharmacology</i> , 2009 , 204, 1-11	4.7	55
17	Auxin redistribution modulates plastic development of root system architecture under salt stress in Arabidopsis thaliana. <i>Journal of Plant Physiology</i> , 2009 , 166, 1637-45	3.6	146
16	Overexpression of SOS (Salt Overly Sensitive) genes increases salt tolerance in transgenic Arabidopsis. <i>Molecular Plant</i> , 2009 , 2, 22-31	14.4	290
15	Salt-avoidance tropism in Arabidopsis thaliana. <i>Plant Signaling and Behavior</i> , 2008 , 3, 351-3	2.5	21
14	Salt modulates gravity signaling pathway to regulate growth direction of primary roots in Arabidopsis. <i>Plant Physiology</i> , 2008 , 146, 178-88	6.6	152
13	Cannabinoid CB1 receptor antagonists attenuate cocaine's rewarding effects: experiments with self-administration and brain-stimulation reward in rats. <i>Neuropsychopharmacology</i> , 2008 , 33, 1735-45	8.7	87
12	Salt-induced plasticity of root hair development is caused by ion disequilibrium in Arabidopsis thaliana. <i>Journal of Plant Research</i> , 2008 , 121, 87-96	2.6	42
11	China: the aging giant. Journal of the American Geriatrics Society, 2007, 55, 1295-300	5.6	160
10	Metabotropic glutamate 5 receptor antagonism is associated with antidepressant-like effects in mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 319, 254-9	4.7	138
9	Decreases in nestlet shredding of mice by serotonin uptake inhibitors: comparison with marble burying. <i>Life Sciences</i> , 2006 , 78, 1933-9	6.8	95
8	A therapeutic role for cannabinoid CB1 receptor antagonists in major depressive disorders. <i>Trends in Pharmacological Sciences</i> , 2005 , 26, 609-17	13.2	79
7	Disruption of the cellulose synthase gene, AtCesA8/IRX1, enhances drought and osmotic stress tolerance in Arabidopsis. <i>Plant Journal</i> , 2005 , 43, 273-83	6.9	174
6	Enhancement of antidepressant potency by a potentiator of AMPA receptors. <i>Cellular and Molecular Neurobiology</i> , 2003 , 23, 419-30	4.6	96
5	The CB1 receptor antagonist SR141716A selectively increases monoaminergic neurotransmission in the medial prefrontal cortex: implications for therapeutic actions. <i>British Journal of Pharmacology</i> , 2003 , 138, 544-53	8.6	225
4	Intra- and interstrain differences in models of "behavioral despair". <i>Pharmacology Biochemistry and Behavior</i> , 2001 , 70, 187-92	3.9	213
3	Current perspectives on the development of non-biogenic amine-based antidepressants. Pharmacological Research, 2001, 43, 411-23	10.2	109

LIST OF PUBLICATIONS

2	Antidepressant-like actions of an AMPA receptor potentiator (LY392098). <i>Neuropharmacology</i> , 2001 , 40, 1028-33	5.5	191
1	Immunohistochemical localization of ORL-1 in the central nervous system of the rat. <i>Journal of Comparative Neurology</i> , 1996 , 368, 229-51	3.4	262