
Ulun Ulug

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10685939/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Conception rates following assisted reproduction in poor responder patients: a retrospective study in 300 consecutive cycles. Reproductive BioMedicine Online, 2003, 6, 439-443. | 2.4 | 127 |
| 2 | The significance of coasting duration during ovarian stimulation for conception in assisted fertilization cycles. Human Reproduction, 2002, 17, 310-313. | 0.9 | 70 |
| 3 | Klinefelter syndrome: does it confer a bad prognosis in treatment of nonobstructive azoospermia?. Fertility and Sterility, 2011, 95, 1696-1699. | 1.0 | 58 |
| 4 | Effect of oxygen concentration during the incubation of embryos of women undergoing ICSI and embryo transfer: a prospective randomized study. Reproductive BioMedicine Online, 2005, 11, 438-443. | 2.4 | 42 |
| 5 | Partners of men with Klinefelter syndrome can benefit from assisted reproductive technologies. Fertility and Sterility, 2003, 80, 903-906. | 1.0 | 41 |
| 6 | Predictors of success during the coasting period in high-responder patients undergoing controlled ovarian stimulation for assisted conception. Fertility and Sterility, 2004, 82, 338-342. | 1.0 | 39 |
| 7 | Prenatal karyotypes of fetuses conceived by intracytoplasmic sperm injection. Fertility and Sterility, 2004, 82, 628-633. | 1.0 | 39 |
| 8 | Early cleavage morphology affects the quality and implantation potential of day 3 embryos. Fertility and Sterility, 2006, 85, 358-365. | 1.0 | 38 |
| 9 | Use of a GnRH antagonist in controlled ovarian hyperstimulation for assisted conception in women with polycystic ovary disease: a randomized, prospective, pilot study. Journal of reproductive medicine, The, 2005, 50, 84-90. | 0.2 | 36 |
| 10 | Use of both early cleavage and day 2 mononucleation to predict embryos with high implantation potential in intracytoplasmic sperm injection cycles. Fertility and Sterility, 2005, 84, 1411-1416. | 1.0 | 31 |
| 11 | Impact of assisted hatching on ART outcome in women with endometriosis. Human Reproduction, 2005, 20, 2546-2549. | 0.9 | 26 |
| 12 | Efficiency of changing the embryo transfer time from day 3 to day 2 among women with poor ovarian response: A prospective randomized trial. Fertility and Sterility, 2006, 86, 81-85. | 1.0 | 26 |
| 13 | The reproductive performance of women with hypogonadotropic hypogonadism in an in vitro fertilization and embryo transfer program. Journal of Assisted Reproduction and Genetics, 2005, 22, 167-171. | 2.5 | 25 |
| 14 | Does underlying infertility aetiology impact on first trimester miscarriage rate following ICSI? A preliminary report from 1244 singleton gestations. Human Reproduction, 2005, 20, 717-721. | 0.9 | 25 |
| 15 | Survival rates during the first trimester of multiple gestations achieved by ICSI: a report of 1448 consecutive multiples. Human Reproduction, 2004, 19, 360-364. | 0.9 | 19 |
| 16 | Transfer of early-cleaved embryos increases implantation rate in patients undergoing ovarian stimulation and ICSI–embryo transfer. Reproductive BioMedicine Online, 2004, 8, 219-223. | 2.4 | 19 |
| 17 | Outcome of 1114 ICSI and embryo transfer cycles of women 40 years of age and over. Reproductive BioMedicine Online, 2006, 13, 516-522. | 2.4 | 18 |
| 18 | Early clinical pregnancy loss rate in poor responder patients does not change compared to age-matched normoresponders. Fertility and Sterility, 2009, 91, 106-109. | 1.0 | 16 |

Ulun Ulug

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Subclinical Pregnancy Losses Among Women Undergoing In-Vitro Fertilization With ICSI. Journal of Assisted Reproduction and Genetics, 2006, 23, 261-267. | 2.5 | 11 |
| 20 | Impact of coasting in patients undergoing controlled ovarian stimulation with the gonadotropin-releasing hormone antagonist cetrorelix. Fertility and Sterility, 2006, 85, 1523-1525. | 1.0 | 8 |
| 21 | Elevated oestradiol concentrations are not associated with increased first trimester miscarriage rates of singleton gestations conceived by assisted conception treatment. Reproductive BioMedicine Online, 2006, 12, 33-38. | 2.4 | 6 |
| 22 | Route of progesterone administration for luteal phase support may affect outcome of controlled ovarian hyperstimulation for IVF with ICSI using GnRH antagonist. Journal of Assisted Reproduction and Genetics, 2008, 25, 499-502. | 2.5 | 6 |
| 23 | Early pregnancy loss rates were different among singleton gestations conceived by ICSI using GnRH agonist and antagonist. Journal of Assisted Reproduction and Genetics, 2009, 26, 227-229. | 2.5 | 6 |
| 24 | Ependymal versus testicular sperm. Fertility and Sterility, 2005, 84, 266-267. | 1.0 | 1 |
| 25 | Efficacy and safety of HMG versus r-FSH. Reproductive BioMedicine Online, 2008, 16, 599. | 2.4 | 1 |
| 26 | Opinion. Journal of Assisted Reproduction and Genetics, 2010, 27, 691-693. | 2.5 | 1 |
| 27 | Reply: Interpretations of multinucleation—is it ever normal?. Fertility and Sterility, 2006, 86, 495. | 1.0 | 0 |