

David Mischoulon

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1068849/david-mischoulon-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

3,661
citations

32
h-index

56
g-index

161
ext. papers

4,699
ext. citations

5.3
avg, IF

5.48
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 151 | Nutritional medicine as mainstream in psychiatry. <i>Lancet Psychiatry</i> , 2015 , 2, 271-4 | 23.3 | 268 |
| 150 | Adjunctive Nutraceuticals for Depression: A Systematic Review and Meta-Analyses. <i>American Journal of Psychiatry</i> , 2016 , 173, 575-87 | 11.9 | 243 |
| 149 | S-adenosyl methionine (SAME) augmentation of serotonin reuptake inhibitors for antidepressant nonresponders with major depressive disorder: a double-blind, randomized clinical trial. <i>American Journal of Psychiatry</i> , 2010 , 167, 942-8 | 11.9 | 229 |
| 148 | Omega-3 for bipolar disorder: meta-analyses of use in mania and bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 81-6 | 4.6 | 159 |
| 147 | Folate in depression: efficacy, safety, differences in formulations, and clinical issues. <i>Journal of Clinical Psychiatry</i> , 2009 , 70 Suppl 5, 12-7 | 4.6 | 147 |
| 146 | A double-blind, randomized, placebo-controlled clinical trial of S-adenosyl-L-methionine (SAME) versus escitalopram in major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 370-6 | 4.6 | 107 |
| 145 | Depression and eating disorders: treatment and course. <i>Journal of Affective Disorders</i> , 2011 , 130, 470-7 | 6.6 | 82 |
| 144 | Rapid and Sustained Reductions in Current Suicidal Ideation Following Repeated Doses of Intravenous Ketamine: Secondary Analysis of an Open-Label Study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e719-25 | 4.6 | 81 |
| 143 | Geographic Regional Variation in Patterns of Racial and Ethnic Disparities in Late-Life Depression. <i>Innovation in Aging</i> , 2020 , 4, 168-168 | 0.1 | 78 |
| 142 | Dose-Dependent Effects of EPA Supplementation on Plasma Specialized Pro-Resolving Mediators in Major Depressive Disorder Patients with Chronic Inflammation. <i>Current Developments in Nutrition</i> , 2020 , 4, 1538-1538 | 0.4 | 78 |
| 141 | S-Adenosylmethionine (SAME) for Neuropsychiatric Disorders: A Clinician-Oriented Review of Research. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e656-e667 | 4.6 | 71 |
| 140 | A double-blind, randomized controlled trial of ethyl-eicosapentaenoate for major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1636-44 | 4.6 | 70 |
| 139 | Effects of smartphone use with and without blue light at night in healthy adults: A randomized, double-blind, cross-over, placebo-controlled comparison. <i>Journal of Psychiatric Research</i> , 2017 , 87, 61-70 | 5.2 | 68 |
| 138 | Repeat-dose ketamine augmentation for treatment-resistant depression with chronic suicidal ideation: A randomized, double blind, placebo controlled trial. <i>Journal of Affective Disorders</i> , 2019 , 243, 516-524 | 6.6 | 68 |
| 137 | Effects of Mindfulness-Based Cognitive Therapy on Body Awareness in Patients with Chronic Pain and Comorbid Depression. <i>Frontiers in Psychology</i> , 2016 , 7, 967 | 3.4 | 67 |
| 136 | International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 263-273 | 9.4 | 66 |
| 135 | Diet and depression: exploring the biological mechanisms of action. <i>Molecular Psychiatry</i> , 2021 , 26, 134-150 | 15.0 | 66 |

| | | | |
|-----|--|------|----|
| 134 | Ketamine augmentation for outpatients with treatment-resistant depression: Preliminary evidence for two-step intravenous dose escalation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 55-64 | 2.6 | 63 |
| 133 | Strategies for managing depression refractory to selective serotonin reuptake inhibitor treatment: a survey of clinicians. <i>Canadian Journal of Psychiatry</i> , 2000 , 45, 476-81 | 4.8 | 60 |
| 132 | Near-Infrared Transcranial Radiation for Major Depressive Disorder: Proof of Concept Study. <i>Psychiatry Journal</i> , 2015 , 2015, 352979 | 2.4 | 59 |
| 131 | Reduced orbitofrontal-thalamic functional connectivity related to suicidal ideation in patients with major depressive disorder. <i>Scientific Reports</i> , 2017 , 7, 15772 | 4.9 | 56 |
| 130 | International Society for Nutritional Psychiatry Research consensus position statement: nutritional medicine in modern psychiatry. <i>World Psychiatry</i> , 2015 , 14, 370-1 | 14.4 | 55 |
| 129 | A double-blind, randomized controlled clinical trial comparing eicosapentaenoic acid versus docosahexaenoic acid for depression. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 54-61 | 4.6 | 54 |
| 128 | A double-blind, randomized, pilot dose-finding study of maca root (<i>L. meyenii</i>) for the management of SSRI-induced sexual dysfunction. <i>CNS Neuroscience and Therapeutics</i> , 2008 , 14, 182-91 | 6.8 | 52 |
| 127 | Serum lipids, recent suicide attempt and recent suicide status in patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 51, 113-8 | 5.5 | 51 |
| 126 | Role of S-adenosyl-L-methionine in the treatment of depression: a review of the evidence. <i>American Journal of Clinical Nutrition</i> , 2002 , 76, 1158S-61S | 7 | 51 |
| 125 | Inflammatory cytokines in major depressive disorder: A case-control study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 23-31 | 2.6 | 43 |
| 124 | Omega-3 fatty acids in psychiatry. <i>Psychiatric Clinics of North America</i> , 2013 , 36, 15-23 | 3.1 | 41 |
| 123 | S-adenosyl methionine (SAME) versus escitalopram and placebo in major depression RCT: efficacy and effects of histamine and carnitine as moderators of response. <i>Journal of Affective Disorders</i> , 2014 , 164, 76-81 | 6.6 | 41 |
| 122 | Paraquat prohibition and change in the suicide rate and methods in South Korea. <i>PLoS ONE</i> , 2015 , 10, e0128980 | 3.7 | 40 |
| 121 | Telomere length and telomerase in a well-characterized sample of individuals with major depressive disorder compared to controls. <i>Psychoneuroendocrinology</i> , 2015 , 58, 9-22 | 5 | 39 |
| 120 | Transcranial Photobiomodulation for the Treatment of Major Depressive Disorder. The ELATED-2 Pilot Trial. <i>Photomedicine and Laser Surgery</i> , 2018 , 36, 634-646 | | 39 |
| 119 | Feelings of worthlessness, traumatic experience, and their comorbidity in relation to lifetime suicide attempt in community adults with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014 , 166, 206-12 | 6.6 | 32 |
| 118 | Poor sleep quality and suicide attempt among adults with internet addiction: A nationwide community sample of Korea. <i>PLoS ONE</i> , 2017 , 12, e0174619 | 3.7 | 31 |
| 117 | An open pilot study of nefazodone in depression with anger attacks: relationship between clinical response and receptor binding. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 116, 151-61 | 2.9 | 29 |

| | | | |
|-----|---|------|----|
| 116 | Prospective association between major depressive disorder and leukocyte telomere length over two years. <i>Psychoneuroendocrinology</i> , 2018 , 90, 157-164 | 5 | 26 |
| 115 | Nutraceuticals for major depressive disorder- more is not merrier: An 8-week double-blind, randomised, controlled trial. <i>Journal of Affective Disorders</i> , 2019 , 245, 1007-1015 | 6.6 | 26 |
| 114 | Development and validation study of the Smartphone Overuse Screening Questionnaire. <i>Psychiatry Research</i> , 2017 , 257, 352-357 | 9.9 | 23 |
| 113 | A double-blind placebo-controlled trial of maca root as treatment for antidepressant-induced sexual dysfunction in women. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 949038 | 3.3 | 23 |
| 112 | Bioavailability of S-adenosyl methionine and impact on response in a randomized, double-blind, placebo-controlled trial in major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 843-8 | 4.6 | 21 |
| 111 | Update and critique of natural remedies as antidepressant treatments. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009 , 36, 789-807, x | 3.3 | 20 |
| 110 | Adjunctive S-adenosylmethionine (SAME) in treating non-remittent major depressive disorder: An 8-week double-blind, randomized, controlled trial. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1126-1136 | 1.3 | 19 |
| 109 | A pilot study of acupuncture monotherapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2012 , 141, 469-73 | 6.6 | 18 |
| 108 | Update and critique of natural remedies as antidepressant treatments. <i>Psychiatric Clinics of North America</i> , 2007 , 30, 51-68 | 3.1 | 18 |
| 107 | Val66Met polymorphism association with serum BDNF and inflammatory biomarkers in major depression. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 402-409 | 3.8 | 17 |
| 106 | Alcohol-induced disinhibition is associated with impulsivity, depression, and suicide attempt: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2018 , 227, 323-329 | 6.6 | 17 |
| 105 | Anxiety symptoms are linked to new-onset suicidal ideation after six months of follow-up in outpatients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2015 , 187, 183-7 | 6.6 | 16 |
| 104 | A Randomized Controlled Pilot Study on Mindfulness-Based Cognitive Therapy for Unipolar Depression in Patients With Chronic Pain. <i>Journal of Clinical Psychiatry</i> , 2018 , 79, | 4.6 | 16 |
| 103 | Thyroid stimulating hormone and serum, plasma, and platelet brain-derived neurotrophic factor during a 3-month follow-up in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014 , 169, 112-7 | 6.6 | 16 |
| 102 | Heart rate variability for treatment response between patients with major depressive disorder versus panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 246, 157-165 | 6.6 | 16 |
| 101 | Tachyphylaxis in major depressive disorder: A review of the current state of research. <i>Journal of Affective Disorders</i> , 2019 , 245, 488-497 | 6.6 | 16 |
| 100 | Screening for Suicide Risk in the College Population. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2015 , 33, 78-94 | 1.7 | 15 |
| 99 | Association of Race and Ethnicity With Late-Life Depression Severity, Symptom Burden, and Care. <i>JAMA Network Open</i> , 2020 , 3, e201606 | 10.4 | 15 |

| | | | |
|----|--|-----|----|
| 98 | Double-blind, proof-of-concept (POC) trial of Low-Field Magnetic Stimulation (LFMS) augmentation of antidepressant therapy in treatment-resistant depression (TRD). <i>Brain Stimulation</i> , 2018 , 11, 75-84 | 5.1 | 14 |
| 97 | Comparison of treatment selections by Japanese and US psychiatrists for major depressive disorder: A case vignette study. <i>Psychiatry and Clinical Neurosciences</i> , 2015 , 69, 553-62 | 6.2 | 14 |
| 96 | Prevalence of MTHFR C677T and MS A2756G polymorphisms in major depressive disorder, and their impact on response to fluoxetine treatment. <i>CNS Spectrums</i> , 2012 , 17, 76-86 | 1.8 | 14 |
| 95 | Gender Differences in Somatic Symptoms and Current Suicidal Risk in Outpatients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2016 , 13, 609-615 | 3.1 | 14 |
| 94 | The role of folate in depression and dementia. <i>Journal of Clinical Psychiatry</i> , 2007 , 68 Suppl 10, 28-33 | 4.6 | 14 |
| 93 | A randomized controlled dosing study of Iyengar yoga and coherent breathing for the treatment of major depressive disorder: Impact on suicidal ideation and safety findings. <i>Complementary Therapies in Medicine</i> , 2018 , 37, 136-142 | 3.5 | 13 |
| 92 | Monitoring Changes in Depression Severity Using Wearable and Mobile Sensors. <i>Frontiers in Psychiatry</i> , 2020 , 11, 584711 | 5 | 13 |
| 91 | Dose- and time-dependent increase in circulating anti-inflammatory and pro-resolving lipid mediators following eicosapentaenoic acid supplementation in patients with major depressive disorder and chronic inflammation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021 , 164, 102219 | 2.8 | 13 |
| 90 | Reported Side Effects, Weight and Blood Pressure, After Repeated Sessions of Transcranial Photobiomodulation. <i>Photobiomodulation, Photomedicine, and Laser Surgery</i> , 2019 , 37, 651-656 | 2.8 | 12 |
| 89 | Mindfulness-based cognitive therapy for depressed individuals improves suppression of irrelevant mental-sets. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 277-282 | 5.1 | 12 |
| 88 | Celebrity suicides and their differential influence on suicides in the general population: a national population-based study in Korea. <i>Psychiatry Investigation</i> , 2015 , 12, 204-11 | 3.1 | 12 |
| 87 | Effects of transcranial photobiomodulation with near-infrared light on sexual dysfunction. <i>Lasers in Surgery and Medicine</i> , 2019 , 51, 127-135 | 3.6 | 12 |
| 86 | Mechanisms of Perceived Treatment Assignment and Subsequent Expectancy Effects in a Double Blind Placebo Controlled RCT of Major Depression. <i>Frontiers in Psychiatry</i> , 2018 , 9, 424 | 5 | 12 |
| 85 | Increased adrenocorticotrophic hormone (ACTH) levels predict severity of depression after six months of follow-up in outpatients with major depressive disorder. <i>Psychiatry Research</i> , 2018 , 270, 246-252 | 2.9 | 12 |
| 84 | Sleep quality, posttraumatic stress, depression, and human errors in train drivers: a population-based nationwide study in South Korea. <i>Sleep</i> , 2014 , 37, 1969-75 | 1.1 | 11 |
| 83 | Reduced Venous Blood Basophil Count and Anxious Depression in Patients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2016 , 13, 321-6 | 3.1 | 11 |
| 82 | Effect of Korean Red Ginseng in individuals exposed to high stress levels: a 6-week, double-blind, randomized, placebo-controlled trial. <i>Journal of Ginseng Research</i> , 2019 , 43, 402-407 | 5.8 | 11 |
| 81 | Predictive inflammatory biomarkers for change in suicidal ideation in major depressive disorder and panic disorder: A 12-week follow-up study. <i>Journal of Psychiatric Research</i> , 2021 , 133, 73-81 | 5.2 | 11 |

| | | | |
|----|--|------|----|
| 80 | Association between physician beliefs regarding assigned treatment and clinical response: re-analysis of data from the Hypericum Depression Trial Study Group. <i>Asian Journal of Psychiatry</i> , 2015 , 13, 23-9 | 6.7 | 10 |
| 79 | Mindfulness-Based Cognitive Therapy Improves Cognitive Functioning and Flexibility Among Individuals with Elevated Depressive Symptoms. <i>Mindfulness</i> , 2018 , 9, 1457-1469 | 2.9 | 10 |
| 78 | Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depression or Clinically Relevant Depressive Symptoms and on Change in Mood Scores: A Randomized Clinical Trial.. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2385-2394 | 27.4 | 10 |
| 77 | Effects of Open-Label, Adjunctive Ganaxolone on Persistent Depression Despite Adequate Antidepressant Treatment in Postmenopausal Women: A Pilot Study. <i>Journal of Clinical Psychiatry</i> , 2020 , 81, | 4.6 | 10 |
| 76 | Longer-term open-label study of adjunctive riluzole in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2019 , 258, 102-108 | 6.6 | 9 |
| 75 | Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder: Cardiac, Endocrine, Metabolic, and Motoric Effects in a Randomized, Double-Blind, Placebo-Controlled Study. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 449-455 | 4.6 | 9 |
| 74 | S-Adenosylmethionine (SAME) monotherapy for depression: an 8-week double-blind, randomised, controlled trial. <i>Psychopharmacology</i> , 2020 , 237, 209-218 | 4.7 | 9 |
| 73 | Influence of anxiety symptoms on improvement of neurocognitive functions in patients with major depressive disorder: A 12-week, multicenter, randomized trial of tianeptine versus escitalopram, the CAMPION study. <i>Journal of Affective Disorders</i> , 2015 , 185, 24-30 | 6.6 | 8 |
| 72 | A multi-national, multi-disciplinary Delphi consensus study on using omega-3 polyunsaturated fatty acids (n-3 PUFAs) for the treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2020 , 265, 233-238 | 6.6 | 8 |
| 71 | Increased Morbidity of Major Depressive Disorder After Thyroidectomy: A Nationwide Population-Based Study in South Korea. <i>Thyroid</i> , 2019 , 29, 1713-1722 | 6.2 | 8 |
| 70 | Are nutritional supplements ready for prime time?. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1497-8 | 4.6 | 8 |
| 69 | Deformities of the Globus Pallidus are Associated with Severity of Suicidal Ideation and Impulsivity in Patients with Major Depressive Disorder. <i>Scientific Reports</i> , 2019 , 9, 7462 | 4.9 | 7 |
| 68 | Efficacy and safety of a form of cranial electrical stimulation (CES) as an add-on intervention for treatment-resistant major depressive disorder: A three week double blind pilot study. <i>Journal of Psychiatric Research</i> , 2015 , 70, 98-105 | 5.2 | 7 |
| 67 | Lifetime suicidal ideation and attempt in adults with full major depressive disorder versus sustained depressed mood. <i>Journal of Affective Disorders</i> , 2016 , 203, 275-280 | 6.6 | 7 |
| 66 | Transfer to a New Psychopharmacologist. <i>Academic Psychiatry</i> , 2000 , 24, 156-163 | 1.1 | 7 |
| 65 | Risks of Completed Suicide of Community Individuals with ICD-10 Disorders Across Age Groups: A Nationwide Population-Based Nested Case-Control Study in South Korea. <i>Psychiatry Investigation</i> , 2019 , 16, 314-324 | 3.1 | 7 |
| 64 | Review of Suicide Prevention Programs: Massachusetts, United States, in Comparison with Seoul. <i>Psychiatry Investigation</i> , 2015 , 12, 281-7 | 3.1 | 7 |
| 63 | A case control series for the effect of photobiomodulation in patients with low back pain and concurrent depression. <i>Laser Therapy</i> , 2018 , 27, 167-173 | 0.8 | 7 |

| | | | |
|----|---|------|---|
| 62 | Binge eating, trauma, and suicide attempt in community adults with major depressive disorder. <i>PLoS ONE</i> , 2018 , 13, e0198192 | 3.7 | 7 |
| 61 | Community-Delivered Heated Hatha Yoga as a Treatment for Depressive Symptoms: An Uncontrolled Pilot Study. <i>Journal of Alternative and Complementary Medicine</i> , 2019 , 25, 814-823 | 2.4 | 6 |
| 60 | An Approach to the Patient Seeking Psychiatric Disability Benefits. <i>Academic Psychiatry</i> , 1999 , 23, 128-136 | 3.1 | 6 |
| 59 | Low-Dose Testosterone Augmentation for Antidepressant-Resistant Major Depressive Disorder in Women: An 8-Week Randomized Placebo-Controlled Study. <i>American Journal of Psychiatry</i> , 2020 , 177, 965-973 | 11.9 | 6 |
| 58 | EPA and DHA as markers of nutraceutical treatment response in major depressive disorder. <i>European Journal of Nutrition</i> , 2020 , 59, 2439-2447 | 5.2 | 6 |
| 57 | Multiple types of somatic pain increase suicide attempts and depression: A nationwide community sample of Korean adults. <i>Comprehensive Psychiatry</i> , 2019 , 90, 43-48 | 7.3 | 5 |
| 56 | Efficacy of ziprasidone monotherapy in patients with anxious depression: a 12-week, randomized, double-blind, placebo-controlled, sequential-parallel comparison trial. <i>Journal of Psychiatric Research</i> , 2015 , 62, 56-61 | 5.2 | 5 |
| 55 | Popular Herbal and Natural Remedies Used in Psychiatry. <i>Focus (American Psychiatric Publishing)</i> , 2018 , 16, 2-11 | 1.1 | 5 |
| 54 | Current Role of Herbal and Natural Preparations. <i>Handbook of Experimental Pharmacology</i> , 2019 , 250, 225-252 | 3.2 | 5 |
| 53 | Pre-treatment peripheral biomarkers associated with treatment response in panic symptoms in patients with major depressive disorder and panic disorder: A 12-week follow-up study. <i>Comprehensive Psychiatry</i> , 2019 , 95, 152140 | 7.3 | 5 |
| 52 | Metabolic Syndrome in Dutch Patients With Bipolar Disorder: A Cross-Sectional Study. <i>primary care companion for CNS disorders, The</i> , 2018 , 20, | 1.2 | 5 |
| 51 | Comparisons of Subthreshold Versus Full Posttraumatic Stress Disorder Distinguished by Subjective Functional Impairment Among Train Drivers: A Population-Based Nationwide Study in South Korea. <i>Psychiatry Investigation</i> , 2017 , 14, 1-7 | 3.1 | 5 |
| 50 | Predictive factors of diagnostic conversion from major depressive disorder to bipolar disorder in young adults ages 19-34: A nationwide population study in South Korea. <i>Journal of Affective Disorders</i> , 2020 , 265, 52-58 | 6.6 | 5 |
| 49 | Clinician guidelines for the treatment of psychiatric disorders with nutraceuticals and phytoceuticals: The World Federation of Societies of Biological Psychiatry (WFSBP) and Canadian Network for Mood and Anxiety Treatments (CANMAT) Taskforce.. <i>World Journal of Biological Psychiatry</i> , 2020 , 31, 1-12 | 3.8 | 5 |
| 48 | Ratio of plasma BDNF to leptin levels are associated with treatment response in major depressive disorder but not in panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 259, 349-354 | 6.6 | 4 |
| 47 | Anger attacks are associated with persistently elevated irritability in MDD: findings from the EMBARC study. <i>Psychological Medicine</i> , 2020 , 1-9 | 6.9 | 4 |
| 46 | Major depressive disorder and insomnia: Exploring a hypothesis of a common neurological basis using waking and sleep-derived heart rate variability. <i>Journal of Psychiatric Research</i> , 2020 , 123, 89-94 | 5.2 | 4 |
| 45 | Does folic acid interfere with lamotrigine?. <i>Lancet Psychiatry,the</i> , 2016 , 3, 704-705 | 23.3 | 4 |

| | | | |
|----|--|------|---|
| 44 | "The Matrix": An allegory of the psychoanalytic journey. <i>Academic Psychiatry</i> , 2004 , 28, 71-7 | 1.1 | 4 |
| 43 | Dose increase of S-Adenosyl-Methionine and escitalopram in a randomized clinical trial for major depressive disorder. <i>Journal of Affective Disorders</i> , 2020 , 262, 118-125 | 6.6 | 4 |
| 42 | Loss of sexual interest and premenstrual mood change in women with postpartum versus non-postpartum depression: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2016 , 191, 222-9 | 6.6 | 4 |
| 41 | Paranoid Ideation Without Psychosis Is Associated With Depression, Anxiety, and Suicide Attempts in General Population. <i>Journal of Nervous and Mental Disease</i> , 2019 , 207, 826-831 | 1.8 | 4 |
| 40 | Risks of suicide attempts after prescription of zolpidem in people with depression: a nationwide population study in South Korea. <i>Sleep</i> , 2020 , 43, | 1.1 | 4 |
| 39 | Anxiety attacks with or without life-threatening situations, major depressive disorder, and suicide attempt: a nationwide community sample of Korean adults. <i>Psychiatry Research</i> , 2018 , 270, 257-263 | 9.9 | 4 |
| 38 | Comparison of suicide attempts in individuals with major depressive disorder with and without history of subthreshold hypomania: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2019 , 248, 18-25 | 6.6 | 3 |
| 37 | All Suicidal Ideation Is Not Created Equal: Two Cases of Suicide Attempts During Maintenance Ketamine Treatment. <i>American Journal of Psychiatry</i> , 2020 , 177, 173-174 | 11.9 | 3 |
| 36 | Rising early warning signals in affect associated with future changes in depression: a dynamical systems approach.. <i>Psychological Medicine</i> , 2021 , 1-9 | 6.9 | 3 |
| 35 | Diet and depression: future needs to unlock the potential. <i>Molecular Psychiatry</i> , 2021 , | 15.1 | 3 |
| 34 | Design and Methods of the Korean National Investigations of 70,000 Suicide Victims Through Police Records (The KNIGHTS Study). <i>Psychiatry Investigation</i> , 2019 , 16, 777-788 | 3.1 | 3 |
| 33 | Long-term outcome in outpatients with depression treated with acute and maintenance intravenous ketamine: A retrospective chart review. <i>Journal of Affective Disorders</i> , 2020 , 276, 660-666 | 6.6 | 3 |
| 32 | Cross-national differences in hypochondriasis symptoms between Korean and American outpatients with major depressive disorder. <i>Psychiatry Research</i> , 2016 , 245, 127-132 | 9.9 | 3 |
| 31 | Association of anger attacks with suicidal ideation in adults with major depressive disorder: Findings from the EMBARC study. <i>Depression and Anxiety</i> , 2021 , 38, 57-66 | 8.4 | 3 |
| 30 | Plant-based Medicines (Phytoceuticals) in the Treatment of Psychiatric Disorders: A Meta-review of Meta-analyses of Randomized Controlled Trials: Les médicaments à base de plantes (phytoceutiques) dans le traitement des troubles psychiatriques: une méta-revue des méta-analyses d'essais randomisés contrôlés. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 849-862 | 4.8 | 3 |
| 29 | A preliminary open study of the tolerability and effectiveness of nefazodone in major depressive disorder: comparing patients who recently discontinued an SSRI with those on no recent antidepressant treatment. <i>Depression and Anxiety</i> , 2004 , 19, 43-50 | 8.4 | 2 |
| 28 | Atypical psychotic symptoms in a Hispanic population: diagnostic dilemmas and implications for treatment. <i>Psychiatry</i> , 2005 , 2, 38-46 | | 2 |
| 27 | Obstructive Sleep Apnea as a Complication of Bipolar Disorder and Its Treatment: A Review and Approach to Management. <i>primary care companion for CNS disorders, The</i> , 2017 , 19, | 1.2 | 2 |

| | | | |
|----|---|-----|---|
| 26 | Agoraphobia and Follicle-Stimulating Hormone Levels between Tamoxifen and Goserelin versus Tamoxifen Alone in Premenopausal Hormone Receptor-Positive Breast Cancer: A 12-Month Prospective Randomized Study. <i>Psychiatry Investigation</i> , 2017 , 14, 491-498 | 3.1 | 2 |
| 25 | Association of smartphone overuse with depression, anxiety, and other addictive behaviors: A nationwide community sample of Korean adults. <i>Psychiatry Research</i> , 2021 , 304, 114133 | 9.9 | 2 |
| 24 | Yoga for the treatment of depression: Five questions to move the evidence-base forward. <i>Complementary Therapies in Medicine</i> , 2019 , 46, 153-157 | 3.5 | 1 |
| 23 | Comparisons Between Successful Versus Unsuccessful Switches From Benzodiazepines or Zolpidem (Z-Drug) to Controlled-Release Melatonin in Patients With Major Depressive Disorder and Insomnia. <i>Frontiers in Psychiatry</i> , 2020 , 11, 444 | 5 | 1 |
| 22 | Complementary Medicine and Natural Medications in Psychiatry: A Guide for the Consultation-Liaison Psychiatrist. <i>Psychosomatics</i> , 2020 , 61, 508-517 | 2.6 | 1 |
| 21 | Comparison of Initial Psychological Treatment Selections by US and Japanese Early-Career Psychiatrists for Patients with Major Depression: A Case Vignette Study. <i>Academic Psychiatry</i> , 2016 , 40, 235-41 | 1.1 | 1 |
| 20 | Major depressive disorder with psychosis-like symptoms in Latinos: treatment with and without antipsychotic augmentation. <i>International Journal of Culture and Mental Health</i> , 2015 , 8, 137-149 | | 1 |
| 19 | Heat: A New Approach to Treating Depression?. <i>Focus (American Psychiatric Publishing)</i> , 2017 , 15, 6s-7s | 1.1 | 1 |
| 18 | In Latinos with major depressive disorder, do soft psychotic symptoms merit augmentation with atypical antipsychotics?. <i>International Journal of Culture and Mental Health</i> , 2014 , 7, 370-371 | | 1 |
| 17 | Treatment for Anxiety and Comorbid Depressive Disorders: Transdiagnostic Cognitive-Behavioral Strategies. <i>Psychiatric Annals</i> , 2021 , 51, 226-230 | 0.5 | 1 |
| 16 | Obsessive Thought, Compulsive Behavior, and Their Associations With Suicide Ideation and Attempts and Major Depressive Disorder: A Nationwide Community Sample of Korean Adults. <i>Journal of Nervous and Mental Disease</i> , 2021 , 209, 820-828 | 1.8 | 1 |
| 15 | Four-Week Mentalizing Imagery Therapy for Family Dementia Caregivers: A Randomized Controlled Trial with Neural Circuit Changes.. <i>Psychotherapy and Psychosomatics</i> , 2022 , 1-10 | 9.4 | 1 |
| 14 | Depressed Chinese Americans present predominantly psychological symptoms: A new trend or different outcomes due to methodological differences?. <i>Asian Journal of Psychiatry</i> , 2021 , 61, 102684 | 6.7 | 0 |
| 13 | Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2021 , 294, 786-793 | 6.6 | 0 |
| 12 | High body weight variability is associated with increased risk of depression: a nationwide cohort study in South Korea.. <i>Psychological Medicine</i> , 2022 , 1-9 | 6.9 | 0 |
| 11 | Bullying, Psychological, and Physical Trauma During Early Life Increase Risk of Major Depressive Disorder in Adulthood: A Nationwide Community Sample of Korean Adults.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 792734 | 5 | 0 |
| 10 | High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 765129 | 5 | 0 |
| 9 | COVID-19 vaccine: A 2021 analysis of perceptions on vaccine safety and promise in a U.S. sample.. <i>PLoS ONE</i> , 2022 , 17, e0268784 | 3.7 | 0 |

| | | |
|---|---|------|
| 8 | Protocol for studying racial/ethnic disparities in depression care using joint information from participant surveys and administrative claims databases: an observational cohort study. <i>BMJ Open</i> , 2020 , 10, e033173 | 3 |
| 7 | Aggregating heart rate variability indices across sleep stage epochs ignores significant variance through the night.. <i>Sleep Medicine</i> , 2022 , 90, 262-266 | 4.6 |
| 6 | A Patient With Electroconvulsive Therapy-resistant Major Depressive Disorder With a Full Response to Heated Yoga: A Case Report. <i>Journal of Psychiatric Practice</i> , 2021 , 27, 486-491 | 1.3 |
| 5 | Increased risk of depression before and after unilateral or bilateral oophorectomy: A self-controlled case series study using a nationwide cohort in South Korea. <i>Journal of Affective Disorders</i> , 2021 , 285, 47-54 | 6.6 |
| 4 | A Patient with Treatment-resistant Depression Who Achieved Remission with Heated Yoga: A Case Report. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , 2021 , 12, 12-17 | 0.2 |
| 3 | Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depression-Reply.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1292 | 27.4 |
| 2 | Mentalizing imagery therapy to augment skills training for dementia caregivers: Protocol for a randomized, controlled trial of a mobile application and digital phenotyping.. <i>Contemporary Clinical Trials</i> , 2022 , 116, 106737 | 2.3 |
| 1 | Feasibility and acceptability of a virtual adaptation of mentalizing imagery therapy for Spanish language family dementia caregivers.. <i>Alzheimers and Dementia</i> , 2021 , 17 Suppl 7, e051184 | 1.2 |