David Mischoulon

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1068849/david-mischoulon-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,661 56 151 32 h-index g-index citations papers 161 4,699 5.48 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
151	Aggregating heart rate variability indices across sleep stage epochs ignores significant variance through the night <i>Sleep Medicine</i> , 2022 , 90, 262-266	4.6	
150	Clinician guidelines for the treatment of psychiatric disorders with nutraceuticals and phytoceuticals: The World Federation of Societies of Biological Psychiatry (WFSBP) and Canadian Network for Mood and Anxiety Treatments (CANMAT) Taskforce World Journal of Biological	3.8	5
149	Psychiatry, 2022 , 1-32 Four-Week Mentalizing Imagery Therapy for Family Dementia Caregivers: A Randomized Controlled Trial with Neural Circuit Changes <i>Psychotherapy and Psychosomatics</i> , 2022 , 1-10	9.4	1
148	High body weight variability is associated with increased risk of depression: a nationwide cohort study in South Korea <i>Psychological Medicine</i> , 2022 , 1-9	6.9	O
147	Bullying, Psychological, and Physical Trauma During Early Life Increase Risk of Major Depressive Disorder in Adulthood: A Nationwide Community Sample of Korean Adults <i>Frontiers in Psychiatry</i> , 2022 , 13, 792734	5	O
146	Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depression-Reply <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1292	27.4	
145	Mentalizing imagery therapy to augment skills training for dementia caregivers: Protocol for a randomized, controlled trial of a mobile application and digital phenotyping <i>Contemporary Clinical Trials</i> , 2022 , 116, 106737	2.3	
144	COVID-19 vaccine: A 2021 analysis of perceptions on vaccine safety and promise in a U.S. sample <i>PLoS ONE</i> , 2022 , 17, e0268784	3.7	O
143	Rising early warning signals in affect associated with future changes in depression: a dynamical systems approach <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
142	Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depression or Clinically Relevant Depressive Symptoms and on Change in Mood Scores: A Randomized Clinical Trial <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2385-2394	27.4	10
141	Diet and depression: future needs to unlock the potential. <i>Molecular Psychiatry</i> , 2021 ,	15.1	3
140	A Patient With Electroconvulsive Therapy-resistant Major Depressive Disorder With a Full Response to Heated Yoga: A Case Report. <i>Journal of Psychiatric Practice</i> , 2021 , 27, 486-491	1.3	
139	Increased risk of depression before and after unilateral or bilateral oophorectomy: A self-controlled case series study using a nationwide cohort in South Korea. <i>Journal of Affective Disorders</i> , 2021 , 285, 47-54	6.6	
138	Treatment for Anxiety and Comorbid Depressive Disorders: Transdiagnostic Cognitive-Behavioral Strategies. <i>Psychiatric Annals</i> , 2021 , 51, 226-230	0.5	1
137	Obsessive Thought, Compulsive Behavior, and Their Associations With Suicide Ideation and Attempts and Major Depressive Disorder: A Nationwide Community Sample of Korean Adults. <i>Journal of Nervous and Mental Disease</i> , 2021 , 209, 820-828	1.8	1
136	Diet and depression: exploring the biological mechanisms of action. <i>Molecular Psychiatry</i> , 2021 , 26, 134-	-1155O1	66
135	Association of anger attacks with suicidal ideation in adults with major depressive disorder: Findings from the EMBARC study. <i>Depression and Anxiety</i> , 2021 , 38, 57-66	8.4	3

(2020-2021)

134	Dose- and time-dependent increase in circulating anti-inflammatory and pro-resolving lipid mediators following eicosapentaenoic acid supplementation in patients with major depressive disorder and chronic inflammation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021 , 164, 102	2.8 2 219	13
133	Predictive inflammatory biomarkers for change in suicidal ideation in major depressive disorder and panic disorder: A 12-week follow-up study. <i>Journal of Psychiatric Research</i> , 2021 , 133, 73-81	5.2	11
132	Plant-based Medicines (Phytoceuticals) in the Treatment of Psychiatric Disorders: A Meta-review of Meta-analyses of Randomized Controlled Trials: Les màicaments ^base de plantes (phytoceutiques) dans le traitement des troubles psychiatriques: une mta-revue des	4.8	3
131	mta-analyses d'essais randomist contrit. Canadian Journal of Psychiatry, 2021, 66, 849-862 Depressed Chinese Americans present predominantly psychological symptoms: A new trend or different outcomes due to methodological differences?. Asian Journal of Psychiatry, 2021, 61, 102684	6.7	O
130	A Patient with Treatment-resistant Depression Who Achieved Remission with Heated Yoga: A Case Report. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , 2021 , 12, 12-17	0.2	
129	Association of smartphone overuse with depression, anxiety, and other addictive behaviors: A nationwide community sample of Korean adults. <i>Psychiatry Research</i> , 2021 , 304, 114133	9.9	2
128	Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2021 , 294, 786-793	6.6	О
127	Feasibility and acceptability of a virtual adaptation of mentalizing imagery therapy for Spanish language family dementia caregivers <i>Alzheimern</i> and Dementia, 2021 , 17 Suppl 7, e051184	1.2	
126	High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea <i>Frontiers in Psychiatry</i> , 2021 , 12, 765129	5	О
125	Comparisons Between Successful Versus Unsuccessful Switches From Benzodiazepines or Zolpidem (Z-Drug) to Controlled-Release Melatonin in Patients With Major Depressive Disorder and Insomnia. <i>Frontiers in Psychiatry</i> , 2020 , 11, 444	5	1
124	Complementary Medicine and Natural Medications in Psychiatry: A Guide for the Consultation-Liaison Psychiatrist. <i>Psychosomatics</i> , 2020 , 61, 508-517	2.6	1
123	Association of Race and Ethnicity With Late-Life Depression Severity, Symptom Burden, and Care. <i>JAMA Network Open</i> , 2020 , 3, e201606	10.4	15
122	Anger attacks are associated with persistently elevated irritability in MDD: findings from the EMBARC study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
121	A multi-national, multi-disciplinary Delphi consensus study on using omega-3 polyunsaturated fatty acids (n-3 PUFAs) for the treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2020 , 265, 233-238	6.6	8
120	Major depressive disorder and insomnia: Exploring a hypothesis of a common neurological basis using waking and sleep-derived heart rate variability. <i>Journal of Psychiatric Research</i> , 2020 , 123, 89-94	5.2	4
119	All Suicidal Ideation Is Not Created Equal: Two Cases of Suicide Attempts During Maintenance Ketamine Treatment. <i>American Journal of Psychiatry</i> , 2020 , 177, 173-174	11.9	3
118	Protocol for studying racial/ethnic disparities in depression care using joint information from participant surveys and administrative claims databases: an observational cohort study. <i>BMJ Open</i> , 2020 , 10, e033173	3	
117	Effects of Open-Label, Adjunctive Ganaxolone on Persistent Depression Despite Adequate Antidepressant Treatment in Postmenopausal Women: A Pilot Study. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	10

116	Geographic Regional Variation in Patterns of Racial and Ethnic Disparities in Late-Life Depression. <i>Innovation in Aging</i> , 2020 , 4, 168-168	0.1	78
115	S-Adenosylmethionine (SAMe) monotherapy for depression: an 8-week double-blind, randomised, controlled trial. <i>Psychopharmacology</i> , 2020 , 237, 209-218	4.7	9
114	Dose increase of S-Adenosyl-Methionine and escitalopram in a randomized clinical trial for major depressive disorder. <i>Journal of Affective Disorders</i> , 2020 , 262, 118-125	6.6	4
113	Predictive factors of diagnostic conversion from major depressive disorder to bipolar disorder in young adults ages 19-34: A nationwide population study in South Korea. <i>Journal of Affective Disorders</i> , 2020 , 265, 52-58	6.6	5
112	Low-Dose Testosterone Augmentation for Antidepressant-Resistant Major Depressive Disorder in Women: An 8-Week Randomized Placebo-Controlled Study. <i>American Journal of Psychiatry</i> , 2020 , 177, 965-973	11.9	6
111	Long-term outcome in outpatients with depression treated with acute and maintenance intravenous ketamine: A retrospective chart review. <i>Journal of Affective Disorders</i> , 2020 , 276, 660-666	6.6	3
110	Dose-Dependent Effects of EPA Supplementation on Plasma Specialized Pro-Resolving Mediators in Major Depressive Disorder Patients with Chronic Inflammation. <i>Current Developments in Nutrition</i> , 2020 , 4, 1538-1538	0.4	78
109	Monitoring Changes in Depression Severity Using Wearable and Mobile Sensors. <i>Frontiers in Psychiatry</i> , 2020 , 11, 584711	5	13
108	Risks of suicide attempts after prescription of zolpidem in people with depression: a nationwide population study in South Korea. <i>Sleep</i> , 2020 , 43,	1.1	4
107	EPA and DHA as markers of nutraceutical treatment response in major depressive disorder. <i>European Journal of Nutrition</i> , 2020 , 59, 2439-2447	5.2	6
106	International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 263-	2 973	66
105	Ratio of plasma BDNF to leptin levels are associated with treatment response in major depressive disorder but not in panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 259, 349-354	6.6	4
104	Yoga for the treatment of depression: Five questions to move the evidence-base forward. <i>Complementary Therapies in Medicine</i> , 2019 , 46, 153-157	3.5	1
103	Longer-term open-label study of adjunctive riluzole in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2019 , 258, 102-108	6.6	9
102	Multiple types of somatic pain increase suicide attempts and depression: A nationwide community sample of Korean adults. <i>Comprehensive Psychiatry</i> , 2019 , 90, 43-48	7.3	5
101	Comparison of suicide attempts in individuals with major depressive disorder with and without history of subthreshold hypomania: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2019 , 248, 18-25	6.6	3
100	Deformities of the Globus Pallidus are Associated with Severity of Suicidal Ideation and Impulsivity in Patients with Major Depressive Disorder. <i>Scientific Reports</i> , 2019 , 9, 7462	4.9	7
99	Current Role of Herbal and Natural Preparations. <i>Handbook of Experimental Pharmacology</i> , 2019 , 250, 225-252	3.2	5

(2018-2019)

98	Increased Morbidity of Major Depressive Disorder After Thyroidectomy: A Nationwide Population-Based Study in South Korea. <i>Thyroid</i> , 2019 , 29, 1713-1722	6.2	8
97	Community-Delivered Heated Hatha Yoga as a Treatment for Depressive Symptoms: An Uncontrolled Pilot Study. <i>Journal of Alternative and Complementary Medicine</i> , 2019 , 25, 814-823	2.4	6
96	Reported Side Effects, Weight and Blood Pressure, After Repeated Sessions of Transcranial Photobiomodulation. <i>Photobiomodulation, Photomedicine, and Laser Surgery</i> , 2019 , 37, 651-656	2.8	12
95	Pre-treatment peripheral biomarkers associated with treatment response in panic symptoms in patients with major depressive disorder and panic disorder: A 12-week follow-up study. <i>Comprehensive Psychiatry</i> , 2019 , 95, 152140	7.3	5
94	Risks of Completed Suicide of Community Individuals with ICD-10 Disorders Across Age Groups: A Nationwide Population-Based Nested Case-Control Study in South Korea. <i>Psychiatry Investigation</i> , 2019 , 16, 314-324	3.1	7
93	Design and Methods of the Korean National Investigations of 70,000 Suicide Victims Through Police Records (The KNIGHTS Study). <i>Psychiatry Investigation</i> , 2019 , 16, 777-788	3.1	3
92	Paranoid Ideation Without Psychosis Is Associated With Depression, Anxiety, and Suicide Attempts in General Population. <i>Journal of Nervous and Mental Disease</i> , 2019 , 207, 826-831	1.8	4
91	Effects of transcranial photobiomodulation with near-infrared light on sexual dysfunction. <i>Lasers in Surgery and Medicine</i> , 2019 , 51, 127-135	3.6	12
90	Heart rate variability for treatment response between patients with major depressive disorder versus panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 246, 157-165	6.6	16
89	Nutraceuticals for major depressive disorder- more is not merrier: An 8-week double-blind, randomised, controlled trial. <i>Journal of Affective Disorders</i> , 2019 , 245, 1007-1015	6.6	26
88	Tachyphylaxis in major depressive disorder: A review of the current state of research. <i>Journal of Affective Disorders</i> , 2019 , 245, 488-497	6.6	16
87	Repeat-dose ketamine augmentation for treatment-resistant depression with chronic suicidal ideation: A randomized, double blind, placebo controlled trial. <i>Journal of Affective Disorders</i> , 2019 , 243, 516-524	6.6	68
86	Effect of Korean Red Ginseng in individuals exposed to high stress levels: a 6-week, double-blind, randomized, placebo-controlled trial. <i>Journal of Ginseng Research</i> , 2019 , 43, 402-407	5.8	11
85	Prospective association between major depressive disorder and leukocyte telomere length over two years. <i>Psychoneuroendocrinology</i> , 2018 , 90, 157-164	5	26
84	Mindfulness-Based Cognitive Therapy Improves Cognitive Functioning and Flexibility Among Individuals with Elevated Depressive Symptoms. <i>Mindfulness</i> , 2018 , 9, 1457-1469	2.9	10
83	A randomized controlled dosing study of lyengar yoga and coherent breathing for the treatment of major depressive disorder: Impact on suicidal ideation and safety findings. <i>Complementary Therapies in Medicine</i> , 2018 , 37, 136-142	3.5	13
82	Popular Herbal and Natural Remedies Used in Psychiatry. <i>Focus (American Psychiatric Publishing)</i> , 2018 , 16, 2-11	1.1	5
81	Val66Met polymorphism association with serum BDNF and inflammatory biomarkers in major depression. World Journal of Biological Psychiatry, 2018, 19, 402-409	3.8	17

80	Double-blind, proof-of-concept (POC) trial of Low-Field Magnetic Stimulation (LFMS) augmentation of antidepressant therapy in treatment-resistant depression (TRD). <i>Brain Stimulation</i> , 2018 , 11, 75-84	5.1	14
79	A Randomized Controlled Pilot Study on Mindfulness-Based Cognitive Therapy for Unipolar Depression in Patients With Chronic Pain. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	16
78	Adjunctive S-adenosylmethionine (SAMe) in treating non-remittent major depressive disorder: An 8-week double-blind, randomized, controlled trial. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1126-	·1 ¹ 136	19
77	Metabolic Syndrome in Dutch Patients With Bipolar Disorder: A Cross-Sectional Study. <i>primary care companion for CNS disorders, The</i> , 2018 , 20,	1.2	5
76	Alcohol-induced disinhibition is associated with impulsivity, depression, and suicide attempt: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2018 , 227, 323-329	6.6	17
75	A case control series for the effect of photobiomodulation in patients with low back pain and concurrent depression. <i>Laser Therapy</i> , 2018 , 27, 167-173	0.8	7
74	Mechanisms of Perceived Treatment Assignment and Subsequent Expectancy Effects in a Double Blind Placebo Controlled RCT of Major Depression. <i>Frontiers in Psychiatry</i> , 2018 , 9, 424	5	12
73	Increased adrenocorticotropic hormone (ACTH) levels predict severity of depression after six months of follow-up in outpatients with major depressive disorder. <i>Psychiatry Research</i> , 2018 , 270, 246-	-252	12
72	Anxiety attacks with or without life-threatening situations, major depressive disorder, and suicide attempt: a nationwide community sample of Korean adults. <i>Psychiatry Research</i> , 2018 , 270, 257-263	9.9	4
71	Transcranial Photobiomodulation for the Treatment of Major Depressive Disorder. The ELATED-2 Pilot Trial. <i>Photomedicine and Laser Surgery</i> , 2018 , 36, 634-646		39
70	Binge eating, trauma, and suicide attempt in community adults with major depressive disorder. <i>PLoS ONE</i> , 2018 , 13, e0198192	3.7	7
69	Ketamine augmentation for outpatients with treatment-resistant depression: Preliminary evidence for two-step intravenous dose escalation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 55-64	2.6	63
68	Inflammatory cytokines in major depressive disorder: A case-control study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 23-31	2.6	43
67	Effects of smartphone use with and without blue light at night in healthy adults: A randomized, double-blind, cross-over, placebo-controlled comparison. <i>Journal of Psychiatric Research</i> , 2017 , 87, 61-7	0 ^{5.2}	68
66	S-Adenosylmethionine (SAMe) for Neuropsychiatric Disorders: A Clinician-Oriented Review of Research. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e656-e667	4.6	71
65	Development and validation study of the Smartphone Overuse Screening Questionnaire. <i>Psychiatry Research</i> , 2017 , 257, 352-357	9.9	23
64	Reduced orbitofrontal-thalamic functional connectivity related to suicidal ideation in patients with major depressive disorder. <i>Scientific Reports</i> , 2017 , 7, 15772	4.9	56
63	Mindfulness-based cognitive therapy for depressed individuals improves suppression of irrelevant mental-sets. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 277-282	5.1	12

Heat: A New Approach to Treating Depression?. Focus (American Psychiatric Publishing), 2017, 15, 6s-7s 1.1 62 7 Poor sleep quality and suicide attempt among adults with internet addiction: A nationwide 61 31 3.7 community sample of Korea. PLoS ONE, 2017, 12, e0174619 Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder: Cardiac, Endocrine, Metabolic, and Motoric Effects in a Randomized, Double-Blind, Placebo-Controlled Study. Journal 60 4.6 9 of Clinical Psychiatry, 2017, 78, 449-455 Obstructive Sleep Apnea as a Complication of Bipolar Disorder and Its Treatment: A Review and 1.2 59 Approach to Management. primary care companion for CNS disorders, The, 2017, 19, Comparisons of Subthreshold Versus Full Posttraumatic Stress Disorder Distinguished by Subjective Functional Impairment Among Train Drivers: A Population-Based Nationwide Study in 58 3.1 5 South Korea. Psychiatry Investigation, 2017, 14, 1-7 Agoraphobia and Follicle-Stimulating Hormone Levels between Tamoxifen and Goserelin versus Tamoxifen Alone in Premenopausal Hormone Receptor-Positive Breast Cancer: A 12-Month 2 57 3.1 Prospective Randomized Study. Psychiatry Investigation, 2017, 14, 491-498 56 Does folic acid interfere with lamotrigine?. Lancet Psychiatry, the, 2016, 3, 704-705 23.3 4 Lifetime suicidal ideation and attempt in adults with full major depressive disorder versus 6.6 55 sustained depressed mood. Journal of Affective Disorders, 2016, 203, 275-280 Comparison of Initial Psychological Treatment Selections by US and Japanese Early-Career Psychiatrists for Patients with Major Depression: A Case Vignette Study. Academic Psychiatry, 2016, 1 54 1.1 40, 235-41 Rapid and Sustained Reductions in Current Suicidal Ideation Following Repeated Doses of Intravenous Ketamine: Secondary Analysis of an Open-Label Study. Journal of Clinical Psychiatry, 4.6 81 53 **2016**, 77, e719-25 Reduced Venous Blood Basophil Count and Anxious Depression in Patients with Major Depressive 52 3.1 11 Disorder. Psychiatry Investigation, 2016, 13, 321-6 Effects of Mindfulness-Based Cognitive Therapy on Body Awareness in Patients with Chronic Pain 67 51 3.4 and Comorbid Depression. Frontiers in Psychology, 2016, 7, 967 Gender Differences in Somatic Symptoms and Current Suicidal Risk in Outpatients with Major 50 3.1 14 Depressive Disorder. Psychiatry Investigation, 2016, 13, 609-615 Loss of sexual interest and premenstrual mood change in women with postpartum versus non-postpartum depression: A nationwide community sample of Korean adults. Journal of Affective 6.6 49 4 Disorders, **2016**, 191, 222-9 Adjunctive Nutraceuticals for Depression: A Systematic Review and Meta-Analyses. American 48 243 11.9 Journal of Psychiatry, **2016**, 173, 575-87 Cross-national differences in hypochondriasis symptoms between Korean and American 47 9.9 outpatients with major depressive disorder. Psychiatry Research, 2016, 245, 127-132 46 Nutritional medicine as mainstream in psychiatry. Lancet Psychiatry, the, 2015, 2, 271-4 268 23.3 Influence of anxiety symptoms on improvement of neurocognitive functions in patients with major depressive disorder: A 12-week, multicenter, randomized trial of tianeptine versus escitalopram, 8 6.6 45 the CAMPION study. Journal of Affective Disorders, 2015, 185, 24-30

44	Efficacy of ziprasidone monotherapy in patients with anxious depression: a 12-week, randomized, double-blind, placebo-controlled, sequential-parallel comparison trial. <i>Journal of Psychiatric Research</i> , 2015 , 62, 56-61	5.2	5
43	Telomere length and telomerase in a well-characterized sample of individuals with major depressive disorder compared to controls. <i>Psychoneuroendocrinology</i> , 2015 , 58, 9-22	5	39
42	Association between physician beliefs regarding assigned treatment and clinical response: re-analysis of data from the Hypericum Depression Trial Study Group. <i>Asian Journal of Psychiatry</i> , 2015 , 13, 23-9	6.7	10
41	Screening for Suicide Risk in the College Population. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2015 , 33, 78-94	1.7	15
40	Anxiety symptoms are linked to new-onset suicidal ideation after six months of follow-up in outpatients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2015 , 187, 183-7	6.6	16
39	Efficacy and safety of a form of cranial electrical stimulation (CES) as an add-on intervention for treatment-resistant major depressive disorder: A three week double blind pilot study. <i>Journal of Psychiatric Research</i> , 2015 , 70, 98-105	5.2	7
38	Major depressive disorder with psychosis-like symptoms in Latinos: treatment with and without antipsychotic augmentation. <i>International Journal of Culture and Mental Health</i> , 2015 , 8, 137-149		1
37	International Society for Nutritional Psychiatry Research consensus position statement: nutritional medicine in modern psychiatry. <i>World Psychiatry</i> , 2015 , 14, 370-1	14.4	55
36	Comparison of treatment selections by Japanese and US psychiatrists for major depressive disorder: A case vignette study. <i>Psychiatry and Clinical Neurosciences</i> , 2015 , 69, 553-62	6.2	14
35	A double-blind placebo-controlled trial of maca root as treatment for antidepressant-induced sexual dysfunction in women. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 949	0 3 :€	23
34	Near-Infrared Transcranial Radiation for Major Depressive Disorder: Proof of Concept Study. <i>Psychiatry Journal</i> , 2015 , 2015, 352979	2.4	59
33	Celebrity suicides and their differential influence on suicides in the general population: a national population-based study in Korea. <i>Psychiatry Investigation</i> , 2015 , 12, 204-11	3.1	12
32	Paraquat prohibition and change in the suicide rate and methods in South Korea. <i>PLoS ONE</i> , 2015 , 10, e0128980	3.7	40
31	A double-blind, randomized controlled clinical trial comparing eicosapentaenoic acid versus docosahexaenoic acid for depression. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 54-61	4.6	54
30	Review of Suicide Prevention Programs: Massachusetts, United States, in Comparison with Seoul. <i>Psychiatry Investigation</i> , 2015 , 12, 281-7	3.1	7
29	Serum lipids, recent suicide attempt and recent suicide status in patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 51, 113-8	5.5	51
28	Feelings of worthlessness, traumatic experience, and their comorbidity in relation to lifetime suicide attempt in community adults with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014 , 166, 206-12	6.6	32
27	Sleep quality, posttraumatic stress, depression, and human errors in train drivers: a population-based nationwide study in South Korea. <i>Sleep</i> , 2014 , 37, 1969-75	1.1	11

(2007-2014)

26	A double-blind, randomized, placebo-controlled clinical trial of S-adenosyl-L-methionine (SAMe) versus escitalopram in major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 370-6	4.6	107
25	In Latinos with major depressive disorder, do Boft psychotic symptoms merit augmentation with atypical antipsychotics?. <i>International Journal of Culture and Mental Health</i> , 2014 , 7, 370-371		1
24	Thyroid stimulating hormone and serum, plasma, and platelet brain-derived neurotrophic factor during a 3-month follow-up in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014 , 169, 112-7	6.6	16
23	S-adenosyl methionine (SAMe) versus escitalopram and placebo in major depression RCT: efficacy and effects of histamine and carnitine as moderators of response. <i>Journal of Affective Disorders</i> , 2014 , 164, 76-81	6.6	41
22	Omega-3 fatty acids in psychiatry. Psychiatric Clinics of North America, 2013, 36, 15-23	3.1	41
21	A pilot study of acupuncture monotherapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2012 , 141, 469-73	6.6	18
20	Prevalence of MTHFR C677T and MS A2756G polymorphisms in major depressive disorder, and their impact on response to fluoxetine treatment. <i>CNS Spectrums</i> , 2012 , 17, 76-86	1.8	14
19	Omega-3 for bipolar disorder: meta-analyses of use in mania and bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 81-6	4.6	159
18	Bioavailability of S-adenosyl methionine and impact on response in a randomized, double-blind, placebo-controlled trial in major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 843-8	4.6	21
17	Depression and eating disorders: treatment and course. <i>Journal of Affective Disorders</i> , 2011 , 130, 470-7	6.6	82
16	S-adenosyl methionine (SAMe) augmentation of serotonin reuptake inhibitors for antidepressant nonresponders with major depressive disorder: a double-blind, randomized clinical trial. <i>American Journal of Psychiatry</i> , 2010 , 167, 942-8	11.9	229
15	Update and critique of natural remedies as antidepressant treatments. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009 , 36, 789-807, x	3.3	20
14	A double-blind, randomized controlled trial of ethyl-eicosapentaenoate for major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1636-44	4.6	70
13	Folate in depression: efficacy, safety, differences in formulations, and clinical issues. <i>Journal of Clinical Psychiatry</i> , 2009 , 70 Suppl 5, 12-7	4.6	147
12	A double-blind, randomized, pilot dose-finding study of maca root (L. meyenii) for the management of SSRI-induced sexual dysfunction. <i>CNS Neuroscience and Therapeutics</i> , 2008 , 14, 182-91	6.8	52
11	Are nutritional supplements ready for prime time?. Journal of Clinical Psychiatry, 2008, 69, 1497-8	4.6	8
10	Update and critique of natural remedies as antidepressant treatments. <i>Psychiatric Clinics of North America</i> , 2007 , 30, 51-68	3.1	18
9	The role of folate in depression and dementia. <i>Journal of Clinical Psychiatry</i> , 2007 , 68 Suppl 10, 28-33	4.6	14

8	Atypical psychotic symptoms in a Hispanic population: diagnostic dilemmas and implications for treatment. <i>Psychiatry</i> , 2005 , 2, 38-46		2
7	A preliminary open study of the tolerability and effectiveness of nefazodone in major depressive disorder: comparing patients who recently discontinued an SSRI with those on no recent antidepressant treatment. <i>Depression and Anxiety</i> , 2004 , 19, 43-50	8.4	2
6	"The Matrix": An allegory of the psychoanalytic journey. Academic Psychiatry, 2004, 28, 71-7	1.1	4
5	An open pilot study of nefazodone in depression with anger attacks: relationship between clinical response and receptor binding. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 116, 151-61	2.9	29
4	Role of S-adenosyl-L-methionine in the treatment of depression: a review of the evidence. <i>American Journal of Clinical Nutrition</i> , 2002 , 76, 1158S-61S	7	51
3	Strategies for managing depression refractory to selective serotonin reuptake inhibitor treatment: a survey of clinicians. <i>Canadian Journal of Psychiatry</i> , 2000 , 45, 476-81	4.8	60
2	Transfer to a New Psychopharmacologist. <i>Academic Psychiatry</i> , 2000 , 24, 156-163	1.1	7
1	An Approach to the Patient Seeking Psychiatric Disability Benefits. <i>Academic Psychiatry</i> , 1999 , 23, 128-	13 <u>16</u> 1	6