

David Mischoulon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1068849/publications.pdf>

Version: 2024-02-01

158
papers

5,455
citations

117453

34
h-index

98622

67
g-index

161
all docs

161
docs citations

161
times ranked

6312
citing authors

#	ARTICLE	IF	CITATIONS
1	Nutritional medicine as mainstream in psychiatry. <i>Lancet Psychiatry</i> , 2015, 2, 271-274.	3.7	375
2	Adjunctive Nutraceuticals for Depression: A Systematic Review and Meta-Analyses. <i>American Journal of Psychiatry</i> , 2016, 173, 575-587.	4.0	315
3	S-Adenosyl Methionine (SAME) Augmentation of Serotonin Reuptake Inhibitors for Antidepressant Nonresponders With Major Depressive Disorder: A Double-Blind, Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2010, 167, 942-948.	4.0	275
4	Diet and depression: exploring the biological mechanisms of action. <i>Molecular Psychiatry</i> , 2021, 26, 134-150.	4.1	265
5	Folate in Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 12-17.	1.1	256
6	Omega-3 for Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 81-86.	1.1	218
7	A Double-Blind, Randomized, Placebo-Controlled Clinical Trial of S-Adenosyl-Methionine (SAME) Versus Escitalopram in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 370-376.	1.1	129
8	Effects of smartphone use with and without blue light at night in healthy adults: A randomized, double-blind, cross-over, placebo-controlled comparison. <i>Journal of Psychiatric Research</i> , 2017, 87, 61-70.	1.5	122
9	Repeat-dose ketamine augmentation for treatment-resistant depression with chronic suicidal ideation: A randomized, double blind, placebo controlled trial. <i>Journal of Affective Disorders</i> , 2019, 243, 516-524.	2.0	120
10	International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 263-273.	4.0	114
11	Effects of Mindfulness-Based Cognitive Therapy on Body Awareness in Patients with Chronic Pain and Comorbid Depression. <i>Frontiers in Psychology</i> , 2016, 7, 967.	1.1	110
12	S-Adenosylmethionine (SAME) for Neuropsychiatric Disorders. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e656-e667.	1.1	110
13	Depression and eating disorders: Treatment and course. <i>Journal of Affective Disorders</i> , 2011, 130, 470-477.	2.0	104
14	Rapid and Sustained Reductions in Current Suicidal Ideation Following Repeated Doses of Intravenous Ketamine. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e719-e725.	1.1	100
15	Near-Infrared Transcranial Radiation for Major Depressive Disorder: Proof of Concept Study. <i>Psychiatry Journal</i> , 2015, 2015, 1-8.	0.7	90
16	Role of S-adenosyl-L-methionine in the treatment of depression: a review of the evidence. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 1158S-61S.	2.2	86
17	Ketamine augmentation for outpatients with treatment-resistant depression: Preliminary evidence for two-step intravenous dose escalation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 55-64.	1.3	84
18	Reduced orbitofrontal-thalamic functional connectivity related to suicidal ideation in patients with major depressive disorder. <i>Scientific Reports</i> , 2017, 7, 15772.	1.6	83

#	ARTICLE	IF	CITATIONS
19	International Society for Nutritional Psychiatry Research consensus position statement: nutritional medicine in modern psychiatry. <i>World Psychiatry</i> , 2015, 14, 370-371.	4.8	81
20	A Double-Blind, Randomized Controlled Trial of Ethyl-Eicosapentaenoate for Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1636-1644.	1.1	79
21	A Double-Blind, Randomized, Pilot Dose-Finding Study of Maca Root (<i>L. Meyenii</i>) for the Management of SSRI-Induced Sexual Dysfunction. <i>CNS Neuroscience and Therapeutics</i> , 2008, 14, 182-191.	1.9	76
22	Transcranial Photobiomodulation for the Treatment of Major Depressive Disorder. The ELATED-2 Pilot Trial. <i>Photomedicine and Laser Surgery</i> , 2018, 36, 634-646.	2.1	73
23	Serum lipids, recent suicide attempt and recent suicide status in patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 51, 113-118.	2.5	70
24	Strategies for Managing Depression Refractory to Selective Serotonin Reuptake Inhibitor Treatment: A Survey of Clinicians. <i>Canadian Journal of Psychiatry</i> , 2000, 45, 476-481.	0.9	69
25	A Double-Blind, Randomized Controlled Clinical Trial Comparing Eicosapentaenoic Acid Versus Docosahexaenoic Acid for Depression. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 54-61.	1.1	65
26	Monitoring Changes in Depression Severity Using Wearable and Mobile Sensors. <i>Frontiers in Psychiatry</i> , 2020, 11, 584711.	1.3	61
27	Inflammatory cytokines in major depressive disorder: A case-control study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 23-31.	1.3	60
28	Omega-3 Fatty Acids in Psychiatry. <i>Psychiatric Clinics of North America</i> , 2013, 36, 15-23.	0.7	58
29	S-adenosyl methionine (SAME) versus escitalopram and placebo in major depression RCT: Efficacy and effects of histamine and carnitine as moderators of response. <i>Journal of Affective Disorders</i> , 2014, 164, 76-81.	2.0	53
30	Clinician guidelines for the treatment of psychiatric disorders with nutraceuticals and phytoceuticals: The World Federation of Societies of Biological Psychiatry (WFSBP) and Canadian Network for Mood and Anxiety Treatments (CANMAT) Taskforce. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 424-455.	1.3	49
31	Paraquat Prohibition and Change in the Suicide Rate and Methods in South Korea. <i>PLoS ONE</i> , 2015, 10, e0128980.	1.1	47
32	Poor sleep quality and suicide attempt among adults with internet addiction: A nationwide community sample of Korea. <i>PLoS ONE</i> , 2017, 12, e0174619.	1.1	47
33	Telomere length and telomerase in a well-characterized sample of individuals with major depressive disorder compared to controls. <i>Psychoneuroendocrinology</i> , 2015, 58, 9-22.	1.3	45
34	Association of Race and Ethnicity With Late-Life Depression Severity, Symptom Burden, and Care. <i>JAMA Network Open</i> , 2020, 3, e201606.	2.8	44
35	Nutraceuticals for major depressive disorder- more is not merrier: An 8-week double-blind, randomised, controlled trial. <i>Journal of Affective Disorders</i> , 2019, 245, 1007-1015.	2.0	42
36	Feelings of worthlessness, traumatic experience, and their comorbidity in relation to lifetime suicide attempt in community adults with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 166, 206-212.	2.0	40

#	ARTICLE	IF	CITATIONS
37	Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depression or Clinically Relevant Depressive Symptoms and on Change in Mood Scores. JAMA - Journal of the American Medical Association, 2021, 326, 2385.	3.8	38
38	Dose- and time-dependent increase in circulating anti-inflammatory and pro-resolving lipid mediators following eicosapentaenoic acid supplementation in patients with major depressive disorder and chronic inflammation. Prostaglandins Leukotrienes and Essential Fatty Acids, 2021, 164, 102219.	1.0	37
39	An open pilot study of nefazodone in depression with anger attacks: relationship between clinical response and receptor binding. Psychiatry Research - Neuroimaging, 2002, 116, 151-161.	0.9	36
40	Development and validation study of the Smartphone Overuse Screening Questionnaire. Psychiatry Research, 2017, 257, 352-357.	1.7	36
41	Increased adrenocorticotrophic hormone (ACTH) levels predict severity of depression after six months of follow-up in outpatients with major depressive disorder. Psychiatry Research, 2018, 270, 246-252.	1.7	35
42	Prospective association between major depressive disorder and leukocyte telomere length over two years. Psychoneuroendocrinology, 2018, 90, 157-164.	1.3	32
43	A Double-Blind Placebo-Controlled Trial of Maca Root as Treatment for Antidepressant-Induced Sexual Dysfunction in Women. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-9.	0.5	30
44	Adjunctive S-adenosylmethionine (SAMe) in treating non-remittent major depressive disorder: An 8-week double-blind, randomized, controlled trial. European Neuropsychopharmacology, 2018, 28, 1126-1136.	0.3	29
45	Val66Met polymorphism association with serum BDNF and inflammatory biomarkers in major depression. World Journal of Biological Psychiatry, 2018, 19, 402-409.	1.3	28
46	Reported Side Effects, Weight and Blood Pressure, After Repeated Sessions of Transcranial Photobiomodulation. Photobiomodulation, Photomedicine, and Laser Surgery, 2019, 37, 651-656.	0.7	28
47	Bioavailability of S-Adenosyl Methionine and Impact on Response in a Randomized, Double-Blind, Placebo-Controlled Trial in Major Depressive Disorder. Journal of Clinical Psychiatry, 2012, 73, 843-848.	1.1	27
48	Anxiety symptoms are linked to new-onset suicidal ideation after six months of follow-up in outpatients with major depressive disorder. Journal of Affective Disorders, 2015, 187, 183-187.	2.0	26
49	Effects of Open-Label, Adjunctive Ganaxolone on Persistent Depression Despite Adequate Antidepressant Treatment in Postmenopausal Women. Journal of Clinical Psychiatry, 2020, 81, .	1.1	25
50	Heart rate variability for treatment response between patients with major depressive disorder versus panic disorder: A 12-week follow-up study. Journal of Affective Disorders, 2019, 246, 157-165.	2.0	24
51	A Randomized Controlled Pilot Study on Mindfulness-Based Cognitive Therapy for Unipolar Depression in Patients With Chronic Pain. Journal of Clinical Psychiatry, 2018, 79, 26-34.	1.1	23
52	Tachyphylaxis in major depressive disorder: A review of the current state of research. Journal of Affective Disorders, 2019, 245, 488-497.	2.0	23
53	Predictive inflammatory biomarkers for change in suicidal ideation in major depressive disorder and panic disorder: A 12-week follow-up study. Journal of Psychiatric Research, 2021, 133, 73-81.	1.5	23
54	Update and Critique of Natural Remedies as Antidepressant Treatments. Psychiatric Clinics of North America, 2007, 30, 51-68.	0.7	22

#	ARTICLE	IF	CITATIONS
55	Update and Critique of Natural Remedies as Antidepressant Treatments. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009, 36, 789-807.	0.7	22
56	A pilot study of acupuncture monotherapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2012, 141, 469-473.	2.0	22
57	Alcohol-induced disinhibition is associated with impulsivity, depression, and suicide attempt: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2018, 227, 323-329.	2.0	22
58	A randomized controlled dosing study of Iyengar yoga and coherent breathing for the treatment of major depressive disorder: Impact on suicidal ideation and safety findings. <i>Complementary Therapies in Medicine</i> , 2018, 37, 136-142.	1.3	21
59	Thyroid stimulating hormone and serum, plasma, and platelet brain-derived neurotrophic factor during a 3-month follow-up in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 169, 112-117.	2.0	20
60	Double-blind, proof-of-concept (POC) trial of Low-Field Magnetic Stimulation (LFMS) augmentation of antidepressant therapy in treatment-resistant depression (TRD). <i>Brain Stimulation</i> , 2018, 11, 75-84.	0.7	20
61	Gender Differences in Somatic Symptoms and Current Suicidal Risk in Outpatients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2016, 13, 609.	0.7	19
62	Effect of Korean Red Ginseng in individuals exposed to high stress levels: a 6-week, double-blind, randomized, placebo-controlled trial. <i>Journal of Ginseng Research</i> , 2019, 43, 402-407.	3.0	19
63	EPA and DHA as markers of nutraceutical treatment response in major depressive disorder. <i>European Journal of Nutrition</i> , 2020, 59, 2439-2447.	1.8	19
64	S-Adenosylmethionine (SAMe) monotherapy for depression: an 8-week double-blind, randomised, controlled trial. <i>Psychopharmacology</i> , 2020, 237, 209-218.	1.5	19
65	Plant-based Medicines (Phytoceuticals) in the Treatment of Psychiatric Disorders: A Meta-review of Meta-analyses of Randomized Controlled Trials: Les médicaments à base de plantes (phytoceutiques) dans le traitement des troubles psychiatriques: une méta-revue des méta-analyses d'essais randomisés contrôlés. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 849-862.	0.9	19
66	Mechanisms of Perceived Treatment Assignment and Subsequent Expectancy Effects in a Double Blind Placebo Controlled RCT of Major Depression. <i>Frontiers in Psychiatry</i> , 2018, 9, 424.	1.3	18
67	Increased Morbidity of Major Depressive Disorder After Thyroidectomy: A Nationwide Population-Based Study in South Korea. <i>Thyroid</i> , 2019, 29, 1713-1722.	2.4	18
68	Effects of transcranial photobiomodulation with near-infrared light on sexual dysfunction. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 127-135.	1.1	18
69	Long-term outcome in outpatients with depression treated with acute and maintenance intravenous ketamine: A retrospective chart review. <i>Journal of Affective Disorders</i> , 2020, 276, 660-666.	2.0	18
70	Reduced Venous Blood Basophil Count and Anxious Depression in Patients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2016, 13, 321.	0.7	18
71	Comparison of treatment selections by Japanese and US psychiatrists for major depressive disorder: A case vignette study. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 553-562.	1.0	17
72	Screening for Suicide Risk in the College Population. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2015, 33, 78-94.	1.0	17

#	ARTICLE	IF	CITATIONS
73	Mindfulness-Based Cognitive Therapy Improves Cognitive Functioning and Flexibility Among Individuals with Elevated Depressive Symptoms. <i>Mindfulness</i> , 2018, 9, 1457-1469.	1.6	17
74	Deformities of the Globus Pallidus are Associated with Severity of Suicidal Ideation and Impulsivity in Patients with Major Depressive Disorder. <i>Scientific Reports</i> , 2019, 9, 7462.	1.6	17
75	Efficacy and safety of a form of cranial electrical stimulation (CES) as an add-on intervention for treatment-resistant major depressive disorder: A three week double blind pilot study. <i>Journal of Psychiatric Research</i> , 2015, 70, 98-105.	1.5	16
76	Longer-term open-label study of adjunctive riluzole in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2019, 258, 102-108.	2.0	16
77	Prevalence of MTHFR C677T and MS A2756G polymorphisms in major depressive disorder, and their impact on response to fluoxetine treatment. <i>CNS Spectrums</i> , 2012, 17, 76-86.	0.7	15
78	Celebrity Suicides and Their Differential Influence on Suicides in the General Population: A National Population-Based Study in Korea. <i>Psychiatry Investigation</i> , 2015, 12, 204.	0.7	15
79	Association between physician beliefs regarding assigned treatment and clinical response: Re-analysis of data from the Hypericum Depression Trial Study Group. <i>Asian Journal of Psychiatry</i> , 2015, 13, 23-29.	0.9	15
80	Mindfulness-based cognitive therapy for depressed individuals improves suppression of irrelevant mental-sets. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 277-282.	1.8	15
81	Low-Dose Testosterone Augmentation for Antidepressant-Resistant Major Depressive Disorder in Women: An 8-Week Randomized Placebo-Controlled Study. <i>American Journal of Psychiatry</i> , 2020, 177, 965-973.	4.0	15
82	Risks of Completed Suicide of Community Individuals with ICD-10 Disorders Across Age Groups: A Nationwide Population-Based Nested Case-Control Study in South Korea. <i>Psychiatry Investigation</i> , 2019, 16, 314-324.	0.7	15
83	The effect of vitamin D supplementation on depressive symptoms in adults: A systematic review and meta-analysis of randomized controlled trials. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 11784-11801.	5.4	15
84	Sleep Quality, Posttraumatic Stress, Depression, and Human Errors in Train Drivers: A Population-Based Nationwide Study in South Korea. <i>Sleep</i> , 2014, 37, 1969-1975.	0.6	14
85	The role of folate in depression and dementia. <i>Journal of Clinical Psychiatry</i> , 2007, 68 Suppl 10, 28-33.	1.1	14
86	A case control series for the effect of photobiomodulation in patients with low back pain and concurrent depression. <i>Laser Therapy</i> , 2018, 27, 167-173.	0.8	13
87	Binge eating, trauma, and suicide attempt in community adults with major depressive disorder. <i>PLoS ONE</i> , 2018, 13, e0198192.	1.1	13
88	Predictive factors of diagnostic conversion from major depressive disorder to bipolar disorder in young adults ages 19-34: A nationwide population study in South Korea. <i>Journal of Affective Disorders</i> , 2020, 265, 52-58.	2.0	13
89	A multi-national, multi-disciplinary Delphi consensus study on using omega-3 polyunsaturated fatty acids (n-3 PUFAs) for the treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 265, 233-238.	2.0	12
90	Pre-treatment peripheral biomarkers associated with treatment response in panic symptoms in patients with major depressive disorder and panic disorder: A 12-week follow-up study. <i>Comprehensive Psychiatry</i> , 2019, 95, 152140.	1.5	11

#	ARTICLE	IF	CITATIONS
91	Risks of suicide attempts after prescription of zolpidem in people with depression: a nationwide population study in South Korea. <i>Sleep</i> , 2020, 43, .	0.6	11
92	Are Nutritional Supplements Ready for Prime Time?. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1497-1498.	1.1	11
93	Transfer to a New Psychopharmacologist: Its Effect on Patients. <i>Academic Psychiatry</i> , 2000, 24, 156-163.	0.4	10
94	Influence of anxiety symptoms on improvement of neurocognitive functions in patients with major depressive disorder: A 12-week, multicenter, randomized trial of tianeptine versus escitalopram, the CAMPION study. <i>Journal of Affective Disorders</i> , 2015, 185, 24-30.	2.0	10
95	Lifetime suicidal ideation and attempt in adults with full major depressive disorder versus sustained depressed mood. <i>Journal of Affective Disorders</i> , 2016, 203, 275-280.	2.0	10
96	Popular Herbal and Natural Remedies Used in Psychiatry. <i>Focus (American Psychiatric Publishing)</i> , 2018, 16, 2-11.	0.4	10
97	An Approach to the Patient Seeking Psychiatric Disability Benefits. <i>Academic Psychiatry</i> , 1999, 23, 128-136.	0.4	9
98	Community-Delivered Heated Hatha Yoga as a Treatment for Depressive Symptoms: An Uncontrolled Pilot Study. <i>Journal of Alternative and Complementary Medicine</i> , 2019, 25, 814-823.	2.1	9
99	Major depressive disorder and insomnia: Exploring a hypothesis of a common neurological basis using waking and sleep-derived heart rate variability. <i>Journal of Psychiatric Research</i> , 2020, 123, 89-94.	1.5	9
100	Association of smartphone overuse with depression, anxiety, and other addictive behaviors: A nationwide community sample of Korean adults. <i>Psychiatry Research</i> , 2021, 304, 114133.	1.7	9
101	Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 449-455.	1.1	9
102	Review of Suicide Prevention Programs: Massachusetts, United States, in Comparison with Seoul. <i>Psychiatry Investigation</i> , 2015, 12, 281.	0.7	9
103	Dose increase of S-Adenosyl-Methionine and escitalopram in a randomized clinical trial for major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 262, 118-125.	2.0	8
104	All Suicidal Ideation Is Not Created Equal: Two Cases of Suicide Attempts During Maintenance Ketamine Treatment. <i>American Journal of Psychiatry</i> , 2020, 177, 173-174.	4.0	8
105	Metabolic Syndrome in Dutch Patients With Bipolar Disorder. <i>primary care companion for CNS disorders, The</i> , 2018, 20, .	0.2	8
106	Diet and depression: future needs to unlock the potential. <i>Molecular Psychiatry</i> , 2022, 27, 778-780.	4.1	8
107	Ratio of plasma BDNF to leptin levels are associated with treatment response in major depressive disorder but not in panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , 2019, 259, 349-354.	2.0	7
108	Multiple types of somatic pain increase suicide attempts and depression: A nationwide community sample of Korean adults. <i>Comprehensive Psychiatry</i> , 2019, 90, 43-48.	1.5	7

#	ARTICLE	IF	CITATIONS
109	Paranoid Ideation Without Psychosis Is Associated With Depression, Anxiety, and Suicide Attempts in General Population. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 826-831.	0.5	7
110	Association of anger attacks with suicidal ideation in adults with major depressive disorder: Findings from the EMBARC study. <i>Depression and Anxiety</i> , 2021, 38, 57-66.	2.0	7
111	Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2021, 294, 786-793.	2.0	7
112	Comparisons of Subthreshold Versus Full Posttraumatic Stress Disorder Distinguished by Subjective Functional Impairment Among Train Drivers: A Population-Based Nationwide Study in South Korea. <i>Psychiatry Investigation</i> , 2017, 14, 1.	0.7	7
113	Rising early warning signals in affect associated with future changes in depression: a dynamical systems approach. <i>Psychological Medicine</i> , 2023, 53, 3124-3132.	2.7	7
114	Four-Week Mentalizing Imagery Therapy for Family Dementia Caregivers: A Randomized Controlled Trial with Neural Circuit Changes. <i>Psychotherapy and Psychosomatics</i> , 2022, 91, 180-189.	4.0	7
115	Current Role of Herbal and Natural Preparations. <i>Handbook of Experimental Pharmacology</i> , 2018, 250, 225-252.	0.9	6
116	Yoga for the treatment of depression: Five questions to move the evidence-base forward. <i>Complementary Therapies in Medicine</i> , 2019, 46, 153-157.	1.3	6
117	Comparison of suicide attempts in individuals with major depressive disorder with and without history of subthreshold hypomania: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2019, 248, 18-25.	2.0	6
118	Anger attacks are associated with persistently elevated irritability in MDD: findings from the EMBARC study. <i>Psychological Medicine</i> , 2020, , 1-9.	2.7	6
119	High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea. <i>Frontiers in Psychiatry</i> , 2021, 12, 765129.	1.3	6
120	Efficacy of ziprasidone monotherapy in patients with anxious depression: A 12-week, randomized, double-blind, placebo-controlled, sequential-parallel comparison trial. <i>Journal of Psychiatric Research</i> , 2015, 62, 56-61.	1.5	5
121	Loss of sexual interest and premenstrual mood change in women with postpartum versus non-postpartum depression: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2016, 191, 222-229.	2.0	5
122	Complementary and Integrative Medicine and Psychiatry. <i>Focus (American Psychiatric Publishing)</i> , 2018, 16, 1-1.	0.4	5
123	Anxiety attacks with or without life-threatening situations, major depressive disorder, and suicide attempt: a nationwide community sample of Korean adults. <i>Psychiatry Research</i> , 2018, 270, 257-263.	1.7	5
124	Design and Methods of the Korean National Investigations of 70,000 Suicide Victims Through Police Records (The KNIGHTS Study). <i>Psychiatry Investigation</i> , 2019, 16, 777-788.	0.7	5
125	"The Matrix": An Allegory of the Psychoanalytic Journey. <i>Academic Psychiatry</i> , 2004, 28, 71-77.	0.4	4
126	Cross-national differences in hypochondriasis symptoms between Korean and American outpatients with major depressive disorder. <i>Psychiatry Research</i> , 2016, 245, 127-132.	1.7	4

#	ARTICLE	IF	CITATIONS
127	Does folic acid interfere with lamotrigine?. <i>Lancet Psychiatry</i> , 2016, 3, 704-705.	3.7	4
128	Bullying, Psychological, and Physical Trauma During Early Life Increase Risk of Major Depressive Disorder in Adulthood: A Nationwide Community Sample of Korean Adults. <i>Frontiers in Psychiatry</i> , 2022, 13, 792734.	1.3	4
129	COVID-19 vaccine: A 2021 analysis of perceptions on vaccine safety and promise in a U.S. sample. <i>PLoS ONE</i> , 2022, 17, e0268784.	1.1	4
130	A preliminary open study of the tolerability and effectiveness of nefazodone in major depressive disorder: Comparing patients who recently discontinued an ssri with those on no recent antidepressant treatment. <i>Depression and Anxiety</i> , 2004, 19, 43-50.	2.0	3
131	Treatment for Anxiety and Comorbid Depressive Disorders: Transdiagnostic Cognitive-Behavioral Strategies. <i>Psychiatric Annals</i> , 2021, 51, 226-230.	0.1	3
132	Complementary Medicine and Natural Medications in Psychiatry: A Guide for the Consultation-Liaison Psychiatrist. <i>Psychosomatics</i> , 2020, 61, 508-517.	2.5	2
133	Obsessive Thought, Compulsive Behavior, and Their Associations With Suicide Ideation and Attempts and Major Depressive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2021, Publish Ahead of Print, 820-828.	0.5	2
134	Depressed Chinese Americans present predominantly psychological symptoms: A new trend or different outcomes due to methodological differences?. <i>Asian Journal of Psychiatry</i> , 2021, 61, 102684.	0.9	2
135	Obstructive Sleep Apnea as a Complication of Bipolar Disorder and Its Treatment: A Review and Approach to Management. <i>primary care companion for CNS disorders</i> , 2017, 19, .	0.2	2
136	Agoraphobia and Follicle-Stimulating Hormone Levels between Tamoxifen and Goserelin versus Tamoxifen Alone in Premenopausal Hormone Receptor-Positive Breast Cancer: A 12-Month Prospective Randomized Study. <i>Psychiatry Investigation</i> , 2017, 14, 491.	0.7	2
137	Atypical psychotic symptoms in a Hispanic population: diagnostic dilemmas and implications for treatment. <i>Psychiatry</i> , 2005, 2, 38-46.	0.3	2
138	High body weight variability is associated with increased risk of depression: a nationwide cohort study in South Korea. <i>Psychological Medicine</i> , 2022, , 1-9.	2.7	2
139	Pilot study of genome-wide differences in DNA methylation among older adults with normal cognition and mild cognitive impairment, with and without neuropsychiatric symptoms. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	2
140	In Latinos with major depressive disorder, do "soft psychotic"™ symptoms merit augmentation with atypical antipsychotics?. <i>International Journal of Culture and Mental Health</i> , 2014, 7, 370-371.	0.6	1
141	Major depressive disorder with psychosis-like symptoms in Latinos: treatment with and without antipsychotic augmentation. <i>International Journal of Culture and Mental Health</i> , 2015, 8, 137-149.	0.6	1
142	Comparison of Initial Psychological Treatment Selections by US and Japanese Early-Career Psychiatrists for Patients with Major Depression: A Case Vignette Study. <i>Academic Psychiatry</i> , 2016, 40, 235-241.	0.4	1
143	Heat: A New Approach to Treating Depression?. <i>Focus (American Psychiatric Publishing)</i> , 2017, 15, 6s-7s.	0.4	1
144	Commentary on "Accelerated DNA Methylation Aging in U.S. Military Veterans: Results From the National Health and Resilience in Veterans Study". <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 533-535.	0.6	1

#	ARTICLE	IF	CITATIONS
145	Comparisons Between Successful Versus Unsuccessful Switches From Benzodiazepines or Zolpidem (Z-Drug) to Controlled-Release Melatonin in Patients With Major Depressive Disorder and Insomnia. <i>Frontiers in Psychiatry</i> , 2020, 11, 444.	1.3	1
146	Protocol for studying racial/ethnic disparities in depression care using joint information from participant surveys and administrative claims databases: an observational cohort study. <i>BMJ Open</i> , 2020, 10, e033173.	0.8	1
147	A Patient With Electroconvulsive Therapyâ€‘resistant Major Depressive Disorder With a Full Response to Heated Yoga: A Case Report. <i>Journal of Psychiatric Practice</i> , 2021, 27, 486-491.	0.3	1
148	Mentalizing imagery therapy to augment skills training for dementia caregivers: Protocol for a randomized, controlled trial of a mobile application and digital phenotyping. <i>Contemporary Clinical Trials</i> , 2022, 116, 106737.	0.8	1
149	Effects of Electroacupuncture for Depression-Related Insomnia. <i>JAMA Network Open</i> , 2022, 5, e2220573.	2.8	1
150	Commentary On: Serum 25-Hydroxyvitamin D Levels and Depression in Older Adults a Dose-Response Meta-analysis of Orospective Cohort Studies. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1203-1205.	0.6	0
151	Dose-Dependent Effects of EPA Supplementation on Plasma Specialized Pro-Resolving Mediators in Major Depressive Disorder Patients with Chronic Inflammation. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa068_023.	0.1	0
152	Increased risk of depression before and after unilateral or bilateral oophorectomy: A self-controlled case series study using a nationwide cohort in South Korea. <i>Journal of Affective Disorders</i> , 2021, 285, 47-54.	2.0	0
153	Commentary on: â€‘Association Between Passive Body Heating by Hot Water Bathing Before Bedtime and Depressive Symptoms Among Community-Dwelling Older Adultsâ€‘: <i>American Journal of Geriatric Psychiatry</i> , 2021, , .	0.6	0
154	A Patient with Treatment-resistant Depression Who Achieved Remission with Heated Yoga: A Case Report. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , 2021, 12, 12-17.	0.3	0
155	Geographic Regional Variation in Patterns of Racial and Ethnic Disparities in Late-Life Depression. <i>Innovation in Aging</i> , 2020, 4, 168-168.	0.0	0
156	Aggregating heart rate variability indices across sleep stage epochs ignores significant variance through the night. <i>Sleep Medicine</i> , 2022, 90, 262-266.	0.8	0
157	Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depressionâ€‘Reply. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1292.	3.8	0
158	Feasibility and acceptability of a virtual adaptation of mentalizing imagery therapy for Spanish language family dementia caregivers. <i>Alzheimer's and Dementia</i> , 2021, 17, e051184.	0.4	0