# Michael Seitz

## List of Publications by Year in Descending Order



| | | | |
|---|---|---|---|
| 26 papers | 1,959 citations | 20 h-index | 26 g-index |
| 26 ext. papers | 2,255 ext. citations | 6.3 avg, IF | 3.84 L-index |

| # | Paper | IF | Citations |
|---|---|---|---|
| 26 | Salvage lymph node dissection for nodal recurrence of prostate cancer after radical prostatectomy. *Journal of Urology*, **2015**, 193, 484-90 | 2.5 | 48 |
| 25 | EORTC progression score identifies patients at high risk of cancer-specific mortality after radical cystectomy for secondary muscle-invasive bladder cancer. *Clinical Genitourinary Cancer*, **2014**, 12, 278-86 | 3.3 | 12 |
| 24 | 18F-Fluoroethylcholine PET/CT identifies lymph node metastasis in patients with prostate-specific antigen failure after radical prostatectomy but underestimates its extent. *European Urology*, **2013**, 63, 792-6 | 10.2 | 65 |
| 23 | Advanced Laser Endoscopy in Urology: Laser Prostate Vaporization, Laser Surgery, and Laser Removal of Renal Calculi **2013**, 509 | | |
| 22 | Detection of inguinal lymph node involvement in penile squamous cell carcinoma by 18F-fluorodeoxyglucose PET/CT: a prospective single-center study. *Urologic Oncology: Seminars and Original Investigations*, **2012**, 30, 55-9 | 2.8 | 50 |
| 21 | Contrast-enhanced transrectal ultrasound (CE-TRUS) with cadence-contrast pulse sequence (CPS) technology for the identification of prostate cancer. *Urologic Oncology: Seminars and Original Investigations*, **2011**, 29, 295-301 | 2.8 | 46 |
| 20 | The "all-seeing needle": initial results of an optical puncture system confirming access in percutaneous nephrolithotomy. *European Urology*, **2011**, 59, 1054-9 | 10.2 | 121 |
| 19 | Reply to Jin-Yi Li, Zilian Cui, Xiao Feng Gao, et al's Letter to the Editor re: Markus J. Bader, Christian Gratzke, Michael Seitz, et al. The All-Seeing Needle Initial Results of an Optical Puncture System Confirming Access in Percutaneous Nephrolithotomy. Eur Urol 2011;59:1054. *European Urology*, **2011**, 60, e44 | 10.2 | |
| 18 | The 1,318-nm diode laser supported partial nephrectomy in laparoscopic and open surgery: preliminary results of a prospective feasibility study. *Lasers in Medical Science*, **2011**, 26, 689-97 | 3.1 | 20 |
| 17 | Plasma vaporisation of the prostate: initial clinical results. *European Urology*, **2010**, 57, 693-7 | 10.2 | 49 |
| 16 | Laser therapy for upper urinary tract transitional cell carcinoma: indications and management. *European Urology*, **2009**, 56, 65-71 | 10.2 | 57 |
| 15 | Functional magnetic resonance imaging in prostate cancer. *European Urology*, **2009**, 55, 801-14 | 10.2 | 90 |
| 14 | Reply to Lina Matera's Letter to the Editor re: Markus J. Bader, Ronald Sroka, Christian Gratzke, et al. Laser Therapy for Upper Urinary Tract Transitional Cell Carcinoma: Indications and Management. Eur Urol 2009; 56: 65 71. *European Urology*, **2009**, 56, e31 | 10.2 | |
| 13 | High-power diode laser at 980 nm for the treatment of benign prostatic hyperplasia: ex vivo investigations on porcine kidneys and human cadaver prostates. *Lasers in Medical Science*, **2009**, 24, 172-8 | 3.1 | 38 |
| 12 | Ex vivo and in vivo investigations of the novel 1,470 nm diode laser for potential treatment of benign prostatic enlargement. *Lasers in Medical Science*, **2009**, 24, 419-24 | 3.1 | 22 |
| 11 | Preliminary evaluation of a novel side-fire diode laser emitting light at 940 nm, for the potential treatment of benign prostatic hyperplasia: ex-vivo and in-vivo investigations. *BJU International*, **2009**, 103, 770-5 | 5.6 | 27 |
| 10 | Prospective single-centre comparison of 120-W diode-pumped solid-state high-intensity system laser vaporization of the prostate and 200-W high-intensive diode-laser ablation of the prostate for treating benign prostatic hyperplasia. *BJU International*, **2009**, 104, 820-5 | 5.6 | 75 |

# List of Publications

| | | | |
|---|---|---|---|
| 9 | Comparison of potassium-titanyl-phosphate laser vaporization of the prostate and transurethral resection of the prostate: update of a prospective non-randomized two-centre study. *BJU International*, **2008**, 102, 1432-8; discussion 1438-9 | 5.6 | 84 |
| 8 | GreenLight laser vaporization of the prostate: single-center experience and long-term results after 500 procedures. *European Urology*, **2008**, 54, 893-901 | 10.2 | 173 |
| 7 | Morbidity, mortality and early outcome of transurethral resection of the prostate: a prospective multicenter evaluation of 10,654 patients. *Journal of Urology*, **2008**, 180, 246-9 | 2.5 | 494 |
| 6 | In-vitro comparison of the tissue vaporisation capabilities of different lasers. *Medical Laser Application: International Journal for Laser Treatment and Research*, **2008**, 22, 227-231 | | 7 |
| 5 | Complications and early postoperative outcome after open prostatectomy in patients with benign prostatic enlargement: results of a prospective multicenter study. *Journal of Urology*, **2007**, 177, 1419-22 | 2.5 | 177 |
| 4 | The diode laser: a novel side-firing approach for laser vaporisation of the human prostate--immediate efficacy and 1-year follow-up. *European Urology*, **2007**, 52, 1717-22 | 10.2 | 46 |
| 3 | Value of 11C-choline PET and PET/CT in patients with suspected prostate cancer. *European Journal of Nuclear Medicine and Molecular Imaging*, **2007**, 34, 45-53 | 8.8 | 144 |
| 2 | 18F-FDG PET/CT for staging of penile cancer. *Journal of Nuclear Medicine*, **2005**, 46, 1460-5 | 8.9 | 71 |
| 1 | Retropubic transvesical prostatectomy for significant prostatic enlargement must remain a standard part of urology training. *Scandinavian Journal of Urology and Nephrology*, **2004**, 38, 472-6 | | 43 |