## L Robbin Lindsay

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1070158/publications.pdf

Version: 2024-02-01

168 papers 6,558 citations

43 h-index 79644 73 g-index

171 all docs

171 docs citations

times ranked

171

5043 citing authors

#	Article	IF	CITATIONS
1	Role of Migratory Birds in Introduction and Range Expansion of <i>lxodes scapularis</i> Ticks and of <i>Borrelia burgdorferi</i> and <i>Anaplasma phagocytophilum</i> in Canada. Applied and Environmental Microbiology, 2008, 74, 1780-1790.	1.4	329
2	Climate change and the potential for range expansion of the Lyme disease vector Ixodes scapularis in Canada. International Journal for Parasitology, 2006, 36, 63-70.	1.3	297
3	A dynamic population model to investigate effects of climate on geographic range and seasonality of the tick Ixodes scapularis. International Journal for Parasitology, 2005, 35, 375-389.	1.3	257
4	First Case of Zika Virus Infection in a Returning Canadian Traveler. American Journal of Tropical Medicine and Hygiene, 2014, 91, 1035-1038.	0.6	219
5	The emergence of Lyme disease in Canada. Cmaj, 2009, 180, 1221-1224.	0.9	206
6	Effects of Climate and Climate Change on Vectors and Vector-Borne Diseases: Ticks Are Different. Trends in Parasitology, 2016, 32, 646-656.	1.5	201
7	Risk maps for range expansion of the Lyme disease vector, Ixodes scapularis, in Canada now and with climate change. International Journal of Health Geographics, 2008, 7, 24.	1.2	197
8	Predicting the speed of tick invasion: an empirical model of range expansion for the Lyme disease vector <i>lxodes scapularis</i> in Canada. Journal of Applied Ecology, 2012, 49, 457-464.	1.9	196
9	Investigation of Relationships Between Temperature and Developmental Rates of Tick <i>Ixodes scapularis</i> (Acari: Ixodidae) in the Laboratory and Field. Journal of Medical Entomology, 2004, 41, 622-633.	0.9	184
10	Active and Passive Surveillance and Phylogenetic Analysis of <i>Borrelia burgdorferi</i> Elucidate the Process of Lyme Disease Risk Emergence in Canada. Environmental Health Perspectives, 2010, 118, 909-914.	2.8	144
11	Survival and Development of Ixodes scapularis (Acari: Ixodidae) Under Various Climatic Conditions in Ontario, Canada. Journal of Medical Entomology, 1995, 32, 143-152.	0.9	110
12	The Accuracy of Diagnostic Tests for Lyme Disease in Humans, A Systematic Review and Meta-Analysis of North American Research. PLoS ONE, 2016, 11, e0168613.	1.1	107
13	<i>Ixodes scapularis</i> Ticks Collected by Passive Surveillance in Canada: Analysis of Geographic Distribution and Infection with Lyme Borreliosis Agent <i>Borrelia burgdorferi</i> . Journal of Medical Entomology, 2006, 43, 600-609.	0.9	102
14	Vector seasonality, host infection dynamics and fitness of pathogens transmitted by the ticklxodes scapularis. Parasitology, 2007, 134, 209-227.	0.7	101
15	SARS-CoV-2 infection and transmission in the North American deer mouse. Nature Communications, 2021, 12, 3612.	5.8	96
16	The prevalence of Borrelia miyamotoi infection, and co-infections with other Borrelia spp. in Ixodes scapularis ticks collected in Canada. Parasites and Vectors, 2014, 7, 183.	1.0	91
17	DNA vaccination protects mice against Zika virus-induced damage to the testes. Nature Communications, 2017, 8, 15743.	5.8	90
18	Investigation of Genotypes of Borrelia burgdorferi in Ixodes scapularis Ticks Collected during Surveillance in Canada. Applied and Environmental Microbiology, 2011, 77, 3244-3254.	1.4	84

#	Article	IF	CITATIONS
19	Geography, Deer, and Host Biodiversity Shape the Pattern of Lyme Disease Emergence in the Thousand Islands Archipelago of Ontario, Canada. PLoS ONE, 2014, 9, e85640.	1.1	83
20	Northward range expansion of Ixodes scapularis evident over a short timescale in Ontario, Canada. PLoS ONE, 2017, 12, e0189393.	1.1	83
21	Survival and Development of the Different Life Stages of Ixodes scapularis (Acari: Ixodidae) Held within Four Habitats on Long Point, Ontario, Canada. Journal of Medical Entomology, 1998, 35, 189-199.	0.9	81
22	Detection of polyoma and corona viruses in bats of Canada. Journal of General Virology, 2009, 90, 2015-2022.	1.3	80
23	West Nile Virus Surveillance and Diagnostic: A Canadian Perspective. Canadian Journal of Infectious Diseases & Medical Microbiology, 2003, 14, 105-114.	0.3	75
24	Population-Based Passive Tick Surveillance and Detection of Expanding Foci of Blacklegged Ticks Ixodes scapularis and the Lyme Disease Agent Borrelia burgdorferi in Ontario, Canada. PLoS ONE, 2014, 9, e105358.	1.1	75
25	Predicting the rate of invasion of the agent of Lyme disease <i>Borrelia burgdorferi</i> Applied Ecology, 2013, 50, 510-518.	1.9	74
26	Microclimate and Habitat in Relation to <i>lxodes scapularis</i> (Acari: Ixodidae) Populations on Long Point, Ontario, Canada. Journal of Medical Entomology, 1999, 36, 255-262.	0.9	72
27	Identifying the last supper: utility of the DNA barcode library for bloodmeal identification in ticks. Molecular Ecology Resources, 2012, 12, 646-652.	2.2	71
28	West Nile Virus Outbreak in North American Owls, Ontario, 2002. Emerging Infectious Diseases, 2004, 10, 2136-2142.	2.0	69
29	Range Expansion of <i>Dermacentor variabilis </i> and <i>Dermacentor andersoni </i> (Acari: Ixodidae) Near Their Northern Distributional Limits. Journal of Medical Entomology, 2013, 50, 510-520.	0.9	69
30	Associations between Ixodes scapularis ticks and small mammal hosts in a newly endemic zone in southeastern Canada: Implications for Borrelia burgdorferi transmission. Ticks and Tick-borne Diseases, 2011, 2, 183-190.	1.1	64
31	Passive Surveillance for I. scapularis Ticks: Enhanced Analysis for Early Detection of Emerging Lyme Disease Risk. Journal of Medical Entomology, 2012, 49, 400-409.	0.9	64
32	Expanding geographical distribution of the mosquito, Culex pipiens, in Canada under climate change. Applied Geography, 2012, 33, 53-62.	1.7	63
33	Passive Tick Surveillance Provides an Accurate Early Signal of Emerging Lyme Disease Risk and Human Cases in Southern Canada. Journal of Medical Entomology, 2018, 55, 1016-1026.	0.9	60
34	Paraparesis in a Polar Bear (Ursus maritimus) Associated with West Nile Virus Infection. Journal of Zoo and Wildlife Medicine, 2009, 40, 568-571.	0.3	58
35	Dengue seroprevalence, seroconversion and risk factors in Dhaka, Bangladesh. PLoS Neglected Tropical Diseases, 2017, 11, e0005475.	1.3	58
36	Abundance oflxodes scapularis(Acari: Ixodidae) Larvae and Nymphs in Relation to Host Density and Habitat on Long Point, Ontario. Journal of Medical Entomology, 1999, 36, 243-254.	0.9	56

#	Article	IF	CITATIONS
37	DURATION OF BORRELIA BURGDORFERI INFECTIVITY IN WHITE-FOOTED MICE FOR THE TICK VECTOR IXODES SCAPULARIS UNDER LABORATORY AND FIELD CONDITIONS IN ONTARIO. Journal of Wildlife Diseases, 1997, 33, 766-775.	0.3	55
38	Apoptosis, autophagy and unfolded protein response pathways in Arbovirus replication and pathogenesis. Expert Reviews in Molecular Medicine, 2016, 18, e1.	1.6	48
39	Major emerging vector-borne zoonotic diseases of public health importance in Canada. Emerging Microbes and Infections, 2015, 4, 1-7.	3.0	47
40	Harvested White-Tailed Deer as Sentinel Hosts for Early Establishing <l>lxodes scapularis</l> Populations and Risk From Vector-Borne Zoonoses in Southeastern Canada. Journal of Medical Entomology, 2013, 50, 384-393.	0.9	46
41	An Investigation of <i>Bartonella  Rickettsia typhi  Rattus </i> Reflection of Global and Local Rat Population Structure?. Vector-Borne and Zoonotic Diseases, 2015, 15, 21-26.	0.6	46
42	Risk factors for the presence of dengue vector mosquitoes, and determinants of their prevalence and larval site selection in Dhaka, Bangladesh. PLoS ONE, 2018, 13, e0199457.	1.1	46
43	The increasing risk of Lyme disease in Canada. Canadian Veterinary Journal, 2015, 56, 693-9.	0.0	45
44	Evidence for Host-Genotype Associations of Borrelia burgdorferi Sensu Stricto. PLoS ONE, 2016, 11, e0149345.	1.1	44
45	Investigation of Ground Level and Remote-Sensed Data for Habitat Classification and Prediction of Survival of <i>kodes scapularis</i> in Habitats of Southeastern Canada. Journal of Medical Entomology, 2006, 43, 403-414.	0.9	43
46	Distribution of Ticks and the Risk of Lyme Disease and Other Tick-Borne Pathogens of Public Health Significance in Ontario, Canada. Vector-Borne and Zoonotic Diseases, 2016, 16, 215-222.	0.6	43
47	The influence of abiotic and biotic factors on the invasion of Ixodes scapularis in Ontario, Canada. Ticks and Tick-borne Diseases, 2017, 8, 554-563.	1.1	42
48	A systematic review on the impact of gestational Lyme disease in humans on the fetus and newborn. PLoS ONE, 2018, 13, e0207067.	1.1	41
49	Does high biodiversity reduce the risk of Lyme disease invasion?. Parasites and Vectors, 2013, 6, 195.	1.0	40
50	Potential for Canadian Mosquitoes To Transmit Rift Valley Fever Virus < sup > 1 < /sup > 1. Journal of the American Mosquito Control Association, 2011, 27, 363-369.	0.2	38
51	Rapid Antigen-Capture Assay To Detect West Nile Virus in Dead Corvids. Emerging Infectious Diseases, 2003, 9, 1406-1410.	2.0	37
52	West Nile Virus Infection in Humans and Horses, Cuba. Emerging Infectious Diseases, 2006, 12, 1022-1024.	2.0	36
53	Different Ecological Niches for Ticks of Public Health Significance in Canada. PLoS ONE, 2015, 10, e0131282.	1.1	36
54	The First case of Locally Acquired Tick-Borne <i>Babesia Microti</i> Infection in Canada. Canadian Journal of Infectious Diseases and Medical Microbiology, 2014, 25, e87-e89.	0.7	35

#	Article	IF	CITATIONS
55	Seasonal activity and temporal separation of four species of fleas (Insecta: Siphonaptera) infesting Richardson's ground squirrels, <i>Spermophilus richardsonii &lt; /i&gt;(Rodentia: Sciuridae), in Manitoba, Canada. Canadian Journal of Zoology, 1997, 75, 1310-1322.</i>	0.4	34
56	Whole genome sequencing and phylogenetic analysis of strains of the agent of Lyme disease Borrelia burgdorferi from Canadian emergence zones. Scientific Reports, 2018, 8, 10552.	1.6	34
57	Pathology and tissue distribution of West Nile virus in North American owls (family:Strigidae). Avian Pathology, 2006, 35, 17-29.	0.8	33
58	A Twist on Lyme: the Challenge of Diagnosing European Lyme Neuroborreliosis. Journal of Clinical Microbiology, 2011, 49, 455-457.	1.8	33
59	Evaluation of a Commercial Culture-Free Neutralization Antibody Detection Kit for Severe Acute Respiratory Syndrome-Related Coronavirus-2 and Comparison With an Antireceptor-Binding Domain Enzyme-Linked Immunosorbent Assay. Open Forum Infectious Diseases, 2021, 8, ofab220.	0.4	33
60	Genetic diversity in Ixodes scapularis (Acari: Ixodidae) from six established populations in Canada. Ticks and Tick-borne Diseases, 2011, 2, 143-150.	1.1	30
61	Development and evaluation of one-step rRT-PCR and immunohistochemical methods for detection of Rift Valley fever virus in biosafety level 2 diagnostic laboratories. Journal of Virological Methods, 2012, 179, 373-382.	1.0	30
62	Socioeconomic and Ecological Factors Influencing Aedes aegypti Prevalence, Abundance, and Distribution in Dhaka, Bangladesh. American Journal of Tropical Medicine and Hygiene, 2016, 94, 1223-1233.	0.6	30
63	Two <i>Anaplasma phagocytophilum</i> Strains in <i>Ixodes scapularis</i> Ticks, Canada. Emerging Infectious Diseases, 2014, 20, 2064-2067.	2.0	29
64	Genetic and serotypic characterization of Sin Nombre-like viruses in Canadian Peromyscus maniculatus mice. Virus Research, 2001, 75, 75-86.	1.1	27
65	Evaluation of the Efficacy, Potential for Vector Transmission, and Duration of Immunity of MP-12, an Attenuated Rift Valley Fever Virus Vaccine Candidate, in Sheep. Vaccine Journal, 2015, 22, 930-937.	3.2	27
66	Seroprevalence of <scp><i>B</i></scp> <i>abesia microti</i> infection in <scp>C</scp> anadian blood donors. Transfusion, 2016, 56, 237-243.	0.8	27
67	Integrated Social-Behavioral and Ecological Risk Maps to Prioritize Local Public Health Responses to Lyme Disease. Environmental Health Perspectives, 2018, 126, 047008.	2.8	27
68	EVALUATION OF COMMERCIAL ASSAYS FOR DETECTING WEST NILE VIRUS ANTIGEN. Journal of the American Mosquito Control Association, 2006, 22, 64-69.	0.2	26
69	Complex Population Structure of Borrelia burgdorferi in Southeastern and South Central Canada as Revealed by Phylogeographic Analysis. Applied and Environmental Microbiology, 2015, 81, 1309-1318.	1.4	26
70	Evolutionary Aspects of Emerging Lyme Disease in Canada. Applied and Environmental Microbiology, 2015, 81, 7350-7359.	1.4	25
71	Apparent Incompetence of Dermacentor variabilis (Acari: Ixodidae) and Fleas (Insecta: Siphonaptera) as Vectors of Borrelia burgdorferi in an Ixodes dammini Endemic Area of Ontario, Canada. Journal of Medical Entomology, 1991, 28, 750-753.	0.9	24
72	Analysis of the human population bitten by Ixodes scapularis ticks in Quebec, Canada: Increasing risk of Lyme disease. Ticks and Tick-borne Diseases, 2016, 7, 1075-1081.	1.1	24

#	Article	IF	CITATIONS
73	How far north are migrant birds transporting the tick Ixodes scapularis in Canada? Insights from stable hydrogen isotope analyses of feathers. Ticks and Tick-borne Diseases, 2015, 6, 715-720.	1.1	23
74	A Risk Model for the Lyme Disease Vector Ixodes scapularis (Acari: Ixodidae) in the Prairie Provinces of Canada. Journal of Medical Entomology, 2017, 54, 862-868.	0.9	23
75	West Nile Virus Infection in the Eastern Loggerhead Shrike (Lanius Iudovicianus migrans): Pathology, Epidemiology, and Immunization. Journal of Wildlife Diseases, 2004, 40, 538-542.	0.3	22
76	Sin Nombre Virus Shedding Patterns in Naturally Infected Deer Mice ( <i>Peromyscus maniculatus</i> ) in Relation to Duration of Infection. Vector-Borne and Zoonotic Diseases, 2008, 8, 97-100.	0.6	22
77	BLOOD COLLECTED ON FILTER PAPER FOR WILDLIFE SEROLOGY: EVALUATING STORAGE AND TEMPERATURE CHALLENGES OF FIELD COLLECTIONS. Journal of Wildlife Diseases, 2014, 50, 308.	0.3	22
78	Prevalence of <i>Anaplasma phagocytophilum </i> and <i>Babesia microti </i> in <i>Ixodes scapularis </i> from a Newly Established Lyme Disease Endemic Area, the Thousand Islands Region of Ontario, Canada. Vector-Borne and Zoonotic Diseases, 2015, 15, 627-629.	0.6	22
79	Sentinel surveillance of Lyme disease risk in Canada, 2019: Results from the first year of the Canadian Lyme Sentinel Network (CaLSeN). Canada Communicable Disease Report, 2020, 46, 354-361.	0.6	22
80	Investigation of the Population Structure of the Tick Vector of Lyme Disease <i>Ixodes scapularis</i> (Acari: Ixodidae) in Canada Using Mitochondrial Cytochrome C Oxidase Subunit I Gene Sequences. Journal of Medical Entomology, 2013, 50, 560-570.	0.9	20
81	Epidemiology of Lyme Disease, Nova Scotia, Canada, 2002–2013. Emerging Infectious Diseases, 2015, 21, 1751-1758.	2.0	20
82	Molecular Characterization of Haemaphysalis Species and a Molecular Genetic Key for the Identification of Haemaphysalis of North America. Frontiers in Veterinary Science, 2020, 7, 141.	0.9	20
83	Recent Emergence of Anaplasma phagocytophilum in Ontario, Canada: Early Serological and Entomological Indicators. American Journal of Tropical Medicine and Hygiene, 2019, 101, 1249-1258.	0.6	20
84	Ability of Unfed Dermacentor variabilis (Acari: Ixodidae) to Survive a Second Winter as Adults in Manitoba, Canada, Near the Northern Limit of Their Range. Journal of Medical Entomology, 2015, 52, 138-142.	0.9	18
85	Practices of Lyme disease diagnosis and treatment by general practitioners in Quebec, 2008–2015. BMC Family Practice, 2017, 18, 65.	2.9	18
86	THE GROUNDHOG TICK IXODES COOKEI (ACARI: IXODIDAE): A POOR POTENTIAL VECTOR OF LYME BORRELIOSIS. Journal of Wildlife Diseases, 1993, 29, 416-422.	0.3	17
87	A Preliminary Study of the Patterns of Sin Nombre Viral Infection and Shedding in Naturally Infected Deer Mice (Peromyscus maniculatus). Vector-Borne and Zoonotic Diseases, 2005, 5, 127-132.	0.6	16
88	Evaluating the submission of digital images as a method of surveillance for <i>Ixodes scapularis</i> li>ticks. Parasitology, 2017, 144, 877-883.	0.7	16
89	BLOOD COLLECTED ON FILTER PAPER FOR WILDLIFE SEROLOGY: DETECTING ANTIBODIES TO <i>NEOSPORA CANINUM</i> , WEST NILE VIRUS, AND FIVE BOVINE VIRUSES IN REINDEER. Journal of Wildlife Diseases, 2014, 50, 297-307.	0.3	15
90	Methods to Prevent Tick Bites and Lyme Disease. Clinics in Laboratory Medicine, 2015, 35, 883-899.	0.7	15

#	Article	IF	CITATIONS
91	Exposure to Rats and Rat-Associated <i>Leptospira</i> and <ibartonella< i=""> Species Among People Who Use Drugs in an Impoverished, Inner-City Neighborhood of Vancouver, Canada. Vector-Borne and Zoonotic Diseases, 2018, 18, 82-88.</ibartonella<>	0.6	15
92	High Seroprevalence of Jamestown Canyon Virus among Deer and Humans, Nova Scotia, Canada. Emerging Infectious Diseases, 2018, 24, 118-121.	2.0	15
93	Annual Incidence of Lassa Virus Infection in Southern Mali. American Journal of Tropical Medicine and Hygiene, 2017, 96, 16-0821.	0.6	14
94	Emerging arboviruses in Quebec, Canada: assessing public health risk by serology in humans, horses and pet dogs. Epidemiology and Infection, 2017, 145, 2940-2948.	1.0	14
95	A multi-year assessment of blacklegged tick (Ixodes scapularis) population establishment and Lyme disease risk areas in Ottawa, Canada, 2017-2019. PLoS ONE, 2021, 16, e0246484.	1.1	14
96	Fine-scale determinants of the spatiotemporal distribution of Ixodes scapularis in Quebec (Canada). Ticks and Tick-borne Diseases, 2022, 13, 101833.	1.1	14
97	Antibody responses to Borrelia burgdorferi detected by western blot vary geographically in Canada. PLoS ONE, 2017, 12, e0171731.	1.1	14
98	Detecting West Nile Virus in Owls and Raptors by an Antigen-capture Assay. Emerging Infectious Diseases, 2004, 10, 2204-2206.	2.0	13
99	Assessment of Prevalence and Distribution of Spotted Fever Group Rickettsiae in Manitoba, Canada, in the American Dog Tick, <i>Dermacentor variabilis</i> (Acari: Ixodidae). Vector-Borne and Zoonotic Diseases, 2015, 15, 103-108.	0.6	13
100	Toll-like receptor cascade and gene polymorphism in host–pathogen interaction in Lyme disease. Journal of Inflammation Research, 2016, 9, 91.	1.6	13
101	Evidence for Borrelia bavariensis Infections of Ixodes uriae within Seabird Colonies of the North Atlantic Ocean. Applied and Environmental Microbiology, 2017, 83, .	1.4	13
102	Evaluation of fluralaner as an oral acaricide to reduce tick infestation in a wild rodent reservoir of Lyme disease. Parasites and Vectors, 2020, 13, 73.	1.0	13
103	Granulocytic anaplasmosis in three dogs from Saskatoon, Saskatchewan. Canadian Veterinary Journal, 2009, 50, 835-40.	0.0	13
104	A review of environmental determinants and risk factors for avian-associated mosquito arboviruses in Canada. Biodiversity, 2009, 10, 83-91.	0.5	12
105	Genetic variation in the mitochondrial 16S ribosomal RNA gene of Ixodes scapularis (Acari: Ixodidae). Parasites and Vectors, 2014, 7, 530.	1.0	12
106	ECOLOGICAL DETERMINANTS OF AVIAN INFLUENZA VIRUS, WEST NILE VIRUS, AND AVIAN PARAMYXOVIRUS INFECTION AND ANTIBODY STATUS IN BLUE-WINGED TEAL (ANAS DISCORS) IN THE CANADIAN PRAIRIES. Journal of Wildlife Diseases, 2016, 52, 33.	0.3	12
107	Anaplasmosis: An emerging tick-borne disease of importance in Canada. IDCases, 2018, 14, e00472.	0.4	12
108	Distribution of Ixodes scapularis in Northwestern Ontario: Results from Active and Passive Surveillance Activities in the Northwestern Health Unit Catchment Area. International Journal of Environmental Research and Public Health, 2018, 15, 2225.	1.2	12

#	Article	IF	CITATIONS
109	Three genetically distinct clades of Anaplasma phagocytophilum in Ixodes scapularis. Ticks and Tick-borne Diseases, 2018, 9, 1518-1527.	1.1	12
110	Genetic diversity of Borrelia garinii from Ixodes uriae collected in seabird colonies of the northwestern Atlantic Ocean. Ticks and Tick-borne Diseases, 2019, 10, 101255.	1.1	12
111	Passive and Active Surveillance for Ixodes scapularis (Acari: Ixodidae) in Saskatchewan, Canada. Journal of Medical Entomology, 2020, 57, 156-163.	0.9	12
112	Practical guidance for clinical laboratories for SARS-CoV-2 serology testing. Canada Communicable Disease Report, 2021, 47, 171-183.	0.6	12
113	USE OF IgG AVIDITY TO INDIRECTLY MONITOR EPIZOOTIC TRANSMISSION OF SIN NOMBRE VIRUS IN DEER MICE (PEROMYSCUS MANICULATUS). American Journal of Tropical Medicine and Hygiene, 2006, 75, 1135-1139.	0.6	12
114	Enhanced detection of Rift Valley fever virus using molecular assays on whole blood samples. Journal of Clinical Virology, 2012, 54, 313-317.	1.6	11
115	Evidence for an effect of landscape connectivity on Borrelia burgdorferi sensu stricto dispersion in a zone of range expansion. Ticks and Tick-borne Diseases, 2018, 9, 1407-1415.	1.1	11
116	A field-based indicator for determining the likelihood of Ixodes scapularis establishment at sites in Ontario, Canada. PLoS ONE, 2018, 13, e0193524.	1.1	11
117	Enzootic maintenance of sylvatic plague in Canada's threatened blackâ€ŧailed prairie dog ecosystem. Ecosphere, 2020, 11, e03138.	1.0	11
118	Longitudinal Study on the Seroprevalence of Avian Influenza, Leptospirosis, and Tularemia in an Urban Population of Raccoons ( <i>Procyon lotor</i> ) in Ontario, Canada. Vector-Borne and Zoonotic Diseases, 2011, 11, 37-42.	0.6	10
119	Eastern Equine Encephalitis Virus: High Seroprevalence in Horses from Southern Quebec, Canada, 2012. Vector-Borne and Zoonotic Diseases, 2013, 13, 712-718.	0.6	10
120	Hantavirus Cardiopulmonary Syndrome in Canada. Emerging Infectious Diseases, 2020, 26, 3020-3024.	2.0	10
121	Evaluation of commercial SARS-CoV-2 serological assays in Canadian public health laboratories.  Diagnostic Microbiology and Infectious Disease, 2021, 101, 115412.	0.8	10
122	Transmission patterns of tick-borne pathogens among birds and rodents in a forested park in southeastern Canada. PLoS ONE, 2022, 17, e0266527.	1.1	10
123	Leptospira Infections in Trappers from Ontario. Canadian Journal of Infectious Diseases & Medical Microbiology, 2000, 11, 47-51.	0.3	9
124	Cross-reactivity between Lyme and syphilis screening assays: Lyme disease does not cause false-positive syphilis screens. Diagnostic Microbiology and Infectious Disease, 2016, 84, 184-186.	0.8	9
125	Characterizing environmental risk factors for West Nile virus in Quebec, Canada, using clinical data in humans and serology in pet dogs. Epidemiology and Infection, 2017, 145, 2797-2807.	1.0	9
126	Powassan Virus and Other Arthropod-Borne Viruses in Wildlife and Ticks in Ontario, Canada. American Journal of Tropical Medicine and Hygiene, 2018, 99, 458-465.	0.6	9

#	Article	IF	Citations
127	A tick of considerable veterinary importance, now established in North America. Canadian Veterinary Journal, 2019, 60, 27-28.	0.0	9
128	Cluster of cases of hantavirus pulmonary syndrome in Alberta, Canada. American Journal of Tropical Medicine and Hygiene, 2007, 77, 914-8.	0.6	9
129	Reproductive Status of Four Species of Fleas (Insecta: Siphonaptera) on Richardson's Ground Squirrels (Rodentia: Sciuridae) in Manitoba, Canada. Journal of Medical Entomology, 1998, 35, 423-430.	0.9	8
130	ECO-EPIZOOTIOLOGIC STUDY OF FRANCISELLA TULARENSIS, THE AGENT OF TULAREMIA, IN QUÉBEC WILDLIFE. Journal of Wildlife Diseases, 2016, 52, 217.	0.3	8
131	Vector Competence of Some Mosquito Species From Canada For Zika Virus. Journal of the American Mosquito Control Association, 2017, 33, 276-281.	0.2	8
132	Tick infestations of wildlife and companion animals in Ontario, Canada, with detection of human pathogens in Ixodes scapularis ticks. Ticks and Tick-borne Diseases, 2019, 10, 72-76.	1.1	8
133	Haemaphysalis longicornis: a tick of considerable importance, now established in North America. Canadian Journal of Public Health, 2019, 110, 118-119.	1.1	8
134	Performance of a Modified Two-Tiered Testing Enzyme Immunoassay Algorithm for Serologic Diagnosis of Lyme Disease in Nova Scotia. Journal of Clinical Microbiology, 2020, 58, .	1.8	8
135	Mosquitoes Know No Borders: Surveillance of Potential Introduction of Aedes Species in Southern Québec, Canada. Pathogens, 2021, 10, 998.	1.2	8
136	Stability of SARS-CoV-2 IgG in multiple laboratory conditions and blood sample types. Journal of Clinical Virology, 2021, 142, 104933.	1.6	8
137	Modified two-tiered testing algorithm for Lyme disease serology: the Canadian context. Canada Communicable Disease Report, 2020, 46, 125-131.	0.6	8
138	Serologic testing for <i>Bartonella</i> in Manitoba, Canada, 2010–2020: a retrospective case series. CMAJ Open, 2022, 10, E476-E482.	1.1	8
139	A systematic review and meta-analysis for the adverse effects, immunogenicity and efficacy of Lyme disease vaccines: Guiding novel vaccine development. Canadian Journal of Public Health, 2017, 108, e62-e70.	1.1	7
140	RVFV Infection in Goats by Different Routes of Inoculation. Viruses, 2018, 10, 709.	1.5	7
141	Monitoring the patterns of submission and presence of tick-borne pathogens in Ixodes scapularis collected from humans and companion animals in Ontario, Canada (2011–2017). Parasites and Vectors, 2021, 14, 260.	1.0	7
142	Biodiversity-related aspects of West Nile virus and its cycle in nature. Biodiversity, 2006, 7, 18-23.	0.5	6
143	Prevalence of West Nile Virus in Wild American Kestrels (Falco sparverius) of Southern Quebec, Canada. Journal of Wildlife Diseases, 2010, 46, 603-607.	0.3	6
144	Lyme disease in children: Data from the Canadian Paediatric Surveillance Program. Ticks and Tick-borne Diseases, 2020, 11, 101347.	1.1	6

#	Article	IF	CITATIONS
145	Hantavirus Pulmonary Syndrome in Manitoba. Canadian Journal of Infectious Diseases & Medical Microbiology, 2001, 12, 169-173.	0.3	5
146	Epidemiology of ticks submitted from human hosts in Alberta, Canada (2000–2019). Emerging Microbes and Infections, 2022, 11, 284-292.	3.0	5
147	Characterizing areas of potential human exposure to eastern equine encephalitis virus using serological and clinical data from horses. Epidemiology and Infection, 2017, 145, 667-677.	1.0	4
148	A case of Powassan encephalitis acquired in southern Quebec. Cmaj, 2018, 190, E1478-E1480.	0.9	4
149	Exposure to Tick-Borne Pathogens in Cats and Dogs Infested With Ixodes scapularis in Quebec: An 8-Year Surveillance Study. Frontiers in Veterinary Science, 2021, 8, 696815.	0.9	4
150	Babesia microti in a Canadian blood donor and lookback in a red blood cell recipient. Vox Sanguinis, 2021, , .	0.7	4
151	Seroprevalence of Rift Valley Fever Virus Antibodies in Cattle in Mali, 2005–2014. American Journal of Tropical Medicine and Hygiene, 2018, 98, 872-874.	0.6	4
152	Case Report: Anaplasmosis in Canada: Locally Acquired Anaplasma phagocytophilum Infection in Alberta. American Journal of Tropical Medicine and Hygiene, 2020, 103, 2478-2480.	0.6	4
153	Use of IgG avidity to indirectly monitor epizootic transmission of sin nombre virus in deer mice (Peromyscus maniculatus). American Journal of Tropical Medicine and Hygiene, 2006, 75, 1135-9.	0.6	4
154	Evaluating the utility of pest control sourced rats for zoonotic pathogen surveillance. Zoonoses and Public Health, 2022, 69, 468-474.	0.9	4
155	Range Expansion of <i>lxodes scapularis</i> and <i>Borrelia burgdorferi</i> in Ontario, Canada, from 2017 to 2019. Vector-Borne and Zoonotic Diseases, 0, , .	0.6	4
156	Sequence variability in the mitochondrial 12S rRNA and tRNAVal genes of Ixodes scapularis (Acari:) Tj ETQq0 0 0 2015, 29, 177-181.	rgBT /Ove 0.9	rlock 10 Tf 50 3
157	Locally Acquired Leptospirosis in Expedition Racer, Manitoba, Canada. Emerging Infectious Diseases, 2018, 24, 2386-2388.	2.0	3
158	Risk factors associated with the carriage of Ixodes scapularis relative to other tick species in a population of pet dogs from southeastern Ontario, Canada. Ticks and Tick-borne Diseases, 2019, 10, 290-298.	1.1	3
159	Modified Two-Tiered Testing Enzyme Immunoassay Algorithm for Serologic Diagnosis of Lyme Disease. Open Forum Infectious Diseases, 2022, 9, .	0.4	3
160	Jamestown Canyon and snowshoe hare virus seroprevalence in New Brunswick. Jammi, 2021, 6, 213-220.	0.3	2
161	Lyme Disease, Anaplasmosis, and Babesiosis, Atlantic Canada. Emerging Infectious Diseases, 2022, 28, .	2.0	2
162	Development of Three Additional Culex Species-Specific Polymerase Chain Reaction Primers and Their Application in West Nile Virus Surveillance in Canada. Journal of the American Mosquito Control Association, 2010, 26, 37-42.	0.2	1

#	Article	lF	CITATIONS
163	Low Seroprevalence of Lyme Disease Among Multiple Sclerosis Patients in New Brunswick. Canadian Journal of Neurological Sciences, 2020, 47, 842-844.	0.3	1
164	Temporal Detection Limits of Remnant Larval Bloodmeals in Nymphal Ixodes scapularis (Say, Ixodida:) Tj ETQq0 0 Entomology, 2021, 58, 821-829.	0 rgBT /Ov 0.9	verlock 10 Tf 1
165	Active surveillance of Anaplasma marginale in populations of arthropod vectors (Acari: Ixodidae;) Tj ETQq1 1 0.78 Canada. Canadian Journal of Veterinary Research, 2016, 80, 171-4.	4314 rgBT 0.2	/Overlock 1 1
166	Response to letter regarding article "How far north are migrant birds transporting the tick Ixodes scapularis in Canada? Insights from stable hydrogen isotope analyses of feathersâ€. Ticks and Tick-borne Diseases, 2016, 7, 329-330.	1.1	0
167	Reply to Comment on "Distribution of Ixodes scapularis in Northwestern Ontario: Results from Active and Passive Surveillance Activities in the Northwestern Health Unit Catchment Area― International Journal of Environmental Research and Public Health, 2019, 16, 2058.	1.2	O
168	Molecular Differentiation of Four Species of Oropsylla (Siphonaptera: Ceratophyllidae) Using PCR-Based Single Strand Conformation Polymorphism Analyses and DNA Sequencing. Journal of Medical Entomology, 2021, 58, 241-245.	0.9	0