Anna Maria Bazzoni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1070195/publications.pdf

Version: 2024-02-01

19 papers	276 citations	1040056 9 h-index	940533 16 g-index
рарого		II IIIuox	5 maex
19 all docs	19 docs citations	19 times ranked	635 citing authors

#	Article	IF	CITATIONS
1	Impact of irradiance on the C allocation in the coastal marine diatom <i>Skeletonema marinoi</i> Sarno and Zingone*. Plant, Cell and Environment, 2011, 34, 1666-1677.	5.7	55
2	Ecosystem vulnerability to alien and invasive species: a case study on marine habitats along the Italian coast. Aquatic Conservation: Marine and Freshwater Ecosystems, 2016, 26, 392-409.	2.0	55
3	Changes in biomass structure and trophic status of the plankton communities in a highly dynamic ecosystem (Gulf of Venice, Northern Adriatic Sea). Marine Ecology, 2008, 29, 367-374.	1.1	25
4	Detection of <i>Dinophysis</i> species and associated okadaic acid in farmed shellfish: a two-year study from the western Mediterranean area. Journal of Veterinary Research (Poland), 2018, 62, 137-144.	1.0	22
5	Picophytoplankton Seasonal Dynamics and Interactions with Environmental Variables in Three Mediterranean Coastal Lagoons. Estuaries and Coasts, 2017, 40, 469-478.	2.2	17
6	Paralytic Shellfish Toxins and Cyanotoxins in the Mediterranean: New Data from Sardinia and Sicily (Italy). Microorganisms, 2017, 5, 72.	3.6	16
7	Spatial distribution and multiannual trends of potentially toxic microalgae in shellfish farms along the Sardinian coast (NW Mediterranean Sea). Environmental Monitoring and Assessment, 2015, 187, 86.	2.7	15
8	A fast-response methodological approach to assessing and managing nutrient loads in eutrophic Mediterranean reservoirs. Ecological Engineering, 2015, 85, 47-55.	3.6	11
9	Recent findings of paralytic shellfish toxins linked to the genus Alexandrium Halim in Mediterranean mollusc production areas. Toxicon, 2020, 174, 48-56.	1.6	11
10	Seasonal accumulation of trace elements in native Mediterranean mussels (Mytilus galloprovincialis) Tj ETQq0 (Research, 2021, 28, 25770-25781.	0 0 rgBT /O 5.3	verlock 10 Tf 5
11	Bacterial and Viral Investigations Combined with Determination of Phytoplankton and Algal Biotoxins in Mussels and Water from a Mediterranean Coastal Lagoon (Sardinia, Italy). Journal of Food Protection, 2019, 82, 1501-1511.	1.7	10
12			
	Presence, Seasonal Distribution, and Biomolecular Characterization of Vibrio parahaemolyticus and Vibrio vulnificus in Shellfish Harvested and Marketed in Sardinia (Italy) between 2017 and 2018. Journal of Food Protection, 2021, 84, 1549-1554.	1.7	10
13	Vibrio vulnificus in Shellfish Harvested and Marketed in Sardinia (Italy) between 2017 and 2018. Journal	0.8	10
13 14	Vibrio vulnificus in Shellfish Harvested and Marketed in Sardinia (Italy) between 2017 and 2018. Journal of Food Protection, 2021, 84, 1549-1554. Occurrence of harmful algal species and shellfish toxicity in Sardinia (Italy). Italian Journal of Food		
	Vibrio vulnificus in Shellfish Harvested and Marketed in Sardinia (Italy) between 2017 and 2018. Journal of Food Protection, 2021, 84, 1549-1554. Occurrence of harmful algal species and shellfish toxicity in Sardinia (Italy). Italian Journal of Food Safety, 2016, 5, 6095. Yessotoxin detection in bivalve molluscs: A case study from coastal mussel farms (Sardinia, Italy).	0.8	6
14	Vibrio vulnificus in Shellfish Harvested and Marketed in Sardinia (Italy) between 2017 and 2018. Journal of Food Protection, 2021, 84, 1549-1554. Occurrence of harmful algal species and shellfish toxicity in Sardinia (Italy). Italian Journal of Food Safety, 2016, 5, 6095. Yessotoxin detection in bivalve molluscs: A case study from coastal mussel farms (Sardinia, Italy). Italian Journal of Food Safety, 2017, 6, 7015. Longitudinal Study on Seasonal Variation of Marine Biotoxins and Related Harmful Algae in Bivalve Mollusks Bred in Sardinia (Italy, W Mediterranean Sea) from 2015 to 2020 and Assessment of Potential Public Health Risks. Journal of Marine Science and Engineering, 2021, 9, 510. Determination of phytoplankton in water samples, algal biotoxins, microbiological parameters and microplastics in Mediterranean mussels (Mytilus galloprovincialis Lamarck, 1819) from an experimental pilot farm in the Calich Lagoon (Sardinia, Italy). Italian Journal of Food Safety, 2022, 11,	0.8	6
14 15	Vibrio vulnificus in Shellfish Harvested and Marketed in Sardinia (Italy) between 2017 and 2018. Journal of Food Protection, 2021, 84, 1549-1554. Occurrence of harmful algal species and shellfish toxicity in Sardinia (Italy). Italian Journal of Food Safety, 2016, 5, 6095. Yessotoxin detection in bivalve molluscs: A case study from coastal mussel farms (Sardinia, Italy). Italian Journal of Food Safety, 2017, 6, 7015. Longitudinal Study on Seasonal Variation of Marine Biotoxins and Related Harmful Algae in Bivalve Mollusks Bred in Sardinia (Italy, W Mediterranean Sea) from 2015 to 2020 and Assessment of Potential Public Health Risks. Journal of Marine Science and Engineering, 2021, 9, 510. Determination of phytoplankton in water samples, algal biotoxins, microbiological parameters and microplastics in Mediterranean mussels (Mytilus galloprovincialis Lamarck, 1819) from an	0.8	6 4

ARTICLE IF CITATIONS

Occurrence of trace elements in Mediterranean mussels (Mytilus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 747 Td (ga 0.8 0 (Sardinia, Italy). Italian Journal of Food Safety, 2022, 11, 9970.