

# Edwin D Charlebois

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1070588/publications.pdf>

Version: 2024-02-01

131  
papers

8,002  
citations

57631

44  
h-index

51492

86  
g-index

133  
all docs

133  
docs citations

133  
times ranked

7625  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adherence to protease inhibitors, HIV-1 viral load, and development of drug resistance in an indigent population. <i>Aids</i> , 2000, 14, 357-366.	1.0	905
2	Non-adherence to highly active antiretroviral therapy predicts progression to AIDS. <i>Aids</i> , 2001, 15, 1181-1183.	1.0	802
3	High Prevalence of Methicillin-Resistant <i>Staphylococcus aureus</i> in Emergency Department Skin and Soft Tissue Infections. <i>Annals of Emergency Medicine</i> , 2005, 45, 311-320.	0.3	451
4	Measuring Adherence to Antiretroviral Therapy in a Diverse Population Using a Visual Analogue Scale. <i>HIV Clinical Trials</i> , 2004, 5, 74-79.	2.0	320
5	High levels of adherence do not prevent accumulation of HIV drug resistance mutations. <i>Aids</i> , 2003, 17, 1925-1932.	1.0	200
6	Comparison of an Interferon- $\gamma$ Release Assay with Tuberculin Skin Testing in HIV-infected Individuals. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 737-742.	2.5	185
7	HIV Testing and Treatment with the Use of a Community Health Approach in Rural Africa. <i>New England Journal of Medicine</i> , 2019, 381, 219-229.	13.9	174
8	Increasing Prevalence of Methicillin-Resistant <i>Staphylococcus aureus</i> Infection in California Jails. <i>Clinical Infectious Diseases</i> , 2003, 37, 1384-1388.	2.9	172
9	Dihydroartemisinin+Piperaquine for the Prevention of Malaria in Pregnancy. <i>New England Journal of Medicine</i> , 2016, 374, 928-939.	13.9	171
10	Title is missing!. <i>AIDS and Behavior</i> , 2001, 5, 275-281.	1.4	163
11	Origins of Community Strains of Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Clinical Infectious Diseases</i> , 2004, 39, 47-54.	2.9	157
12	Correlates of suicidal ideation among HIV-positive persons. <i>Aids</i> , 2007, 21, 1199-1203.	1.0	136
13	Population Dynamics of Nasal Strains of Methicillin-Resistant <i>Staphylococcus aureus</i> and Their Relation to Community-Associated Disease Activity. <i>Journal of Infectious Diseases</i> , 2005, 192, 811-818.	1.9	135
14	Neurocognitive and Motor Deficits in HIV-Infected Ugandan Children With High CD4 Cell Counts. <i>Clinical Infectious Diseases</i> , 2012, 54, 1001-1009.	2.9	133
15	Comparison of Risk Factors for Hepatitis C and Hepatitis B Virus Infection in Homosexual Men. <i>Journal of Infectious Diseases</i> , 1993, 167, 66-71.	1.9	130
16	Men "missing" from population-based HIV testing: insights from qualitative research. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 67-73.	0.6	128
17	A hybrid mobile approach for population-wide HIV testing in rural east Africa: an observational study. <i>Lancet HIV</i> , 2016, 3, e111-e119.	2.1	127
18	Adherence to Highly Active Antiretroviral Therapy in the Homeless Population in San Francisco: A Prospective Study. <i>Clinical Infectious Diseases</i> , 2004, 39, 1190-1198.	2.9	121

#	ARTICLE	IF	CITATIONS
19	Leveraging Rapid Community-Based HIV Testing Campaigns for Non-Communicable Diseases in Rural Uganda. PLoS ONE, 2012, 7, e43400.	1.1	117
20	Association of Implementation of a Universal Testing and Treatment Intervention With HIV Diagnosis, Receipt of Antiretroviral Therapy, and Viral Suppression in East Africa. JAMA - Journal of the American Medical Association, 2017, 317, 2196.	3.8	116
21	Amodiaquine, sulfadoxine/pyrimethamine, and combination therapy for treatment of uncomplicated falciparum malaria in Kampala, Uganda: a randomised trial. Lancet, The, 2001, 358, 368-374.	6.3	115
22	Effects of a multicomponent intervention to streamline initiation of antiretroviral therapy in Africa: a stepped-wedge cluster-randomised trial. Lancet HIV,the, 2016, 3, e539-e548.	2.1	107
23	Determinants of HIV Disease Progression among Homosexual Men Registered in the Tricontinental Seroconverter Study. American Journal of Epidemiology, 1994, 140, 747-758.	1.6	95
24	Antiretroviral Agents and Prevention of Malaria in HIV-Infected Ugandan Children. New England Journal of Medicine, 2012, 367, 2110-2118.	13.9	95
25	Uptake, engagement, and adherence to pre-exposure prophylaxis offered after population HIV testing in rural Kenya and Uganda: 72-week interim analysis of observational data from the SEARCH study. Lancet HIV,the, 2020, 7, e249-e261.	2.1	94
26	Hepatitis C virus infection in san franciscoâ€™s HIV-infected urban poor. Journal of General Internal Medicine, 2004, 19, 357-365.	1.3	83
27	Physician-Assisted Suicide and Patients with Human Immunodeficiency Virus Disease. New England Journal of Medicine, 1997, 336, 417-421.	13.9	81
28	â€œHow can I tell?â€•Consequences of HIV status disclosure among couples in eastern African communities in the context of an ongoing HIV â€œtest-and-treatâ€•trial. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 59-66.	0.6	81
29	High Risk of Neutropenia in HIVâ€™Infected Children following Treatment with Artesunate plus Amodiaquine for Uncomplicated Malaria in Uganda. Clinical Infectious Diseases, 2008, 46, 985-991.	2.9	78
30	Effects of trimethoprim-sulfamethoxazole and insecticide-treated bednets on malaria among HIV-infected Ugandan children. Aids, 2007, 21, 2059-2066.	1.0	77
31	Hepatotoxicity Due to a Drug Interaction between Amodiaquine plus Artesunate and Efavirenz. Clinical Infectious Diseases, 2007, 44, 889-891.	2.9	74
32	Affect Regulation, Stimulant Use, and Viral Load Among HIV-Positive Persons on Anti-Retroviral Therapy. Psychosomatic Medicine, 2007, 69, 785-792.	1.3	67
33	Hypertension control in integrated HIV and chronic disease clinics in Uganda in the SEARCH study. BMC Public Health, 2019, 19, 511.	1.2	67
34	Quantitative and Cost Comparison of Ultrasensitive Human Immunodeficiency Virus Type 1 RNA Viral Load Assays: Bayer bDNA Quantiplex Versions 3.0 and 2.0 and Roche PCR Amplicor Monitor Version 1.5. Journal of Clinical Microbiology, 2000, 38, 1113-1120.	1.8	66
35	Understanding Demand for PrEP and Early Experiences of PrEP Use Among Young Adults in Rural Kenya and Uganda: A Qualitative Study. AIDS and Behavior, 2020, 24, 2149-2162.	1.4	65
36	Uptake of Community-Based HIV Testing during a Multi-Disease Health Campaign in Rural Uganda. PLoS ONE, 2014, 9, e84317.	1.1	61

#	ARTICLE	IF	CITATIONS
37	High levels of retention in care with streamlined care and universal test and treat in East Africa. <i>Aids</i> , 2016, 30, 2855-2864.	1.0	61
38	High rates of viral suppression in adults and children with high CD4+ counts using a streamlined ART delivery model in the SEARCH trial in rural Uganda and Kenya. <i>Journal of the International AIDS Society</i> , 2017, 20, 21673.	1.2	57
39	“Hurdles on the path to 90-90-90 and beyond” Qualitative analysis of barriers to engagement in HIV care among individuals in rural East Africa in the context of test-and-treat. <i>PLoS ONE</i> , 2018, 13, e0202990.	1.1	54
40	Perceived Adverse Effects of Antiretroviral Therapy. <i>Journal of Pain and Symptom Management</i> , 2005, 29, 193-205.	0.6	52
41	Randomized, Placebo-Controlled Trial of Rifampin, Ethambutol, and Ciprofloxacin for AIDS Patients with Disseminated Mycobacterium avium Complex Infection. <i>Journal of Infectious Diseases</i> , 1993, 168, 112-119.	1.9	51
42	Epidemiology and awareness of hypertension in a rural Ugandan community: a cross-sectional study. <i>BMC Public Health</i> , 2013, 13, 1151.	1.2	50
43	Evaluating linkage to care for hypertension after community-based screening in rural Uganda. <i>Tropical Medicine and International Health</i> , 2014, 19, 459-468.	1.0	49
44	False-Positive Results of Enzyme Immunoassays for Human Immunodeficiency Virus in Patients with Uncomplicated Malaria. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3021-3024.	1.8	47
45	Mobility and its Effects on HIV Acquisition and Treatment Engagement: Recent Theoretical and Empirical Advances. <i>Current HIV/AIDS Reports</i> , 2019, 16, 314-323.	1.1	47
46	Sex Differences in HIV RNA Level and CD4 Cell Percentage During Childhood. <i>Clinical Infectious Diseases</i> , 2011, 53, 592-599.	2.9	46
47	Drought and intimate partner violence towards women in 19 countries in sub-Saharan Africa during 2011-2018: A population-based study. <i>PLoS Medicine</i> , 2020, 17, e1003064.	3.9	44
48	Implementation and Operational Research: Cost and Efficiency of a Hybrid Mobile Multidisease Testing Approach With High HIV Testing Coverage in East Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, e39-e45.	0.9	43
49	Distance to clinic is a barrier to PrEP uptake and visit attendance in a community in rural Uganda. <i>Journal of the International AIDS Society</i> , 2019, 22, e25276.	1.2	43
50	Machine Learning to Identify Persons at High-Risk of Human Immunodeficiency Virus Acquisition in Rural Kenya and Uganda. <i>Clinical Infectious Diseases</i> , 2020, 71, 2326-2333.	2.9	43
51	Pharmacokinetics of lopinavir/ritonavir and efavirenz in food insecure HIV-infected pregnant and breastfeeding women in tororo, uganda. <i>Journal of Clinical Pharmacology</i> , 2014, 54, 121-132.	1.0	40
52	Gendered dimensions of population mobility associated with HIV across three epidemics in rural Eastern Africa. <i>Health and Place</i> , 2019, 57, 339-351.	1.5	38
53	Increased Morbidity in Early Childhood Among HIV-exposed Uninfected Children in Uganda is Associated with Breastfeeding Duration. <i>Journal of Tropical Pediatrics</i> , 2014, 60, 434-441.	0.7	36
54	HIV incidence after pre-exposure prophylaxis initiation among women and men at elevated HIV risk: A population-based study in rural Kenya and Uganda. <i>PLoS Medicine</i> , 2021, 18, e1003492.	3.9	35

#	ARTICLE	IF	CITATIONS
55	Factors predictive of successful retention in care among HIV-infected men in a universal test-and-treat setting in Uganda and Kenya: A mixed methods analysis. <i>PLoS ONE</i> , 2019, 14, e0210126.	1.1	34
56	Assessment of Population-Based HIV RNA Levels in a Rural East African Setting Using a Fingerprick-Based Blood Collection Method. <i>Clinical Infectious Diseases</i> , 2013, 56, 598-605.	2.9	33
57	Tuberculosis Infection in Early Childhood and the Association with HIV-exposure in HIV-uninfected Children in Rural Uganda. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 524-529.	1.1	33
58	Population mobility associated with higher risk sexual behaviour in eastern African communities participating in a Universal Testing and Treatment trial. <i>Journal of the International AIDS Society</i> , 2018, 21, e25115.	1.2	33
59	Rapid Increase in Tuberculosis Incidence Soon after Infection with HIV – A New Twist in the Twin Epidemics. <i>Journal of Infectious Diseases</i> , 2005, 191, 147-149.	1.9	31
60	Early Adopters of Human Immunodeficiency Virus Preexposure Prophylaxis in a Population-based Combination Prevention Study in Rural Kenya and Uganda. <i>Clinical Infectious Diseases</i> , 2018, 67, 1853-1860.	2.9	30
61	High Retention in Care Among HIV-Infected Patients Entering Care With CD4 Levels $\geq 350$ cells/ $\mu$ L Under Routine Program Conditions in Uganda. <i>Clinical Infectious Diseases</i> , 2013, 57, 1343-1350.	2.9	27
62	Household Food Insecurity, Maternal Nutritional Status, and Infant Feeding Practices Among HIV-infected Ugandan Women Receiving Combination Antiretroviral Therapy. <i>Maternal and Child Health Journal</i> , 2014, 18, 2044-2053.	0.7	27
63	The Effect of Malnutrition on the Pharmacokinetics and Virologic Outcomes of Lopinavir, Efavirenz and Nevirapine in Food Insecure HIV-infected Children in Tororo, Uganda. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e63-e70.	1.1	27
64	Identifying locations of recent TB transmission in rural Uganda: a multidisciplinary approach. <i>Tropical Medicine and International Health</i> , 2015, 20, 537-545.	1.0	27
65	The epidemiology of chronic kidney disease (CKD) in rural East Africa: A population-based study. <i>PLoS ONE</i> , 2020, 15, e0229649.	1.1	27
66	Pathways for reduction of HIV-related stigma: a model derived from longitudinal qualitative research in Kenya and Uganda. <i>Journal of the International AIDS Society</i> , 2020, 23, e25647.	1.2	26
67	Impact of a formulary switch from ticarcillin-clavulanate to piperacillin-tazobactam on colonization with vancomycin-resistant enterococci. <i>American Journal of Infection Control</i> , 2004, 32, 462-469.	1.1	25
68	Polymerase Chain Reaction of <i>secA1</i> on Sputum or Oral Wash Samples for the Diagnosis of Pulmonary Tuberculosis. <i>Clinical Infectious Diseases</i> , 2009, 48, 725-732.	2.9	24
69	A Patient-Centered Multicomponent Strategy for Accelerated Linkage to Care Following Community-Wide HIV Testing in Rural Uganda and Kenya. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 80, 414-422.	0.9	23
70	The Distribution and Immune Profile of T Cell Subsets in HIV-Infected Children from Uganda. <i>AIDS Research and Human Retroviruses</i> , 2009, 25, 65-71.	0.5	22
71	Dimensions of HIV-related stigma in rural communities in Kenya and Uganda at the start of a large HIV test and treat™ trial. <i>PLoS ONE</i> , 2021, 16, e0249462.	1.1	22
72	Are untimed antiretroviral drug levels useful predictors of adherence behavior?. <i>Aids</i> , 2004, 18, 127-129.	1.0	21

#	ARTICLE	IF	CITATIONS
73	Population levels and geographical distribution of HIV RNA in rural Ugandan and Kenyan communities, including serodiscordant couples: a cross-sectional analysis. <i>Lancet HIV</i> , 2017, 4, e122-e133.	2.1	21
74	Dihydroartemisinin-piperaquine for intermittent preventive treatment of malaria during pregnancy and risk of malaria in early childhood: A randomized controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002606.	3.9	21
75	Associations between alcohol use and HIV care cascade outcomes among adults undergoing population-based HIV testing in East Africa. <i>Aids</i> , 2020, 34, 405-413.	1.0	20
76	Risk factors for early hospital readmission in patients with AIDS and pneumonia. <i>Journal of General Internal Medicine</i> , 1999, 14, 531-536.	1.3	19
77	Does Effective Depression Treatment Alone Reduce Secondary HIV Transmission Risk? Equivocal Findings from a Randomized Controlled Trial. <i>AIDS and Behavior</i> , 2013, 17, 2765-2772.	1.4	18
78	Tuberculosis Treatment in HIV Infected Ugandans with CD4 Counts >350 Cells/mm <sup>3</sup> Reduces Immune Activation with No Effect on HIV Load or CD4 Count. <i>PLoS ONE</i> , 2010, 5, e9138.	1.1	17
79	Artemisinin-Based Combination Therapies Are Efficacious and Safe for Treatment of Uncomplicated Malaria in HIV-Infected Ugandan Children. <i>Clinical Infectious Diseases</i> , 2014, 59, 446-453.	2.9	17
80	Evaluating the feasibility and uptake of a community-based HIV testing and multi-disease health campaign in rural Uganda. <i>Journal of the International AIDS Society</i> , 2017, 20, 21514.	1.2	17
81	Patient Perspectives with Abbreviated versus Standard Pre-Test HIV Counseling in the Prenatal Setting: A Randomized-Controlled, Non-Inferiority Trial. <i>PLoS ONE</i> , 2009, 4, e5166.	1.1	16
82	Gaps in the child tuberculosis care cascade in 32 rural communities in Uganda and Kenya. <i>Journal of Clinical Tuberculosis and Other Mycobacterial Diseases</i> , 2017, 9, 24-29.	0.6	16
83	Understanding uptake of an intervention to accelerate antiretroviral therapy initiation in Uganda via qualitative inquiry. <i>Journal of the International AIDS Society</i> , 2017, 20, e25033.	1.2	14
84	Redemption of the "spoiled identity": the role of HIV-positive individuals in HIV care cascade interventions. <i>Journal of the International AIDS Society</i> , 2017, 20, e25023.	1.2	14
85	Prevalence of Asymptomatic Parasitemia and Gametocytemia among HIV-Infected Ugandan Children Randomized to Receive Different Antiretroviral Therapies. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 88, 744-746.	0.6	13
86	Hypertension testing and treatment in Uganda and Kenya through the SEARCH study: An implementation fidelity and outcome evaluation. <i>PLoS ONE</i> , 2020, 15, e0222801.	1.1	13
87	Uptake and outcomes of a novel community-based HIV post-exposure prophylaxis (PEP) programme in rural Kenya and Uganda. <i>Journal of the International AIDS Society</i> , 2021, 24, e25670.	1.2	13
88	Growth Recovery Among HIV-infected Children Randomized to Lopinavir/Ritonavir or NNRTI-based Antiretroviral Therapy. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 1329-1332.	1.1	12
89	Impact of a Structural Intervention to Address Alcohol Use Among Gay Bar Patrons in San Francisco: The PACE Study. <i>AIDS and Behavior</i> , 2017, 21, 193-202.	1.4	12
90	Predictors of isoniazid preventive therapy completion among HIV-infected patients receiving differentiated and non-differentiated HIV care in rural Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 119-127.	0.6	12

#	ARTICLE	IF	CITATIONS
91	“A Bird in the Hand” A Commentary on the Test and Treat Approach for HIV. <i>Archives of Internal Medicine</i> , 2010, 170, 1354.	4.3	11
92	Intermittent preventive treatment with dihydroartemisinin-piperazine and risk of malaria following cessation in young Ugandan children: a double-blind, randomised, controlled trial. <i>Lancet Infectious Diseases</i> , 2019, 19, 962-972.	4.6	11
93	A Framework for Global Collaborative Data Management for Malaria Research. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 93, 124-132.	0.6	10
94	Spatial overlap links seemingly unconnected genotype-matched TB cases in rural Uganda. <i>PLoS ONE</i> , 2018, 13, e0192666.	1.1	10
95	Far from MCAR. <i>Epidemiology</i> , 2020, 31, 620-627.	1.2	10
96	Effect of a patient-centered hypertension delivery strategy on all-cause mortality: Secondary analysis of SEARCH, a community-randomized trial in rural Kenya and Uganda. <i>PLoS Medicine</i> , 2021, 18, e1003803.	3.9	10
97	Distinct forms of migration and mobility are differentially associated with HIV treatment adherence. <i>Aids</i> , 2022, 36, 1021-1030.	1.0	10
98	Assessing the Quality of Tuberculosis Evaluation for Children with Prolonged Cough Presenting to Routine Community Health Care Settings in Rural Uganda. <i>PLoS ONE</i> , 2014, 9, e105935.	1.1	9
99	Antiretroviral therapy and TB. <i>Tropical Doctor</i> , 2006, 36, 73-79.	0.2	8
100	“I Have Remained Strong Because of That Food” Acceptability and Use of Lipid-Based Nutrient Supplements Among Pregnant HIV-Infected Ugandan Women Receiving Combination Antiretroviral Therapy. <i>AIDS and Behavior</i> , 2015, 19, 1535-1547.	1.4	8
101	Expectations about future health and longevity in Kenyan and Ugandan communities receiving a universal test-and-treat intervention in the SEARCH trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 90-98.	0.6	8
102	The age-specific burden and household and school-based predictors of child and adolescent tuberculosis infection in rural Uganda. <i>PLoS ONE</i> , 2020, 15, e0228102.	1.1	8
103	Epidemiology of vancomycin-resistant <i>Enterococcus faecium</i> under a selective isolation policy at an urban county hospital. <i>American Journal of Infection Control</i> , 2002, 30, 400-406.	1.1	7
104	Dynamics of T cell activation accompanying CD4 recovery in antiretroviral treated HIV-infected Ugandan children. <i>Clinical Immunology</i> , 2009, 131, 410-414.	1.4	7
105	Short-Term Risk of HIV Disease Progression and Death in Ugandan Children Not Eligible for Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 55, 330-335.	0.9	7
106	Neonatal Mortality in HIV-Exposed Infants Born to Women Receiving Combination Antiretroviral Therapy in Rural Uganda. <i>Journal of Tropical Pediatrics</i> , 2013, 59, 441-446.	0.7	7
107	Acceptability and feasibility of serial HIV antibody testing during pregnancy/postpartum and male partner testing in Tororo, Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014, 26, 360-366.	0.6	7
108	Mobile, Population-wide, Hybrid HIV Testing Strategy Increases Number of Children Tested in Rural Kenya and Uganda. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 1279-1281.	1.1	7

#	ARTICLE	IF	CITATIONS
109	High CD4 counts associated with better economic outcomes for HIV-positive adults and their HIV-negative household members in the SEARCH Trial. PLoS ONE, 2018, 13, e0198912.	1.1	7
110	The Influence of Social Networks on Antiretroviral Therapy Initiation Among HIV-Infected Antiretroviral Therapy-Naive Youth in Rural Kenya and Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 9-15.	0.9	7
111	SEARCH Human Immunodeficiency Virus (HIV) Streamlined Treatment Intervention Reduces Mortality at a Population Level in Men With Low CD4 Counts. Clinical Infectious Diseases, 2021, 73, e1938-e1945.	2.9	7
112	Outcomes and costs of publicly funded patient navigation interventions to enhance HIV care continuum outcomes in the United States: A before-and-after study. PLoS Medicine, 2021, 18, e1003418.	3.9	7
113	Effect of a Patient-Centered Phone Call by a Clinical Officer at Time of HIV Testing on Linkage to Care in Rural Kenya. Open Forum Infectious Diseases, 2018, 5, ofy126.	0.4	6
114	Anemia and Micronutrient Status during Pregnancy, and Their Associations with Obstetric and Infant Outcomes among HIV-Infected Ugandan Women Receiving Antiretroviral Therapy. Current Developments in Nutrition, 2020, 4, nzaa075.	0.1	6
115	Mycobacterium tuberculosis Microbiologic and Clinical Treatment Outcomes in a Randomized Trial of Immediate versus CD4+Initiated Antiretroviral Therapy in HIV-Infected Adults with a High CD4+Cell Count. Clinical Infectious Diseases, 2010, 51, 359-362.	2.9	5
116	Predicting HIV Incidence in the SEARCH Trial: A Mathematical Modeling Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 87, 1024-1031.	0.9	5
117	Improved Viral Suppression With Streamlined Care in the SEARCH Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 571-578.	0.9	5
118	Characteristics of HIV seroconverters in the setting of universal test and treat: Results from the SEARCH trial in rural Uganda and Kenya. PLoS ONE, 2021, 16, e0243167.	1.1	4
119	Costs of integrating hypertension care into HIV care in rural East African clinics. Aids, 2021, 35, 911-919.	1.0	4
120	Effect of universal HIV testing and treatment on socioeconomic wellbeing in rural Kenya and Uganda: a cluster-randomised controlled trial. The Lancet Global Health, 2022, 10, e96-e104.	2.9	4
121	Sexual partnership concurrency and age disparities associated with sexually transmitted infection and risk behavior in rural communities in Kenya and Uganda. International Journal of Infectious Diseases, 2022, 120, 158-167.	1.5	4
122	Provider and Patient Perspectives of Rapid ART Initiation and Streamlined HIV Care: Qualitative Insights From Eastern African Communities. Journal of the International Association of Providers of AIDS Care, 2021, 20, 232595822110535.	0.6	3
123	HIV surveillance in theory and practice: Assessing the acceptability of California's non-name HIV surveillance regulations. Health Policy, 2006, 78, 101-110.	1.4	2
124	Two or more significant life-events in 6-months are associated with lower rates of HIV treatment and virologic suppression among youth with HIV in Uganda and Kenya. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2023, 35, 95-105.	0.6	2
125	Alcohol Consumption and Management Strategies Among Gay Bar Patrons in San Francisco and Oakland, CA. Contemporary Drug Problems, 2019, 46, 22-40.	0.7	1
126	Authors' response. Tropical Medicine and International Health, 2015, 20, 965-966.	1.0	0



#	ARTICLE	IF	CITATIONS
127	Title is missing!. , 2020, 17, e1003064.		0
128	Title is missing!. , 2020, 17, e1003064.		0
129	Title is missing!. , 2020, 17, e1003064.		0
130	Title is missing!. , 2020, 17, e1003064.		0
131	Title is missing!. , 2020, 17, e1003064.		0