

Edwin D Charlebois

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1070588/publications.pdf>

Version: 2024-02-01

131
papers

8,002
citations

57631

44
h-index

51492

86
g-index

133
all docs

133
docs citations

133
times ranked

7625
citing authors

#	ARTICLE	IF	CITATIONS
1	Two or more significant life-events in 6-months are associated with lower rates of HIV treatment and virologic suppression among youth with HIV in Uganda and Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2023, 35, 95-105.	0.6	2
2	Effect of universal HIV testing and treatment on socioeconomic wellbeing in rural Kenya and Uganda: a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2022, 10, e96-e104.	2.9	4
3	Sexual partnership concurrency and age disparities associated with sexually transmitted infection and risk behavior in rural communities in Kenya and Uganda. <i>International Journal of Infectious Diseases</i> , 2022, 120, 158-167.	1.5	4
4	Distinct forms of migration and mobility are differentially associated with HIV treatment adherence. <i>Aids</i> , 2022, 36, 1021-1030.	1.0	10
5	Characteristics of HIV seroconverters in the setting of universal test and treat: Results from the SEARCH trial in rural Uganda and Kenya. <i>PLoS ONE</i> , 2021, 16, e0243167.	1.1	4
6	HIV incidence after pre-exposure prophylaxis initiation among women and men at elevated HIV risk: A population-based study in rural Kenya and Uganda. <i>PLoS Medicine</i> , 2021, 18, e1003492.	3.9	35
7	Costs of integrating hypertension care into HIV care in rural East African clinics. <i>Aids</i> , 2021, 35, 911-919.	1.0	4
8	SEARCH Human Immunodeficiency Virus (HIV) Streamlined Treatment Intervention Reduces Mortality at a Population Level in Men With Low CD4 Counts. <i>Clinical Infectious Diseases</i> , 2021, 73, e1938-e1945.	2.9	7
9	Dimensions of HIV-related stigma in rural communities in Kenya and Uganda at the start of a large HIV test and treat™ trial. <i>PLoS ONE</i> , 2021, 16, e0249462.	1.1	22
10	Outcomes and costs of publicly funded patient navigation interventions to enhance HIV care continuum outcomes in the United States: A before-and-after study. <i>PLoS Medicine</i> , 2021, 18, e1003418.	3.9	7
11	Uptake and outcomes of a novel community-based HIV post-exposure prophylaxis (PEP) programme in rural Kenya and Uganda. <i>Journal of the International AIDS Society</i> , 2021, 24, e25670.	1.2	13
12	Predicting HIV Incidence in the SEARCH Trial: A Mathematical Modeling Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 87, 1024-1031.	0.9	5
13	Effect of a patient-centered hypertension delivery strategy on all-cause mortality: Secondary analysis of SEARCH, a community-randomized trial in rural Kenya and Uganda. <i>PLoS Medicine</i> , 2021, 18, e1003803.	3.9	10
14	Provider and Patient Perspectives of Rapid ART Initiation and Streamlined HIV Care: Qualitative Insights From Eastern African Communities. <i>Journal of the International Association of Providers of AIDS Care</i> , 2021, 20, 232595822110535.	0.6	3
15	Predictors of isoniazid preventive therapy completion among HIV-infected patients receiving differentiated and non-differentiated HIV care in rural Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 119-127.	0.6	12
16	Machine Learning to Identify Persons at High-Risk of Human Immunodeficiency Virus Acquisition in Rural Kenya and Uganda. <i>Clinical Infectious Diseases</i> , 2020, 71, 2326-2333.	2.9	43
17	Associations between alcohol use and HIV care cascade outcomes among adults undergoing population-based HIV testing in East Africa. <i>Aids</i> , 2020, 34, 405-413.	1.0	20
18	The Influence of Social Networks on Antiretroviral Therapy Initiation Among HIV-Infected Antiretroviral Therapy-Naive Youth in Rural Kenya and Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 83, 9-15.	0.9	7

#	ARTICLE	IF	CITATIONS
19	Far from MCAR. <i>Epidemiology</i> , 2020, 31, 620-627.	1.2	10
20	Pathways for reduction of HIV-related stigma: a model derived from longitudinal qualitative research in Kenya and Uganda. <i>Journal of the International AIDS Society</i> , 2020, 23, e25647.	1.2	26
21	Anemia and Micronutrient Status during Pregnancy, and Their Associations with Obstetric and Infant Outcomes among HIV-Infected Ugandan Women Receiving Antiretroviral Therapy. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa075.	0.1	6
22	Drought and intimate partner violence towards women in 19 countries in sub-Saharan Africa during 2011-2018: A population-based study. <i>PLoS Medicine</i> , 2020, 17, e1003064.	3.9	44
23	The epidemiology of chronic kidney disease (CKD) in rural East Africa: A population-based study. <i>PLoS ONE</i> , 2020, 15, e0229649.	1.1	27
24	Uptake, engagement, and adherence to pre-exposure prophylaxis offered after population HIV testing in rural Kenya and Uganda: 72-week interim analysis of observational data from the SEARCH study. <i>Lancet HIV</i> , 2020, 7, e249-e261.	2.1	94
25	Hypertension testing and treatment in Uganda and Kenya through the SEARCH study: An implementation fidelity and outcome evaluation. <i>PLoS ONE</i> , 2020, 15, e0222801.	1.1	13
26	The age-specific burden and household and school-based predictors of child and adolescent tuberculosis infection in rural Uganda. <i>PLoS ONE</i> , 2020, 15, e0228102.	1.1	8
27	Understanding Demand for PrEP and Early Experiences of PrEP Use Among Young Adults in Rural Kenya and Uganda: A Qualitative Study. <i>AIDS and Behavior</i> , 2020, 24, 2149-2162.	1.4	65
28	Improved Viral Suppression With Streamlined Care in the SEARCH Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 571-578.	0.9	5
29	Title is missing!. , 2020, 17, e1003064.		0
30	Title is missing!. , 2020, 17, e1003064.		0
31	Title is missing!. , 2020, 17, e1003064.		0
32	Title is missing!. , 2020, 17, e1003064.		0
33	Title is missing!. , 2020, 17, e1003064.		0
34	HIV Testing and Treatment with the Use of a Community Health Approach in Rural Africa. <i>New England Journal of Medicine</i> , 2019, 381, 219-229.	13.9	174
35	Intermittent preventive treatment with dihydroartemisinin-piperazine and risk of malaria following cessation in young Ugandan children: a double-blind, randomised, controlled trial. <i>Lancet Infectious Diseases</i> , 2019, 19, 962-972.	4.6	11
36	Mobility and its Effects on HIV Acquisition and Treatment Engagement: Recent Theoretical and Empirical Advances. <i>Current HIV/AIDS Reports</i> , 2019, 16, 314-323.	1.1	47

#	ARTICLE	IF	CITATIONS
37	Factors predictive of successful retention in care among HIV-infected men in a universal test-and-treat setting in Uganda and Kenya: A mixed methods analysis. PLoS ONE, 2019, 14, e0210126.	1.1	34
38	Distance to clinic is a barrier to PrEP uptake and visit attendance in a community in rural Uganda. Journal of the International AIDS Society, 2019, 22, e25276.	1.2	43
39	Hypertension control in integrated HIV and chronic disease clinics in Uganda in the SEARCH study. BMC Public Health, 2019, 19, 511.	1.2	67
40	Gendered dimensions of population mobility associated with HIV across three epidemics in rural Eastern Africa. Health and Place, 2019, 57, 339-351.	1.5	38
41	Alcohol Consumption and Management Strategies Among Gay Bar Patrons in San Francisco and Oakland, CA. Contemporary Drug Problems, 2019, 46, 22-40.	0.7	1
42	A Patient-Centered Multicomponent Strategy for Accelerated Linkage to Care Following Community-Wide HIV Testing in Rural Uganda and Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 414-422.	0.9	23
43	Mobile, Population-wide, Hybrid HIV Testing Strategy Increases Number of Children Tested in Rural Kenya and Uganda. Pediatric Infectious Disease Journal, 2018, 37, 1279-1281.	1.1	7
44	Population mobility associated with higher risk sexual behaviour in eastern African communities participating in a Universal Testing and Treatment trial. Journal of the International AIDS Society, 2018, 21, e25115.	1.2	33
45	“Hurdles on the path to 90-90-90 and beyond”: Qualitative analysis of barriers to engagement in HIV care among individuals in rural East Africa in the context of test-and-treat. PLoS ONE, 2018, 13, e0202990.	1.1	54
46	Early Adopters of Human Immunodeficiency Virus Preexposure Prophylaxis in a Population-based Combination Prevention Study in Rural Kenya and Uganda. Clinical Infectious Diseases, 2018, 67, 1853-1860.	2.9	30
47	High CD4 counts associated with better economic outcomes for HIV-positive adults and their HIV-negative household members in the SEARCH Trial. PLoS ONE, 2018, 13, e0198912.	1.1	7
48	Dihydroartemisinin-piperazine for intermittent preventive treatment of malaria during pregnancy and risk of malaria in early childhood: A randomized controlled trial. PLoS Medicine, 2018, 15, e1002606.	3.9	21
49	Effect of a Patient-Centered Phone Call by a Clinical Officer at Time of HIV Testing on Linkage to Care in Rural Kenya. Open Forum Infectious Diseases, 2018, 5, ofy126.	0.4	6
50	Spatial overlap links seemingly unconnected genotype-matched TB cases in rural Uganda. PLoS ONE, 2018, 13, e0192666.	1.1	10
51	Association of Implementation of a Universal Testing and Treatment Intervention With HIV Diagnosis, Receipt of Antiretroviral Therapy, and Viral Suppression in East Africa. JAMA - Journal of the American Medical Association, 2017, 317, 2196.	3.8	116
52	Population levels and geographical distribution of HIV RNA in rural Ugandan and Kenyan communities, including serodiscordant couples: a cross-sectional analysis. Lancet HIV, 2017, 4, e122-e133.	2.1	21
53	High rates of viral suppression in adults and children with high CD4+ counts using a streamlined ART delivery model in the SEARCH trial in rural Uganda and Kenya. Journal of the International AIDS Society, 2017, 20, 21673.	1.2	57
54	Impact of a Structural Intervention to Address Alcohol Use Among Gay Bar Patrons in San Francisco: The PACE Study. AIDS and Behavior, 2017, 21, 193-202.	1.4	12

#	ARTICLE	IF	CITATIONS
55	Understanding uptake of an intervention to accelerate antiretroviral therapy initiation in Uganda via qualitative inquiry. <i>Journal of the International AIDS Society</i> , 2017, 20, e25033.	1.2	14
56	Gaps in the child tuberculosis care cascade in 32 rural communities in Uganda and Kenya. <i>Journal of Clinical Tuberculosis and Other Mycobacterial Diseases</i> , 2017, 9, 24-29.	0.6	16
57	Redemption of the "spoiled identity": the role of HIV-positive individuals in HIV care cascade interventions. <i>Journal of the International AIDS Society</i> , 2017, 20, e25023.	1.2	14
58	Evaluating the feasibility and uptake of a community-led HIV testing and multi-disease health campaign in rural Uganda. <i>Journal of the International AIDS Society</i> , 2017, 20, 21514.	1.2	17
59	Tuberculosis Infection in Early Childhood and the Association with HIV-exposure in HIV-uninfected Children in Rural Uganda. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 524-529.	1.1	33
60	Effects of a multicomponent intervention to streamline initiation of antiretroviral therapy in Africa: a stepped-wedge cluster-randomised trial. <i>Lancet HIV</i> , 2016, 3, e539-e548.	2.1	107
61	Men "missing" from population-based HIV testing: insights from qualitative research. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 67-73.	0.6	128
62	Expectations about future health and longevity in Kenyan and Ugandan communities receiving a universal test-and-treat intervention in the SEARCH trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 90-98.	0.6	8
63	"How can I tell?" Consequences of HIV status disclosure among couples in eastern African communities in the context of an ongoing HIV test-and-treat trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 59-66.	0.6	81
64	Growth Recovery Among HIV-infected Children Randomized to Lopinavir/Ritonavir or NNRTI-based Antiretroviral Therapy. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 1329-1332.	1.1	12
65	High levels of retention in care with streamlined care and universal test and treat in East Africa. <i>Aids</i> , 2016, 30, 2855-2864.	1.0	61
66	Implementation and Operational Research: Cost and Efficiency of a Hybrid Mobile Multidisease Testing Approach With High HIV Testing Coverage in East Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, e39-e45.	0.9	43
67	A hybrid mobile approach for population-wide HIV testing in rural east Africa: an observational study. <i>Lancet HIV</i> , 2016, 3, e111-e119.	2.1	127
68	Dihydroartemisinin-Piperaquine for the Prevention of Malaria in Pregnancy. <i>New England Journal of Medicine</i> , 2016, 374, 928-939.	13.9	171
69	Authors' response. <i>Tropical Medicine and International Health</i> , 2015, 20, 965-966.	1.0	0
70	"I Have Remained Strong Because of That Food": Acceptability and Use of Lipid-Based Nutrient Supplements Among Pregnant HIV-Infected Ugandan Women Receiving Combination Antiretroviral Therapy. <i>AIDS and Behavior</i> , 2015, 19, 1535-1547.	1.4	8
71	The Effect of Malnutrition on the Pharmacokinetics and Virologic Outcomes of Lopinavir, Efavirenz and Nevirapine in Food Insecure HIV-infected Children in Tororo, Uganda. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e63-e70.	1.1	27
72	Identifying locations of recent TB transmission in rural Uganda: a multidisciplinary approach. <i>Tropical Medicine and International Health</i> , 2015, 20, 537-545.	1.0	27

#	ARTICLE	IF	CITATIONS
73	A Framework for Global Collaborative Data Management for Malaria Research. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 93, 124-132.	0.6	10
74	Uptake of Community-Based HIV Testing during a Multi-Disease Health Campaign in Rural Uganda. <i>PLoS ONE</i> , 2014, 9, e84317.	1.1	61
75	Assessing the Quality of Tuberculosis Evaluation for Children with Prolonged Cough Presenting to Routine Community Health Care Settings in Rural Uganda. <i>PLoS ONE</i> , 2014, 9, e105935.	1.1	9
76	Acceptability and feasibility of serial HIV antibody testing during pregnancy/postpartum and male partner testing in Tororo, Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014, 26, 360-366.	0.6	7
77	Artemisinin-Based Combination Therapies Are Efficacious and Safe for Treatment of Uncomplicated Malaria in HIV-Infected Ugandan Children. <i>Clinical Infectious Diseases</i> , 2014, 59, 446-453.	2.9	17
78	Evaluating linkage to care for hypertension after community-based screening in rural Uganda. <i>Tropical Medicine and International Health</i> , 2014, 19, 459-468.	1.0	49
79	Increased Morbidity in Early Childhood Among HIV-exposed Uninfected Children in Uganda is Associated with Breastfeeding Duration. <i>Journal of Tropical Pediatrics</i> , 2014, 60, 434-441.	0.7	36
80	Household Food Insecurity, Maternal Nutritional Status, and Infant Feeding Practices Among HIV-infected Ugandan Women Receiving Combination Antiretroviral Therapy. <i>Maternal and Child Health Journal</i> , 2014, 18, 2044-2053.	0.7	27
81	Pharmacokinetics of lopinavir/ritonavir and efavirenz in food insecure HIV-infected pregnant and breastfeeding women in tororo, uganda. <i>Journal of Clinical Pharmacology</i> , 2014, 54, 121-132.	1.0	40
82	High Retention in Care Among HIV-Infected Patients Entering Care With CD4 Levels >350 cells/ μ L Under Routine Program Conditions in Uganda. <i>Clinical Infectious Diseases</i> , 2013, 57, 1343-1350.	2.9	27
83	Epidemiology and awareness of hypertension in a rural Ugandan community: a cross-sectional study. <i>BMC Public Health</i> , 2013, 13, 1151.	1.2	50
84	Does Effective Depression Treatment Alone Reduce Secondary HIV Transmission Risk? Equivocal Findings from a Randomized Controlled Trial. <i>AIDS and Behavior</i> , 2013, 17, 2765-2772.	1.4	18
85	Neonatal Mortality in HIV-Exposed Infants Born to Women Receiving Combination Antiretroviral Therapy in Rural Uganda. <i>Journal of Tropical Pediatrics</i> , 2013, 59, 441-446.	0.7	7
86	Prevalence of Asymptomatic Parasitemia and Gametocytemia among HIV-Infected Ugandan Children Randomized to Receive Different Antiretroviral Therapies. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 88, 744-746.	0.6	13
87	Assessment of Population-Based HIV RNA Levels in a Rural East African Setting Using a Fingerprick-Based Blood Collection Method. <i>Clinical Infectious Diseases</i> , 2013, 56, 598-605.	2.9	33
88	Neurocognitive and Motor Deficits in HIV-Infected Ugandan Children With High CD4 Cell Counts. <i>Clinical Infectious Diseases</i> , 2012, 54, 1001-1009.	2.9	133
89	Antiretroviral Agents and Prevention of Malaria in HIV-Infected Ugandan Children. <i>New England Journal of Medicine</i> , 2012, 367, 2110-2118.	13.9	95
90	Leveraging Rapid Community-Based HIV Testing Campaigns for Non-Communicable Diseases in Rural Uganda. <i>PLoS ONE</i> , 2012, 7, e43400.	1.1	117

#	ARTICLE	IF	CITATIONS
91	Sex Differences in HIV RNA Level and CD4 Cell Percentage During Childhood. <i>Clinical Infectious Diseases</i> , 2011, 53, 592-599.	2.9	46
92	Tuberculosis Treatment in HIV Infected Ugandans with CD4 Counts >350 Cells/mm ³ Reduces Immune Activation with No Effect on HIV Load or CD4 Count. <i>PLoS ONE</i> , 2010, 5, e9138.	1.1	17
93	"A Bird in the Hand": A Commentary on the Test and Treat Approach for HIV. <i>Archives of Internal Medicine</i> , 2010, 170, 1354.	4.3	11
94	<i>Mycobacterium tuberculosis</i> Microbiologic and Clinical Treatment Outcomes in a Randomized Trial of Immediate versus CD4+Initiated Antiretroviral Therapy in HIV-Infected Adults with a High CD4+Cell Count. <i>Clinical Infectious Diseases</i> , 2010, 51, 359-362.	2.9	5
95	Short-Term Risk of HIV Disease Progression and Death in Ugandan Children Not Eligible for Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 55, 330-335.	0.9	7
96	Patient Perspectives with Abbreviated versus Standard Pre-Test HIV Counseling in the Prenatal Setting: A Randomized-Controlled, Non-Inferiority Trial. <i>PLoS ONE</i> , 2009, 4, e5166.	1.1	16
97	The Distribution and Immune Profile of T Cell Subsets in HIV-Infected Children from Uganda. <i>AIDS Research and Human Retroviruses</i> , 2009, 25, 65-71.	0.5	22
98	Polymerase Chain Reaction of <i>secA1</i> on Sputum or Oral Wash Samples for the Diagnosis of Pulmonary Tuberculosis. <i>Clinical Infectious Diseases</i> , 2009, 48, 725-732.	2.9	24
99	Dynamics of T cell activation accompanying CD4 recovery in antiretroviral treated HIV-infected Ugandan children. <i>Clinical Immunology</i> , 2009, 131, 410-414.	1.4	7
100	High Risk of Neutropenia in HIV-Infected Children following Treatment with Artesunate plus Amodiaquine for Uncomplicated Malaria in Uganda. <i>Clinical Infectious Diseases</i> , 2008, 46, 985-991.	2.9	78
101	Effects of trimethoprim-sulfamethoxazole and insecticide-treated bednets on malaria among HIV-infected Ugandan children. <i>Aids</i> , 2007, 21, 2059-2066.	1.0	77
102	Comparison of an Interferon- γ Release Assay with Tuberculin Skin Testing in HIV-infected Individuals. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 737-742.	2.5	185
103	Hepatotoxicity Due to a Drug Interaction between Amodiaquine plus Artesunate and Efavirenz. <i>Clinical Infectious Diseases</i> , 2007, 44, 889-891.	2.9	74
104	Affect Regulation, Stimulant Use, and Viral Load Among HIV-Positive Persons on Anti-Retroviral Therapy. <i>Psychosomatic Medicine</i> , 2007, 69, 785-792.	1.3	67
105	Correlates of suicidal ideation among HIV-positive persons. <i>Aids</i> , 2007, 21, 1199-1203.	1.0	136
106	HIV surveillance in theory and practice: Assessing the acceptability of California's non-name HIV surveillance regulations. <i>Health Policy</i> , 2006, 78, 101-110.	1.4	2
107	Antiretroviral therapy and TB. <i>Tropical Doctor</i> , 2006, 36, 73-79.	0.2	8
108	False-Positive Results of Enzyme Immunoassays for Human Immunodeficiency Virus in Patients with Uncomplicated Malaria. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3021-3024.	1.8	47

#	ARTICLE	IF	CITATIONS
109	High Prevalence of Methicillin-Resistant Staphylococcus aureus in Emergency Department Skin and Soft Tissue Infections. <i>Annals of Emergency Medicine</i> , 2005, 45, 311-320.	0.3	451
110	Perceived Adverse Effects of Antiretroviral Therapy. <i>Journal of Pain and Symptom Management</i> , 2005, 29, 193-205.	0.6	52
111	Rapid Increase in Tuberculosis Incidence Soon after Infection with HIV—A New Twist in the Twin Epidemics. <i>Journal of Infectious Diseases</i> , 2005, 191, 147-149.	1.9	31
112	Population Dynamics of Nasal Strains of Methicillin-Resistant Staphylococcus aureus and Their Relation to Community-Associated Disease Activity. <i>Journal of Infectious Diseases</i> , 2005, 192, 811-818.	1.9	135
113	Origins of Community Strains of Methicillin-Resistant Staphylococcus aureus. <i>Clinical Infectious Diseases</i> , 2004, 39, 47-54.	2.9	157
114	Adherence to Highly Active Antiretroviral Therapy in the Homeless Population in San Francisco: A Prospective Study. <i>Clinical Infectious Diseases</i> , 2004, 39, 1190-1198.	2.9	121
115	Measuring Adherence to Antiretroviral Therapy in a Diverse Population Using a Visual Analogue Scale. <i>HIV Clinical Trials</i> , 2004, 5, 74-79.	2.0	320
116	Hepatitis C virus infection in San Francisco's HIV-infected urban poor. <i>Journal of General Internal Medicine</i> , 2004, 19, 357-365.	1.3	83
117	Impact of a formulary switch from ticarcillin-clavulanate to piperacillin-tazobactam on colonization with vancomycin-resistant enterococci. <i>American Journal of Infection Control</i> , 2004, 32, 462-469.	1.1	25
118	Are untimed antiretroviral drug levels useful predictors of adherence behavior?. <i>Aids</i> , 2004, 18, 127-129.	1.0	21
119	Increasing Prevalence of Methicillin-Resistant Staphylococcus aureus Infection in California Jails. <i>Clinical Infectious Diseases</i> , 2003, 37, 1384-1388.	2.9	172
120	High levels of adherence do not prevent accumulation of HIV drug resistance mutations. <i>Aids</i> , 2003, 17, 1925-1932.	1.0	200
121	Epidemiology of vancomycin-resistant Enterococcus faecium under a selective isolation policy at an urban county hospital. <i>American Journal of Infection Control</i> , 2002, 30, 400-406.	1.1	7
122	Amodiaquine, sulfadoxine/pyrimethamine, and combination therapy for treatment of uncomplicated falciparum malaria in Kampala, Uganda: a randomised trial. <i>Lancet</i> , The, 2001, 358, 368-374.	6.3	115
123	Title is missing!. <i>AIDS and Behavior</i> , 2001, 5, 275-281.	1.4	163
124	Non-adherence to highly active antiretroviral therapy predicts progression to AIDS. <i>Aids</i> , 2001, 15, 1181-1183.	1.0	802
125	Adherence to protease inhibitors, HIV-1 viral load, and development of drug resistance in an indigent population. <i>Aids</i> , 2000, 14, 357-366.	1.0	905
126	Quantitative and Cost Comparison of Ultrasensitive Human Immunodeficiency Virus Type 1 RNA Viral Load Assays: Bayer bDNA Quantiplex Versions 3.0 and 2.0 and Roche PCR Amplicor Monitor Version 1.5. <i>Journal of Clinical Microbiology</i> , 2000, 38, 1113-1120.	1.8	66

#	ARTICLE	IF	CITATIONS
127	Risk factors for early hospital readmission in patients with AIDS and pneumonia. <i>Journal of General Internal Medicine</i> , 1999, 14, 531-536.	1.3	19
128	Physician-Assisted Suicide and Patients with Human Immunodeficiency Virus Disease. <i>New England Journal of Medicine</i> , 1997, 336, 417-421.	13.9	81
129	Determinants of HIV Disease Progression among Homosexual Men Registered in the Tricontinental Seroconverter Study. <i>American Journal of Epidemiology</i> , 1994, 140, 747-758.	1.6	95
130	Comparison of Risk Factors for Hepatitis C and Hepatitis B Virus Infection in Homosexual Men. <i>Journal of Infectious Diseases</i> , 1993, 167, 66-71.	1.9	130
131	Randomized, Placebo-Controlled Trial of Rifampin, Ethambutol, and Ciprofloxacin for AIDS Patients with Disseminated <i>Mycobacterium avium</i> Complex Infection. <i>Journal of Infectious Diseases</i> , 1993, 168, 112-119.	1.9	51