

Aliasger Shakir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10706298/publications.pdf>

Version: 2024-02-01

44
papers

470
citations

932766
10
h-index

794141
19
g-index

44
all docs

44
docs citations

44
times ranked

489
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of indocyanine green to minimise ureteroenteric strictures after robotic radical cystectomy. <i>BJU International</i> , 2019, 124, 302-307.	1.3	57
2	Hemigland Cryoablation of Localized Low, Intermediate and High Risk Prostate Cancer: Oncologic and Functional Outcomes at 5 Years. <i>Journal of Urology</i> , 2019, 202, 1188-1198.	0.2	47
3	High Intensity Focused Ultrasound Hemigland Ablation for Prostate Cancer: Initial Outcomes of a United States Series. <i>Journal of Urology</i> , 2020, 204, 741-747.	0.2	43
4	High body mass index predicts multiple prostate cancer lymph node metastases after radical prostatectomy and extended pelvic lymph node dissection. <i>Asian Journal of Andrology</i> , 2020, 22, 323.	0.8	32
5	Anterograde ejaculation preservation after endoscopic treatments in patients with bladder outlet obstruction: systematic review and pooled-analysis of randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 427-434.	3.9	27
6	Systematic Biopsy of the Prostate can Be Omitted in Men with PI-RADS \geq 5 and Prostate Specific Antigen Density Greater than 15%. <i>Journal of Urology</i> , 2021, 206, 289-297.	0.2	18
7	One-Stop MRI and MRI/transrectal ultrasound fusion-guided biopsy: an expedited pathway for prostate cancer diagnosis. <i>World Journal of Urology</i> , 2020, 38, 949-956.	1.2	14
8	The impact of extended pelvic lymph node dissection on the risk of hospital readmission within 180 days after robot assisted radical prostatectomy. <i>World Journal of Urology</i> , 2020, 38, 2799-2809.	1.2	14
9	Programmed Death 1 and Programmed Death Ligand 1 Inhibitors in Advanced and Recurrent Urothelial Carcinoma: Meta-analysis of Single-Agent Studies. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 351-360.e3.	0.9	14
10	Obesity strongly predicts clinically undetected multiple lymph node metastases in intermediate- and high-risk prostate cancer patients who underwent robot assisted radical prostatectomy and extended lymph node dissection. <i>International Urology and Nephrology</i> , 2020, 52, 2097-2105.	0.6	13
11	Endogenous testosterone as a predictor of prostate growing disorders in the aging male. <i>International Urology and Nephrology</i> , 2021, 53, 843-854.	0.6	13
12	Body Mass Index and prostatic-specific antigen are predictors of prostate cancer metastases in patients undergoing robot-assisted radical prostatectomy and extended pelvic lymph node dissection. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 516-523.	3.9	13
13	Serum testosterone and obesity in prostate cancer biology: a call for health promotion in the ageing male. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1399-1401.	1.4	12
14	Positive Association between Basal Total Testosterone Circulating Levels and Tumor Grade Groups at the Time of Diagnosis of Prostate Cancer. <i>Urologia Internationalis</i> , 2019, 103, 400-407.	0.6	11
15	Prostate volume index and prostatic chronic inflammation predicted low tumor load in 945 patients at baseline prostate biopsy. <i>World Journal of Urology</i> , 2020, 38, 957-964.	1.2	11
16	Linear extent of positive surgical margin impacts biochemical recurrence after robot-assisted radical prostatectomy in a high-volume center. <i>Journal of Robotic Surgery</i> , 2020, 14, 663-675.	1.0	11
17	Multiparametric magnetic resonance imaging facilitates reclassification during active surveillance for prostate cancer. <i>BJU International</i> , 2021, 127, 712-721.	1.3	11
18	Endogenous testosterone mirrors prostate cancer aggressiveness: correlation between basal testosterone serum levels and prostate cancer European Urology Association clinical risk classes in a large cohort of Caucasian patients. <i>International Urology and Nephrology</i> , 2020, 52, 1261-1269.	0.6	10

#	ARTICLE	IF	CITATIONS
19	Total testosterone density predicts high tumor load and disease reclassification of prostate cancer: results in 144 low-risk patients who underwent radical prostatectomy. <i>International Urology and Nephrology</i> , 2019, 51, 2169-2180.	0.6	9
20	Open approach, extended pelvic lymph node dissection, and seminal vesicle invasion are independent predictors of hospital readmission after prostate cancer surgery: a large retrospective study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 72-81.	3.9	9
21	High surgeon volume and positive surgical margins can predict the risk of biochemical recurrence after robot-assisted radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2019, 11, 175628721987828.	0.9	8
22	Predictive Factors of the Risk of Long-Term Hospital Readmission after Primary Prostate Surgery at a Single Tertiary Referral Center: Preliminary Report. <i>Urologia Internationalis</i> , 2020, 104, 465-475.	0.6	8
23	Prostate Volume Index Is Able to Differentiate between Prostatic Chronic Inflammation and Prostate Cancer in Patients with Normal Digital Rectal Examination and Prostate-Specific Antigen Values ≤ 10 ng/mL: Results of 564 Biopsy Negative Cases. <i>Urologia Internationalis</i> , 2019, 103, 415-422.	0.6	7
24	Visualization of peri-prostatic neurovascular fibers before and after radical prostatectomy by means of diffusion tensor imaging (DTI) with clinical correlations: preliminary report. <i>Journal of Robotic Surgery</i> , 2020, 14, 357-363.	1.0	7
25	Surgeon volume and body mass index influence positive surgical margin risk after robot-assisted radical prostatectomy: Results in 732 cases. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019, 17, 234-242.	0.7	6
26	Predictors of complications occurring after open and robot-assisted prostate cancer surgery: a retrospective evaluation of 1062 consecutive patients treated in a tertiary referral high volume center. <i>Journal of Robotic Surgery</i> , 2022, 16, 45-52.	1.0	6
27	Prostate volume index and prostatic chronic inflammation have an effect on tumor load at baseline random biopsies in patients with normal DRE and PSA values less than 10 ng/ml: results of 564 consecutive cases. <i>Therapeutic Advances in Urology</i> , 2019, 11, 175628721986860.	0.9	5
28	The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral Prostate Resection. <i>Urologia Internationalis</i> , 2021, 105, 826-834.	0.6	5
29	Incidental prostate cancer after transurethral resection of the prostate: analysis of incidence and risk factors in 458 patients. <i>Minerva Urology and Nephrology</i> , 2021, 73, 471-480.	1.3	5
30	Predictors of Lymph Node Invasion in Patients with Clinically Localized Prostate Cancer Who Undergo Radical Prostatectomy and Extended Pelvic Lymph Node Dissection: The Role of Obesity. <i>Urologia Internationalis</i> , 2021, 105, 362-369.	0.6	4
31	Prostatic chronic inflammation and prostate cancer risk at baseline random biopsy: Analysis of predictors. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020, 18, 148-154.	0.7	3
32	Uroflowmetry and Altitude Hypoxia: A Report from Healthy Italian Trekkers and Nepali Porters During Himalayan Expedition. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1289, 99-105.	0.8	3
33	Basal total testosterone serum levels predict biopsy and pathological ISUP grade group in a large cohort of Caucasian prostate cancer patients who underwent radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2020, 12, 175628722092948.	0.9	3
34	Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2022, 16, 463-471.	1.0	3
35	Endogenous testosterone density predicts unfavorable disease at final pathology in intermediate risk prostate cancer. <i>International Urology and Nephrology</i> , 2021, 53, 2517-2526.	0.6	3
36	Association between Basal Total Testosterone Levels and Prostate Cancer Δ Amico Risk Classes. <i>Urologia Internationalis</i> , 2020, 104, 716-723.	0.6	2

#	ARTICLE	IF	CITATIONS
37	The Influence of Endogenous Testosterone Density on Unfavorable Disease and Tumor Load at Final Pathology in Intermediate-Risk Prostate Cancer: Results in 338 Patients Treated with Radical Prostatectomy and Extended Pelvic Lymph Node Dissection. <i>Urologia Internationalis</i> , 2022, 106, 928-939.	0.6	2
38	Elevated prostate volume index and prostatic chronic inflammation reduce the number of positive cores at first prostate biopsy set: results in 945 consecutive patients. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020, 46, 546-556.	0.7	1
39	Reply by Authors. <i>Journal of Urology</i> , 2021, 206, 426-426.	0.2	0
40	Reply by Authors. <i>Journal of Urology</i> , 2021, 206, 297-297.	0.2	0
41	Robotic post-chemotherapy retroperitoneal lymph node dissection with infrarenal cavectomy – Show me how. <i>Urology Video Journal</i> , 2021, 11, 100095.	0.1	0
42	Systematic Biopsy of the Prostate can Be Omitted in Men with PI-RADS _{v2} 5 and Prostate Specific Antigen Density Greater than 15%. Reply.. <i>Journal of Urology</i> , 2022, 207, 241-242.	0.2	0
43	Reply by Authors. <i>Journal of Urology</i> , 2019, 202, 1198-1198.	0.2	0
44	Ectopic adrenal tissue in the kidney: A systematic review. <i>Archivio Italiano Di Urologia Andrologia</i> , 2021, 93, 481-488.	0.4	0