

Aliasger Shakir

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10706298/aliasger-shakir-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers

229
citations

8
h-index

13
g-index

44
ext. papers

347
ext. citations

2.6
avg. IF

3
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 44 | The Influence of Endogenous Testosterone Density on Unfavorable Disease and Tumor Load at Final Pathology in Intermediate-Risk Prostate Cancer: Results in 338 Patients Treated with Radical Prostatectomy and Extended Pelvic Lymph Node Dissection.. <i>Urologia Internationalis</i> , 2022 , 1-12 | 1.9 | 0 |
| 43 | Can We Avoid a Systematic Biopsy in Men with PI-RADS \square 5? Reply. <i>Journal of Urology</i> , 2022 , 207, 241-242. | 2.5 | 0 |
| 42 | Uroflowmetry and Altitude Hypoxia: A Report from Healthy Italian Trekkers and Nepali Porters During Himalayan Expedition. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1289, 99-105 | 3.6 | 1 |
| 41 | Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2021 , 1 | 2.9 | 0 |
| 40 | Serum testosterone and obesity in prostate cancer biology: a call for health promotion in the ageing male. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1399-1401 | 4.8 | 5 |
| 39 | Predictors of Lymph Node Invasion in Patients with Clinically Localized Prostate Cancer Who Undergo Radical Prostatectomy and Extended Pelvic Lymph Node Dissection: The Role of Obesity. <i>Urologia Internationalis</i> , 2021 , 105, 362-369 | 1.9 | 1 |
| 38 | Multiparametric magnetic resonance imaging facilitates reclassification during active surveillance for prostate cancer. <i>BJU International</i> , 2021 , 127, 712-721 | 5.6 | 6 |
| 37 | The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral Prostate Resection. <i>Urologia Internationalis</i> , 2021 , 105, 826-834 | 1.9 | 2 |
| 36 | Endogenous testosterone as a predictor of prostate growing disorders in the aging male. <i>International Urology and Nephrology</i> , 2021 , 53, 843-854 | 2.3 | 7 |
| 35 | Predictors of complications occurring after open and robot-assisted prostate cancer surgery: a retrospective evaluation of 1062 consecutive patients treated in a tertiary referral high volume center. <i>Journal of Robotic Surgery</i> , 2021 , 1 | 2.9 | 0 |
| 34 | Reply by Authors. <i>Journal of Urology</i> , 2021 , 206, 426 | 2.5 | 0 |
| 33 | Reply by Authors. <i>Journal of Urology</i> , 2021 , 206, 297 | 2.5 | 0 |
| 32 | Systematic Biopsy of the Prostate can Be Omitted in Men with PI-RADS \square and Prostate Specific Antigen Density Greater than 15. <i>Journal of Urology</i> , 2021 , 206, 289-297 | 2.5 | 5 |
| 31 | Robotic post-chemotherapy retroperitoneal lymph node dissection with infrarenal cavectomy \square how me how \square <i>Urology Video Journal</i> , 2021 , 11, 100095 | 0.2 | 0 |
| 30 | Incidental prostate cancer after transurethral resection of the prostate: analysis of incidence and risk factors in 458 patients. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 471-480 | 2.3 | 3 |
| 29 | Endogenous testosterone density predicts unfavorable disease at final pathology in intermediate risk prostate cancer. <i>International Urology and Nephrology</i> , 2021 , 53, 2517-2526 | 2.3 | 0 |
| 28 | Ectopic adrenal tissue in the kidney: A systematic review.. <i>Archivio Italiano Di Urologia Andrologia</i> , 2021 , 93, 481-488 | 1.6 | 0 |

| | | | |
|----|--|-----|----|
| 27 | Prostatic chronic inflammation and prostate cancer risk at baseline random biopsy: Analysis of predictors. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 148-154 | 1.7 | 1 |
| 26 | Association between Basal Total Testosterone Levels and Prostate Cancer D'Amico Risk Classes. <i>Urologia Internationalis</i> , 2020 , 104, 716-723 | 1.9 | 1 |
| 25 | Obesity strongly predicts clinically undetected multiple lymph node metastases in intermediate- and high-risk prostate cancer patients who underwent robot assisted radical prostatectomy and extended lymph node dissection. <i>International Urology and Nephrology</i> , 2020 , 52, 2097-2105 | 2.3 | 9 |
| 24 | Basal total testosterone serum levels predict biopsy and pathological ISUP grade group in a large cohort of Caucasian prostate cancer patients who underwent radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2020 , 12, 1756287220929481 | 3.2 | 2 |
| 23 | The impact of extended pelvic lymph node dissection on the risk of hospital readmission within 180 days after robot assisted radical prostatectomy. <i>World Journal of Urology</i> , 2020 , 38, 2799-2809 | 4 | 3 |
| 22 | Predictive Factors of the Risk of Long-Term Hospital Readmission after Primary Prostate Surgery at a Single Tertiary Referral Center: Preliminary Report. <i>Urologia Internationalis</i> , 2020 , 104, 465-475 | 1.9 | 2 |
| 21 | Programmed Death 1 and Programmed Death Ligand 1 Inhibitors in Advanced and Recurrent Urothelial Carcinoma: Meta-analysis of Single-Agent Studies. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 351-360.e3 ⁶ | 3.3 | 6 |
| 20 | Open approach, extended pelvic lymph node dissection, and seminal vesicle invasion are independent predictors of hospital readmission after prostate cancer surgery: a large retrospective study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 72-81 | 4.4 | 5 |
| 19 | High body mass index predicts multiple prostate cancer lymph node metastases after radical prostatectomy and extended pelvic lymph node dissection. <i>Asian Journal of Andrology</i> , 2020 , 22, 323-329 ⁸ | 2.8 | 21 |
| 18 | Elevated prostate volume index and prostatic chronic inflammation reduce the number of positive cores at first prostate biopsy set: results in 945 consecutive patients. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 545-556 | 2 | 0 |
| 17 | Endogenous testosterone mirrors prostate cancer aggressiveness: correlation between basal testosterone serum levels and prostate cancer European Urology Association clinical risk classes in a large cohort of Caucasian patients. <i>International Urology and Nephrology</i> , 2020 , 52, 1261-1269 | 2.3 | 8 |
| 16 | High Intensity Focused Ultrasound Hemigland Ablation for Prostate Cancer: Initial Outcomes of a United States Series. <i>Journal of Urology</i> , 2020 , 204, 741-747 | 2.5 | 17 |
| 15 | Linear extent of positive surgical margin impacts biochemical recurrence after robot-assisted radical prostatectomy in a high-volume center. <i>Journal of Robotic Surgery</i> , 2020 , 14, 663-675 | 2.9 | 6 |
| 14 | Prostate volume index and prostatic chronic inflammation predicted low tumor load in 945 patients at baseline prostate biopsy. <i>World Journal of Urology</i> , 2020 , 38, 957-964 | 4 | 7 |
| 13 | One-Stop MRI and MRI/transrectal ultrasound fusion-guided biopsy: an expedited pathway for prostate cancer diagnosis. <i>World Journal of Urology</i> , 2020 , 38, 949-956 | 4 | 8 |
| 12 | Visualization of peri-prostatic neurovascular fibers before and after radical prostatectomy by means of diffusion tensor imaging (DTI) with clinical correlations: preliminary report. <i>Journal of Robotic Surgery</i> , 2020 , 14, 357-363 | 2.9 | 1 |
| 11 | Prostate Volume Index Is Able to Differentiate between Prostatic Chronic Inflammation and Prostate Cancer in Patients with Normal Digital Rectal Examination and Prostate-Specific Antigen Values. <i>Urologia Internationalis</i> , 2019 , 103, 415-422 | 1.9 | 5 |
| 10 | Total testosterone density predicts high tumor load and disease reclassification of prostate cancer: results in 144 low-risk patients who underwent radical prostatectomy. <i>International Urology and Nephrology</i> , 2019 , 51, 2169-2180 | 2.3 | 5 |

| | | | |
|---|---|-----|----|
| 9 | Surgeon volume and body mass index influence positive surgical margin risk after robot-assisted radical prostatectomy: Results in 732 cases. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019 , 17, 234-242 | 1.7 | 3 |
| 8 | Positive Association between Basal Total Testosterone Circulating Levels and Tumor Grade Groups at the Time of Diagnosis of Prostate Cancer. <i>Urologia Internationalis</i> , 2019 , 103, 400-407 | 1.9 | 7 |
| 7 | High surgeon volume and positive surgical margins can predict the risk of biochemical recurrence after robot-assisted radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2019 , 11, 1756287219878283 | 3.2 | 3 |
| 6 | Use of indocyanine green to minimise uretero-enteric strictures after robotic radical cystectomy. <i>BJU International</i> , 2019 , 124, 302-307 | 5.6 | 33 |
| 5 | Prostate volume index and prostatic chronic inflammation have an effect on tumor load at baseline random biopsies in patients with normal DRE and PSA values less than 10 ng/ml: results of 564 consecutive cases. <i>Therapeutic Advances in Urology</i> , 2019 , 11, 1756287219868604 | 3.2 | 4 |
| 4 | Body Mass Index and prostatic-specific antigen are predictors of prostate cancer metastases in patients undergoing robot-assisted radical prostatectomy and extended pelvic lymph node dissection. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 516-523 | 4.4 | 8 |
| 3 | Anterograde ejaculation preservation after endoscopic treatments in patients with bladder outlet obstruction: systematic review and pooled-analysis of randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 427-434 | 4.4 | 15 |
| 2 | Reply by Authors. <i>Journal of Urology</i> , 2019 , 202, 1198 | 2.5 | |
| 1 | Hemigland Cryoablation of Localized Low, Intermediate and High Risk Prostate Cancer: Oncologic and Functional Outcomes at 5 Years. <i>Journal of Urology</i> , 2019 , 202, 1188-1198 | 2.5 | 19 |