

Francine Grodstein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10706713/publications.pdf>

Version: 2024-02-01

167
papers

20,648
citations

13332

70
h-index

11608

140
g-index

172
all docs

172
docs citations

172
times ranked

21780
citing authors

#	ARTICLE	IF	CITATIONS
1	Vigorous Physical Activity and Cognitive Trajectory Later in Life: Prospective Association and Interaction by Apolipoprotein E e4 in the Nursesâ€™ Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 817-825.	1.7	5
2	Long-term diet quality and its change in relation to late-life subjective cognitive decline. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 232-243.	2.2	8
3	Effect of vitamin D supplementation on urinary incontinence in older women: ancillary findings from a randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 535.e1-535.e12.	0.7	7
4	Marine n-3 fatty acids and cognitive change among older adults in the VITAL randomized trial. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2022, 8, e12288.	1.8	6
5	Patterns of lifestyle behaviours from mid- through later-life in relation to exceptional episodic memory performance in older women: the Nursesâ€™ Health Study. <i>Age and Ageing</i> , 2022, 51, .	0.7	2
6	Patientâ€™ Provider Discussions About Urinary Incontinence Among Older Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 463-469.	1.7	9
7	Optimism and telomere length among African American adults in the Jackson Heart Study. <i>Psychoneuroendocrinology</i> , 2021, 125, 105124.	1.3	1
8	Vitamin D Intake and Progression of Urinary Incontinence in Women. <i>Urology</i> , 2021, 150, 213-218.	0.5	5
9	Primary and Specialty Outpatient Visits for Older Women With Urinary Incontinence: A Comparison of Nurses to the General Population. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 551-555.	0.6	2
10	The natural history of urinary incontinence subtypes in the Nursesâ€™ Health Studies. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 163.e1-163.e8.	0.7	21
11	Longitudinal study of self-reported hearing loss and subjective cognitive function decline in women. <i>Alzheimer's and Dementia</i> , 2020, 16, 610-620.	0.4	17
12	The Relation of Optimism to Relative Telomere Length in Older Men and Women. <i>Psychosomatic Medicine</i> , 2020, 82, 165-171.	1.3	8
13	Long-Term Trajectories of Body Weight, Diet, and Physical Activity From Midlife Through Late Life and Subsequent Cognitive Decline in Women. <i>American Journal of Epidemiology</i> , 2020, 189, 305-313.	1.6	22
14	Long-Term Intake of Dietary Carotenoids Is Positively Associated with Late-Life Subjective Cognitive Function in a Prospective Study in US Women. <i>Journal of Nutrition</i> , 2020, 150, 1871-1879.	1.3	33
15	Consumption of Nuts at Midlife and Healthy Aging in Women. <i>Journal of Aging Research</i> , 2020, 2020, 1-7.	0.4	6
16	Vitamin D intake and the 10-year risk of urgency urinary incontinence in women. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 199, 105601.	1.2	9
17	Genome-Wide Association Study for Urinary and Fecal Incontinence in Women. <i>Journal of Urology</i> , 2020, 203, 978-983.	0.2	8
18	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019, 10, 4957.	5.8	84

#	ARTICLE	IF	CITATIONS
19	Optimism is associated with exceptional longevity in 2 epidemiologic cohorts of men and women. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 18357-18362.	3.3	96
20	Optimism is not associated with two indicators of DNA methylation aging. <i>Aging</i> , 2019, 11, 4970-4989.	1.4	6
21	Longitudinal study of hearing loss and subjective cognitive function decline in men. <i>Alzheimer's and Dementia</i> , 2019, 15, 525-533.	0.4	45
22	Optimism and Healthy Aging in Women and Men. <i>American Journal of Epidemiology</i> , 2019, 188, 1084-1091.	1.6	46
23	CE: Original Research: Midlife Hypertension and Hypercholesterolemia in Relation to Cognitive Function Later in Life in Black Women. <i>American Journal of Nursing</i> , 2019, 119, 22-30.	0.2	3
24	Optimism and Healthy Aging in Women. <i>American Journal of Preventive Medicine</i> , 2019, 56, 116-124.	1.6	45
25	Long-term intake of vegetables and fruits and subjective cognitive function in US men. <i>Neurology</i> , 2019, 92, e63-e75.	1.5	28
26	Outpatient Evaluation and Management Visits for Urinary Incontinence in Older Women. <i>Journal of Urology</i> , 2019, 202, 333-338.	0.2	16
27	A prospective study of the natural history of urinary incontinence in women. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 502.e1-502.e8.	0.7	38
28	Physical activity across adulthood and subjective cognitive function in older men. <i>European Journal of Epidemiology</i> , 2018, 33, 79-87.	2.5	21
29	Adherence to Mediterranean diet and subjective cognitive function in men. <i>European Journal of Epidemiology</i> , 2018, 33, 223-234.	2.5	62
30	Physical Activity, BMI, and Risk of Fecal Incontinence in the Nurses' Health Study. <i>Clinical and Translational Gastroenterology</i> , 2018, 9, e200.	1.3	20
31	The Dietary Approaches to Stop Hypertension Diet, Cognitive Function, and Cognitive Decline in American Older Women. <i>Journal of the American Medical Association</i> , 2017, 318, 427-432.	1.2	137
32	Executive function, episodic memory, and Medicare expenditures. <i>Alzheimer's and Dementia</i> , 2017, 13, 792-800.	0.4	31
33	Menopausal Hormone Therapy Is Associated With Increased Risk of Fecal Incontinence in Women After Menopause. <i>Gastroenterology</i> , 2017, 152, 1915-1921.e1.	0.6	24
34	Patterns of late-life depressive symptoms and subsequent declines in cognitive domains. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1330-1341.	1.3	7
35	Association of Adherence to a Healthy Diet with Cognitive Decline in European and American Older Adults: A Meta-Analysis within the CHANCES Consortium. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 43, 215-227.	0.7	372
36	Optimism and Cause-Specific Mortality: A Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2017, 185, 21-29.	1.6	146

#	ARTICLE	IF	CITATIONS
37	Associations of Weight Gain From Early to Middle Adulthood With Major Health Outcomes Later in Life. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 255.	3.8	366
38	Hormone Therapy Use and Risk of Chronic Disease in the Nursesâ€™ Health Study: A Comparative Analysis With the Women’s Health Initiative. <i>American Journal of Epidemiology</i> , 2017, 186, 696-708.	1.6	27
39	Self-Reported Change in Quality of Life with Retirement and Later Cognitive Decline: Prospective Data from the Nursesâ€™ Health Study. <i>Journal of Alzheimer’s Disease</i> , 2016, 52, 887-898.	1.2	15
40	Epidemiology of Major Neurodegenerative Diseases in Women: Contribution of the Nursesâ€™ Health Study. <i>American Journal of Public Health</i> , 2016, 106, 1650-1655.	1.5	22
41	Exogenous Hormone Use: Oral Contraceptives, Postmenopausal Hormone Therapy, and Health Outcomes in the Nursesâ€™ Health Study. <i>American Journal of Public Health</i> , 2016, 106, 1631-1637.	1.5	48
42	Endogenous sex hormones and cognitive function in older women. <i>Alzheimer’s and Dementia</i> , 2016, 12, 758-765.	0.4	18
43	Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015, 523, 459-462.	13.7	173
44	Effect of Omega-3 Fatty Acids, Lutein/Zeaxanthin, or Other Nutrient Supplementation on Cognitive Function. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 791.	3.8	155
45	Postmenopausal Hormone Therapy Is Not Associated With Risk of All-Cause Dementia and Alzheimer’s Disease. <i>Epidemiologic Reviews</i> , 2014, 36, 83-103.	1.3	64
46	Effects of homocysteine lowering with B vitamins on cognitive aging: meta-analysis of 11 trials with cognitive data on 22,000 individuals. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 657-666.	2.2	180
47	Lead exposure and rate of change in cognitive function in older women. <i>Environmental Research</i> , 2014, 129, 69-75.	3.7	36
48	Urinary incontinence and prevalence of high depressive symptoms in older black versus white women. <i>International Urogynecology Journal</i> , 2014, 25, 823-829.	0.7	13
49	Subjective cognitive concerns, episodic memory, and the <i>APOE</i> ϵ 4 allele. <i>Alzheimer’s and Dementia</i> , 2014, 10, 752.	0.4	57
50	Dietary flavonoid intake at midlife and healthy aging in women. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1489-1497.	2.2	38
51	Sleep Duration in Midlife and Later Life in Relation to Cognition. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1073-1081.	1.3	118
52	Developing novel blood-based biomarkers for Alzheimer’s disease. <i>Alzheimer’s and Dementia</i> , 2014, 10, 109-114.	0.4	138
53	Acidic fruit intake in relation to incidence and progression of urinary incontinence. <i>International Urogynecology Journal</i> , 2013, 24, 605-612.	0.7	13
54	The Association Between Dietary Patterns at Midlife and Health in Aging. <i>Annals of Internal Medicine</i> , 2013, 159, 584.	2.0	118

#	ARTICLE	IF	CITATIONS
55	Phobic Anxiety and Cognitive Performance Over 4 Years Among Community-Dwelling Older Women in the Nurses' Health Study. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 1125-1134.	0.6	23
56	Factors associated with persistent urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 145.e1-145.e6.	0.7	31
57	Severity of Urinary Incontinence and Effect on Quality of Life in Women by Incontinence Type. <i>Obstetrics and Gynecology</i> , 2013, 121, 1083-1090.	1.2	97
58	Long-Term Multivitamin Supplementation and Cognitive Function in Men. <i>Annals of Internal Medicine</i> , 2013, 159, 806-814.	2.0	82
59	The Association of Antioxidants and Cognition in the Nurses' Health Study. <i>American Journal of Epidemiology</i> , 2013, 177, 33-41.	1.6	67
60	Seafood Types and Age-Related Cognitive Decline in the Women's Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 1255-1262.	1.7	15
61	Mediterranean Diet and Cognitive Function in Older Age. <i>Epidemiology</i> , 2013, 24, 490-499.	1.2	145
62	Exposure to ultraviolet-B and risk of developing rheumatoid arthritis among women in the Nurses' Health Study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 506-511.	0.5	53
63	Shift Work and Cognition in the Nurses' Health Study. <i>American Journal of Epidemiology</i> , 2013, 178, 1296-1300.	1.6	42
64	Risk Factors for Fecal Incontinence in Older Women. <i>American Journal of Gastroenterology</i> , 2013, 108, 113-119.	0.2	87
65	Long-Term Adherence to the Mediterranean Diet Is Associated with Overall Cognitive Status, but Not Cognitive Decline, in Women. <i>Journal of Nutrition</i> , 2013, 143, 493-499.	1.3	124
66	Anti-citrullinated peptide autoantibodies, human leukocyte antigen shared epitope and risk of future rheumatoid arthritis: a nested case-control study. <i>Arthritis Research and Therapy</i> , 2013, 15, R159.	1.6	58
67	Risk Factors for Urinary, Fecal, or Dual Incontinence in the Nurses' Health Study. <i>Obstetrics and Gynecology</i> , 2013, 122, 539-545.	1.2	90
68	Cumulative exposure to lead and cognition in persons with Parkinson's disease. <i>Movement Disorders</i> , 2013, 28, 176-182.	2.2	31
69	Exposure to Particulate Air Pollution and Cognitive Decline in Older Women. <i>Archives of Internal Medicine</i> , 2012, 172, 219.	4.3	399
70	Caffeine Intake and Risk of Urinary Incontinence Progression Among Women. <i>Obstetrics and Gynecology</i> , 2012, 119, 950-957.	1.2	35
71	Postmenopausal hormone therapy, timing of initiation, APOE and cognitive decline. <i>Neurobiology of Aging</i> , 2012, 33, 1129-1137.	1.5	65
72	Mediterranean Diet and Cognitive Decline in Women with Cardiovascular Disease or Risk Factors. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012, 112, 816-823.	0.4	87

#	ARTICLE	IF	CITATIONS
73	Plasma Amyloid- β^2 as a Predictor of Dementia and Cognitive Decline. Archives of Neurology, 2012, 69, 824-31.	4.9	193
74	The Epidemiology of Urinary Incontinence in Women with Type 2 Diabetes. Journal of Urology, 2012, 188, 1816-1821.	0.2	25
75	Dietary fat types and 4-year cognitive change in community-dwelling older women. Annals of Neurology, 2012, 72, 124-134.	2.8	111
76	Dietary intakes of berries and flavonoids in relation to cognitive decline. Annals of Neurology, 2012, 72, 135-143.	2.8	309
77	Relative telomere length and cognitive decline in the Nurses' Health Study. Neuroscience Letters, 2011, 492, 15-18.	1.0	50
78	Caffeine Intake, and the Risk of Stress, Urgency and Mixed Urinary Incontinence. Journal of Urology, 2011, 185, 1775-1780.	0.2	85
79	Reducing case ascertainment costs in U.S. population studies of Alzheimer's disease, dementia, and cognitive impairment-Part 2. , 2011, 7, 110-123.		37
80	Alcohol Consumption at Midlife and Successful Ageing in Women: A Prospective Cohort Analysis in the Nurses' Health Study. PLoS Medicine, 2011, 8, e1001090.	3.9	47
81	Original Research: Rates of Remission, Improvement, and Progression of Urinary Incontinence in Asian, Black, and White Women. American Journal of Nursing, 2011, 111, 26-33.	0.2	10
82	Effect of Exercise on Cognitive Performance in Community-dwelling Older Adults: Review of Intervention Trials and Recommendations for Public Health Practice and Research. Journal of the American Geriatrics Society, 2011, 59, 704-716.	1.3	189
83	Specific Subjective Memory Complaints in Older Persons May Indicate Poor Cognitive Function. Journal of the American Geriatrics Society, 2011, 59, 1612-1617.	1.3	168
84	Fluid intake and risk of stress, urgency, and mixed urinary incontinence. American Journal of Obstetrics and Gynecology, 2011, 205, 73.e1-73.e6.	0.7	27
85	Physical Activity and Cognition in Women With Vascular Conditions. Archives of Internal Medicine, 2011, 171, 1244.	4.3	47
86	Physical Activity at Midlife in Relation to Successful Survival in Women at Age 70 Years or Older. Archives of Internal Medicine, 2010, 170, 194.	4.3	126
87	The incidence of urinary incontinence across Asian, black, and white women in the United States. American Journal of Obstetrics and Gynecology, 2010, 202, 378.e1-378.e7.	0.7	47
88	Total antioxidant capacity of diet in relation to cognitive function and decline. American Journal of Clinical Nutrition, 2010, 92, 1157-1164.	2.2	49
89	Dietary Antioxidants and Long-term Risk of Dementia. Archives of Neurology, 2010, 67, 819-25.	4.9	223
90	Fasting Plasma Insulin, C-Peptide and Cognitive Change in Older Men without Diabetes: Results from the Physicians' Health Study II. Neuroepidemiology, 2010, 34, 200-207.	1.1	25

#	ARTICLE	IF	CITATIONS
91	Dietary Fat Intake and Cognitive Decline in Women With Type 2 Diabetes. <i>Diabetes Care</i> , 2009, 32, 635-640.	4.3	62
92	Vitamin E, Vitamin C, Beta Carotene, and Cognitive Function Among Women With or at Risk of Cardiovascular Disease. <i>Circulation</i> , 2009, 119, 2772-2780.	1.6	116
93	Adiposity and weight change in mid-life in relation to healthy survival after age 70 in women: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2009, 339, b3796-b3796.	2.4	84
94	Dietary intake of fish and omega-3 fatty acids in relation to long-term dementia risk. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 170-176.	2.2	172
95	Physical Activity Levels and Cognition in Women With Type 2 Diabetes. <i>American Journal of Epidemiology</i> , 2009, 170, 1040-1047.	1.6	32
96	Postmenopausal hormone therapy and incident urinary incontinence in middle-aged women. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 200, 86.e1-86.e5.	0.7	24
97	Performance Characteristics of Plasma Amyloid- β 40 and 42 Assays. <i>Journal of Alzheimer's Disease</i> , 2009, 16, 277-285.	1.2	28
98	The relation between moderate alcohol consumption and cognitive function in older women with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2009, 85, 322-327.	1.1	7
99	Oral Contraceptive Use and Incident Urinary Incontinence in Premenopausal Women. <i>Journal of Urology</i> , 2009, 181, 2170-2175.	0.2	35
100	Clinical Research in Diabetes and Urinary Incontinence: What We Know and Need to Know. <i>Journal of Urology</i> , 2009, 182, S14-7.	0.2	23
101	Type 2 Diabetes Mellitus and Risk of Stress, Urge and Mixed Urinary Incontinence. <i>Journal of Urology</i> , 2009, 181, 193-197.	0.2	80
102	Ten-Year Change in Plasma Amyloid β Levels and Late-Life Cognitive Decline. <i>Archives of Neurology</i> , 2009, 66, 1247-53.	4.9	49
103	BMI, Waist Circumference, and Incident Urinary Incontinence in Older Women. <i>Obesity</i> , 2008, 16, 881-886.	1.5	84
104	Type 2 Diabetes Mellitus and Cognitive Decline in Two Large Cohorts of Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1028-1036.	1.3	125
105	The Epidemiology of Urinary Incontinence in Older Women: Incidence, Progression, and Remission. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1191-1198.	1.3	63
106	Physical Activity and Incident Urinary Incontinence in Middle-Aged Women. <i>Journal of Urology</i> , 2008, 179, 1012-1017.	0.2	56
107	A trial of B vitamins and cognitive function among women at high risk of cardiovascular disease. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1602-1610.	2.2	101
108	Postmenopausal Hormone Therapy and Stroke. <i>Archives of Internal Medicine</i> , 2008, 168, 861.	4.3	160

#	ARTICLE	IF	CITATIONS
109	Observational Studies Analyzed Like Randomized Experiments. <i>Epidemiology</i> , 2008, 19, 766-779.	1.2	668
110	Low dose aspirin and cognitive function in the women's health study cognitive cohort. <i>BMJ: British Medical Journal</i> , 2007, 334, 987.	2.4	84
111	A Randomized Trial of Beta Carotene Supplementation and Cognitive Function in Men_{title>The Physicians' Health Study II}. <i>Archives of Internal Medicine</i> , 2007, 167, 2184.	4.3	151
112	Antioxidant vitamins and Alzheimer's disease: a review of the epidemiological literature. <i>Aging Health</i> , 2007, 3, 23-32.	0.3	4
113	Body Mass Index, Weight Gain, and Incident Urinary Incontinence in Middle-Aged Women. <i>Obstetrics and Gynecology</i> , 2007, 110, 346-353.	1.2	106
114	Physical Activity and Urinary Incontinence Among Healthy, Older Women. <i>Obstetrics and Gynecology</i> , 2007, 109, 721-727.	1.2	84
115	Plasma IGF-I levels and cognitive performance in older women. <i>Neurobiology of Aging</i> , 2007, 28, 135-142.	1.5	56
116	Cardiovascular risk factors and cognitive function. , 2007, 3, S16-S22.		86
117	Smoking and cognitive function in Parkinson's disease. <i>Movement Disorders</i> , 2007, 22, 660-665.	2.2	31
118	Incidence and remission of urinary incontinence in middle-aged women. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 167.e1-167.e5.	0.7	62
119	The Association of Self-Reported Sleep Duration, Difficulty Sleeping, and Snoring With Cognitive Function in Older Women. <i>Alzheimer Disease and Associated Disorders</i> , 2006, 20, 41-48.	0.6	215
120	Risk factors for urinary incontinence among middle-aged women. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 339-345.	0.7	293
121	Prospective Study of Plasma Folate, Vitamin B12, and Cognitive Function and Decline. <i>Epidemiology</i> , 2006, 17, 650-657.	1.2	38
122	High-Sensitivity C-Reactive Protein and Cognitive Function in Older Women. <i>Epidemiology</i> , 2006, 17, 183-189.	1.2	59
123	The Relation of Education and Income to Cognitive Function among Professional Women. <i>Neuroepidemiology</i> , 2006, 26, 93-101.	1.1	60
124	Midlife Plasma Insulin-Like Growth Factor I and Cognitive Function in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4306-4312.	1.8	40
125	A Randomized Trial of Vitamin E Supplementation and Cognitive Function in Women. <i>Archives of Internal Medicine</i> , 2006, 166, 2462.	4.3	202
126	Hormone Therapy and Coronary Heart Disease: The Role of Time since Menopause and Age at Hormone Initiation. <i>Journal of Women's Health</i> , 2006, 15, 35-44.	1.5	388

#	ARTICLE	IF	CITATIONS
127	RE: "COMBINED POSTMENOPAUSAL HORMONE THERAPY AND CARDIOVASCULAR DISEASE: TOWARD RESOLVING THE DISCREPANCY BETWEEN OBSERVATIONAL STUDIES AND THE WOMEN'S HEALTH INITIATIVE CLINICAL TRIAL" American Journal of Epidemiology, 2006, 163, 1067-1068.	1.6	15
128	Plasma C Peptide Level and Cognitive Function Among Older Women Without Diabetes Mellitus. Archives of Internal Medicine, 2005, 165, 1651.	4.3	52
129	Type 2 Diabetes Mellitus and Risk of Developing Urinary Incontinence. Journal of the American Geriatrics Society, 2005, 53, 1851-1857.	1.3	154
130	Fruit and vegetable consumption and cognitive decline in aging women. Annals of Neurology, 2005, 57, 713-720.	2.8	245
131	Effects of Moderate Alcohol Consumption on Cognitive Function in Women. New England Journal of Medicine, 2005, 352, 245-253.	13.9	350
132	Apolipoprotein E, cardiovascular disease and cognitive function in aging women. Neurobiology of Aging, 2005, 26, 475-484.	1.5	59
133	The Discrepancy between Observational Studies and Randomized Trials of Menopausal Hormone Therapy. Annals of Internal Medicine, 2004, 140, 764.	2.0	12
134	Prospective Study of Postmenopausal Hormone Use and Newly Diagnosed Asthma and Chronic Obstructive Pulmonary Disease. Archives of Internal Medicine, 2004, 164, 379.	4.3	141
135	Prospective study of type 2 diabetes and cognitive decline in women aged 70-81 years. BMJ: British Medical Journal, 2004, 328, 548.	2.4	162
136	Physical Activity, Including Walking, and Cognitive Function in Older Women. JAMA - Journal of the American Medical Association, 2004, 292, 1454.	3.8	943
137	Postmenopausal Hormone Therapy and Risk of Developing Urinary Incontinence. Obstetrics and Gynecology, 2004, 103, 254-260.	1.2	126
138	Postmenopausal hormone therapy and risk of cognitive decline in community-dwelling aging women. Neurology, 2004, 63, 101-107.	1.5	82
139	Do breast-feeding and other reproductive factors influence future risk of rheumatoid arthritis?: Results from the Nurses' Health Study. Arthritis and Rheumatism, 2004, 50, 3458-3467.	6.7	332
140	Association of age, race, and obstetric history with urinary symptoms among women in the Nurses' Health Study. American Journal of Obstetrics and Gynecology, 2003, 189, 428-434.	0.7	166
141	Total hip replacement due to osteoarthritis: the importance of age, obesity, and other modifiable risk factors. American Journal of Medicine, 2003, 114, 93-98.	0.6	259
142	Relationship Between Hormone Replacement Therapy, Socioeconomic Status, and Coronary Heart Disease. JAMA - Journal of the American Medical Association, 2003, 289, 44.	3.8	4
143	Education, Other Socioeconomic Indicators, and Cognitive Function. American Journal of Epidemiology, 2003, 157, 712-720.	1.6	185
144	Regular use of nonsteroidal anti-inflammatory drugs and cognitive function in aging women. Neurology, 2003, 60, 1591-1597.	1.5	46

#	ARTICLE	IF	CITATIONS
145	Understanding the Divergent Data on Postmenopausal Hormone Therapy. <i>New England Journal of Medicine</i> , 2003, 348, 645-650.	13.9	344
146	Title is missing!. <i>Epidemiology</i> , 2003, 14, 493-497.	1.2	0
147	Cataract Extraction and Cognitive Function in Older Women. <i>Epidemiology</i> , 2003, 14, 493-497.	1.2	44
148	High-dose antioxidant supplements and cognitive function in community-dwelling elderly women. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 975-984.	2.2	209
149	Postmenopausal hormone therapy and the risk of cardiovascular disease: the epidemiologic evidence. <i>American Journal of Cardiology</i> , 2002, 90, F26-F29.	0.7	41
150	Response to comments on "A Prospective, Observational Study of Postmenopausal Hormone Therapy and Primary Prevention of Cardiovascular Disease". <i>Maturitas</i> , 2001, 38, 239-241.	1.0	3
151	Postmenopausal Hormone Use and Secondary Prevention of Coronary Events in the Nurses' Health Study: A Prospective, Observational Study. <i>Annals of Internal Medicine</i> , 2001, 135, 1.	2.0	258
152	A Prospective, Observational Study of Postmenopausal Hormone Therapy and Primary Prevention of Cardiovascular Disease. <i>Annals of Internal Medicine</i> , 2000, 133, 933.	2.0	905
153	Postmenopausal Hormone Therapy and Cognitive Function in Healthy Older Women. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 746-752.	1.3	108
154	Trends in the Incidence of Coronary Heart Disease and Changes in Diet and Lifestyle in Women. <i>New England Journal of Medicine</i> , 2000, 343, 530-537.	13.9	382
155	The Epidemiology of Cardiovascular Disease and Postmenopausal Hormone Therapy. , 2000, , 543-552.		1
156	Recreational Physical Activity and the Risk of Cholecystectomy in Women. <i>New England Journal of Medicine</i> , 1999, 341, 777-784.	13.9	191
157	Age at Natural Menopause and Risk of Cardiovascular Disease. <i>Archives of Internal Medicine</i> , 1999, 159, 1061.	4.3	346
158	Postmenopausal hormone therapy and the risk of colorectal cancer: a review and meta-analysis. <i>American Journal of Medicine</i> , 1999, 106, 574-582.	0.6	542
159	Similarity in Presentation and Response to Thrombolysis Among Women and Men with Pulmonary Embolism. <i>Journal of Thrombosis and Thrombolysis</i> , 1998, 5, 95-100.	1.0	5
160	Estrogen for women at varying risk of coronary disease. <i>Maturitas</i> , 1998, 30, 19-26.	1.0	60
161	Postmenopausal Hormone Use and Risk for Colorectal Cancer and Adenoma. <i>Annals of Internal Medicine</i> , 1998, 128, 705.	2.0	271
162	Postmenopausal Hormone Therapy and Mortality. <i>New England Journal of Medicine</i> , 1997, 336, 1769-1776.	13.9	1,146

#	ARTICLE	IF	CITATIONS
163	THE EFFECT OF POSTMENOPAUSAL HORMONES ON CORONARY ARTERY DISEASE. American Journal of Nursing, 1997, 97, 29.	0.2	1
164	Prospective study of exogenous hormones and risk of pulmonary embolism in women. Lancet, The, 1996, 348, 983-987.	6.3	557
165	Postmenopausal Estrogen and Progestin Use and the Risk of Cardiovascular Disease. New England Journal of Medicine, 1996, 335, 453-461.	13.9	1,307
166	The epidemiology of coronary heart disease and estrogen replacement in postmenopausal women. Progress in Cardiovascular Diseases, 1995, 38, 199-210.	1.6	372
167	BMI, Waist Circumference, and Incident Urinary Incontinence in Older Women. Obesity, 0, , .	1.5	0