

# Susanna M Wallerstedt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1071071/publications.pdf>

Version: 2024-02-01

59  
papers

1,230  
citations

361045

20  
h-index

395343

33  
g-index

64  
all docs

64  
docs citations

64  
times ranked

1624  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Drug interaction alerts in older primary care patients, and related medically justified actions. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 1115-1126.  | 0.8 | 3         |
| 2  | Clinical relevance of potentially inappropriate medications and potential prescribing omissions according to explicit criteria—a validation study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 1331-1339.  | 0.8 | 4         |
| 3  | Low SSRI dosing in clinical practice—a register-based longitudinal study. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 434-443.   | 2.2 | 6         |
| 4  | Inter-rater reliability of assessments regarding the quality of drug treatment, and drug-related hospital admissions. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 3825-3834.  | 1.1 | 5         |
| 5  | Life with Parkinson's Disease During the COVID-19 Pandemic: The Pressure Is Off. <i>Journal of Parkinson's Disease</i> , 2021, 11, 491-495.   | 1.5 | 16        |
| 6  | Anti-inflammatory, antibacterial and immunomodulatory treatment in children with symptoms corresponding to the research condition PANS (Pediatric Acute-onset Neuropsychiatric Syndrome): A systematic review. <i>PLoS ONE</i> , 2021, 16, e0253844.              | 1.1 | 10        |
| 7  | Serum concentrations of antidepressants, antipsychotics, and antiepileptics over the bariatric surgery procedure. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1875-1885.   | 0.8 | 9         |
| 8  | Methodological issues in research on drug-related admissions: A meta-epidemiological review with focus on causality assessments. <i>British Journal of Clinical Pharmacology</i> , 2021, , .  | 1.1 | 8         |
| 9  | Association between recorded medication reviews in primary care and adequate drug treatment management—a cross-sectional study. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 419-428.   | 0.6 | 6         |
| 10 | Sports nutrition supplements and adverse events—a meta-epidemiological study of case reports specifically addressing causality assessment. <i>European Journal of Clinical Pharmacology</i> , 2021, , 1.  | 0.8 | 3         |
| 11 | Drug information centre queries and responses about drug interactions over 10 years—A descriptive analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 65-74.   | 1.2 | 3         |
| 12 | It's helpful to get the time and opportunity to discuss drug treatment; that's what I think is the most important thing. A qualitative study on prescribing education in junior physicians. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 249-255. | 0.8 | 1         |
| 13 | Use of Antidepressants in Older People during a 10-Year Period: An Observational Study on Prescribed Doses and Serum Levels. <i>Drugs and Aging</i> , 2020, 37, 691-701.  | 1.3 | 8         |
| 14 | Student Characteristics Associated with Passing the Exam in Undergraduate Pharmacology Courses—a Cross-sectional Study in Six University Degree Programs. <i>Medical Science Educator</i> , 2020, 30, 1137-1144.  | 0.7 | 3         |
| 15 | Personalised medicine and the decision to withhold chemotherapy in early breast cancer with intermediate risk of recurrence—a systematic review and meta-analysis. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 1199-1211.                        | 0.8 | 2         |
| 16 | Evidence synthesis based on non-randomised studies—a critical review of studies leading to conclusions on fall risk properties of loop diuretics/beta-blockers. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1731-1738.                           | 0.8 | 3         |
| 17 | Attitudes and behaviour towards psychotropic drug prescribing in Swedish primary care: a questionnaire study. <i>BMC Family Practice</i> , 2019, 20, 4.   | 2.9 | 7         |
| 18 | Use of statins in the elderly according to age and indication—a cross-sectional population-based register study. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 959-967.  | 0.8 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Developing professional confidence in the art of prescribing—a randomized controlled study on structured collegial discussions during internship. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 687-696.  | 0.8 | 9         |
| 20 | Balancing early access with uncertainties in evidence for drugs authorized by prospective case series — systematic review of reimbursement decisions. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1146-1155.   | 1.1 | 11        |
| 21 | Developing confidence in basic prescribing skills during medical school: a longitudinal questionnaire study investigating the effects of a modified clinical pharmacology course. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1343-1349.                      | 0.8 | 14        |
| 22 | Effects of a short educational intervention on interns' professional confidence regarding drug treatment management in clinical practice: Randomized controlled study. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO2-8-6. | 0.0 | 0         |
| 23 | Evaluating beneficial drug effects in a non-interventional setting: a review of effectiveness studies based on Swedish Prescribed Drug Register data. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1309-1318.   | 1.1 | 8         |
| 24 | Clinical relevance of the STOPP/START criteria in hip fracture patients. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 499-505.   | 0.8 | 23        |
| 25 | Long-term use of proton pump inhibitors and prevalence of disease- and drug-related reasons for gastroprotection—a cross-sectional population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 9-16.   | 0.9 | 54        |
| 26 | The First Decade with the Swedish Prescribed Drug Register — A Systematic Review of the Output in the Scientific Literature. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 119, 464-469.   | 1.2 | 153       |
| 27 | Association between drug-specific indicators of prescribing quality and quality of drug treatment: a validation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 906-914.  | 0.9 | 16        |
| 28 | Prevalence of Therapeutic Drug Monitoring for Antidepressants and Antipsychotics in Stockholm, Sweden. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 461-465.   | 1.0 | 7         |
| 29 | Number of drugs in the medication list as an indicator of prescribing quality: a validation study of polypharmacy indicators in older hip fracture patients. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 363-368.   | 0.8 | 19        |
| 30 | Medication reviews for nursing home residents to reduce mortality and hospitalization: systematic review and meta-analysis. <i>British Journal of Clinical Pharmacology</i> , 2014, 78, 488-497.   | 1.1 | 71        |
| 31 | Prevalence of suboptimal drug treatment in patients with and without multidose drug dispensing—a cross-sectional study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 867-872.  | 0.8 | 31        |
| 32 | The specialty clinical pharmacology needs to be examined separately to guarantee a sufficient level of knowledge in medical students. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1331-1334.  | 0.8 | 5         |
| 33 | Characteristics and apprehensions of clinical pharmacologists in Swedish healthcare—a questionnaire study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 95-99.   | 0.8 | 4         |
| 34 | “Psychiatry is not a science like others”— a focus group study on psychotropic prescribing in primary care. <i>BMC Family Practice</i> , 2013, 14, 115.  | 2.9 | 13        |
| 35 | Effects of Medication Reviews Performed by a Physician on Treatment with Fracture-Preventing and Fall-Risk-Increasing Drugs in Older Adults with Hip Fracture—A Randomized Controlled Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1464-1472.          | 1.3 | 30        |
| 36 | Drug Treatment in Older People before and after the Transition to a Multi-Dose Drug Dispensing System—A Longitudinal Analysis. <i>PLoS ONE</i> , 2013, 8, e67088.  | 1.1 | 41        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A cost-effectiveness analysis of an in-hospital clinical pharmacist service. <i>BMJ Open</i> , 2012, 2, e000329.   | 0.8 | 32        |
| 38 | Psychiatric adverse drug reactions reported during a 10-year period in the Swedish pediatric population. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 79-86.  | 0.9 | 34        |
| 39 | Association between multi-dose drug dispensing and drug treatment changes. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1095-1101.   | 0.8 | 23        |
| 40 | Short Answer Questions or Modified Essay questions – More Than a Technical Issue. <i>International Journal of Clinical Medicine</i> , 2012, 03, 28-30.   | 0.1 | 1         |
| 41 | Rates of Spontaneous Reports of Adverse Drug Reactions for Drugs Reported in Children. <i>Drug Safety</i> , 2011, 34, 669-682.   | 1.4 | 26        |
| 42 | Impact of information letters on the reporting rate of adverse drug reactions and the quality of the reports: a randomized controlled study. <i>BMC Clinical Pharmacology</i> , 2011, 11, 14.                  | 2.5 | 22        |
| 43 | Effects of a clinical pharmacist service on health-related quality of life and prescribing of drugs: a randomised controlled trial. <i>BMJ Quality and Safety</i> , 2011, 20, 738-746.                         | 1.8 | 62        |
| 44 | Treatment with Fall-Risk-Increasing and Fracture-Preventing Drugs Before and After a Hip Fracture. <i>Drugs and Aging</i> , 2010, 27, 653-661.   | 1.3 | 32        |
| 45 | Effects of e-mails containing ADR information and a current case report on ADR reporting rate and quality of reports. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 511-514.                    | 0.8 | 23        |
| 46 | Risk of clinically relevant bleeding in warfarin-treated patients – influence of SSRI treatment. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 412-416.  | 0.9 | 59        |
| 47 | Montelukast and psychiatric disorders in children. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 858-864.  | 0.9 | 67        |
| 48 | Sudden Cardiac Death in Users of Second-Generation Antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1725-1726.  | 1.1 | 3         |
| 49 | Individual case safety reports in children in commonly used drug groups – signal detection. <i>BMC Clinical Pharmacology</i> , 2008, 8, 1.   | 2.5 | 18        |
| 50 | Use of and attitudes towards the prescribing guidelines booklet in primary health care doctors. <i>BMC Clinical Pharmacology</i> , 2008, 8, 8.   | 2.5 | 9         |
| 51 | Influence of an e-mail with a drug information attachment on sales of prescribed drugs: a randomized controlled study. <i>BMC Clinical Pharmacology</i> , 2007, 7, 12.   | 2.5 | 7         |
| 52 | Reporting of adverse drug reactions may be influenced by feedback to the reporting doctor. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 505-508.   | 0.8 | 18        |
| 53 | Haplotype association analysis of the polymorphisms Arg16Gly and Gln27Glu of the adrenergic $\beta_2$ receptor in a Swedish hypertensive population. <i>Journal of Human Hypertension</i> , 2005, 19, 705-708. | 1.0 | 21        |
| 54 | Serum leptin and myocardial infarction in hypertension. <i>Blood Pressure</i> , 2004, 13, 243-246.   | 0.7 | 43        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Association analysis of the polymorphism T1128C in the signal peptide of neuropeptide Y in a Swedish hypertensive population. <i>Journal of Hypertension</i> , 2004, 22, 1277-1281.  | 0.3 | 38        |
| 56 | Differential effect of propofol on sympathetic neurotransmission in isolated human omental arteries and veins. <i>British Journal of Pharmacology</i> , 1998, 125, 120-126.  | 2.7 | 5         |
| 57 | Endothelium-dependent relaxation by substance P in human isolated omental arteries and veins: relative contribution of prostanoids, nitric oxide and hyperpolarization. <i>British Journal of Pharmacology</i> , 1997, 120, 25-30. | 2.7 | 60        |
| 58 | Characteristics of Contractile 5-HT Receptors in Isolated Human Omental Arteries: Presence of 5-HT <sub>1</sub> and 5-HT <sub>2</sub> Receptors. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1996, 78, 50-54.          | 0.0 | 10        |
| 59 | Prevalence and initiation of statin therapy in the oldest old—a longitudinal population-based study. <i>European Journal of Clinical Pharmacology</i> , 0, , .   | 0.8 | 0         |