Poul Jennum

List of Publications by Citations

Source: https://exaly.com/author-pdf/10711960/poul-jennum-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers

4,763
citations

h-index

69
ext. papers

5,545
ext. citations

32
h-index

69
g-index

5.1
L-index

#	Paper	IF	Citations
66	Cost of disorders of the brain in Europe 2010. European Neuropsychopharmacology, 2011 , 21, 718-79	1.2	987
65	Intracranial pressure and obstructive sleep apnea. <i>Chest</i> , 1989 , 95, 279-83	5.3	257
64	A single-question screen for rapid eye movement sleep behavior disorder: a multicenter validation study. <i>Movement Disorders</i> , 2012 , 27, 913-6	7	225
63	Sleep-spindle detection: crowdsourcing and evaluating performance of experts, non-experts and automated methods. <i>Nature Methods</i> , 2014 , 11, 385-92	21.6	205
62	Narcolepsy as an autoimmune disease: the role of H1N1 infection and vaccination. <i>Lancet Neurology, The</i> , 2014 , 13, 600-13	24.1	186
61	Common variants in P2RY11 are associated with narcolepsy. <i>Nature Genetics</i> , 2011 , 43, 66-71	36.3	184
60	Rapid eye movement sleep disturbances in Huntington disease. <i>Archives of Neurology</i> , 2008 , 65, 482-8		166
59	The incidence of narcolepsy in Europe: before, during, and after the influenza A(H1N1)pdm09 pandemic and vaccination campaigns. <i>Vaccine</i> , 2013 , 31, 1246-54	4.1	161
58	ImmunoChip study implicates antigen presentation to T cells in narcolepsy. <i>PLoS Genetics</i> , 2013 , 9, e100	36270	161
57	Health, social and economical consequences of sleep-disordered breathing: a controlled national study. <i>Thorax</i> , 2011 , 66, 560-6	7.3	146
56	Genome-wide association study identifies new HLA class II haplotypes strongly protective against narcolepsy. <i>Nature Genetics</i> , 2010 , 42, 786-9	36.3	145
55	Definition, discrimination, diagnosis and treatment of central breathing disturbances during sleep. European Respiratory Journal, 2017 , 49,	13.6	137
54	Clinical, polysomnographic and genome-wide association analyses of narcolepsy with cataplexy: a European Narcolepsy Network study. <i>Journal of Sleep Research</i> , 2013 , 22, 482-95	5.8	134
53	Predictors of hypocretin (orexin) deficiency in narcolepsy without cataplexy. <i>Sleep</i> , 2012 , 35, 1247-55F	1.1	133
52	Snoring, sleep apnoea and cardiovascular risk factors: the MONICA II Study. <i>International Journal of Epidemiology</i> , 1993 , 22, 439-44	7.8	112
51	Epidemiology of snoring and obstructive sleep apnoea in a Danish population, age 30-60. <i>Journal of Sleep Research</i> , 1992 , 1, 240-244	5.8	107
50	Anti-Tribbles homolog 2 (TRIB2) autoantibodies in narcolepsy are associated with recent onset of cataplexy. <i>Sleep</i> , 2010 , 33, 869-74	1.1	104

(2012-2013)

49	Comorbidity and mortality of narcolepsy: a controlled retro- and prospective national study. <i>Sleep</i> , 2013 , 36, 835-40	1.1	102
48	HLA-DPB1 and HLA class I confer risk of and protection from narcolepsy. <i>American Journal of Human Genetics</i> , 2015 , 96, 136-46	11	98
47	Health, social, and economic consequences of narcolepsy: a controlled national study evaluating the societal effect on patients and their partners. <i>Sleep Medicine</i> , 2012 , 13, 1086-93	4.6	93
46	Headache and cognitive dysfunctions in snorers. A cross-sectional study of 3323 men aged 54 to 74 years: the Copenhagen Male Study. <i>Archives of Neurology</i> , 1994 , 51, 937-42		55
45	Self-assessed cognitive function in snorers and sleep apneics. An epidemiological study of 1,504 females and males aged 30-60 years: the Dan-MONICA II Study. <i>European Neurology</i> , 1994 , 34, 204-8	2.1	53
44	The Economic Consequences of Narcolepsy. <i>Journal of Clinical Sleep Medicine</i> , 2009 , 05, 240-245	3.1	49
43	Cost of stroke: a controlled national study evaluating societal effects on patients and their partners. <i>BMC Health Services Research</i> , 2015 , 15, 466	2.9	45
42	Sleep transitions in hypocretin-deficient narcolepsy. <i>Sleep</i> , 2013 , 36, 1173-7	1.1	45
41	Snoring and risk of stroke and ischaemic heart disease in a 70 year old population. A 6-year follow-up study. <i>International Journal of Epidemiology</i> , 1994 , 23, 1159-64	7.8	43
40	Family history of idiopathic REM behavior disorder: a multicenter case-control study. <i>Neurology</i> , 2013 , 80, 2233-5	6.5	42
39	All-cause mortality from obstructive sleep apnea in male and female patients with and without continuous positive airway pressure treatment: a registry study with 10 years of follow-up. <i>Nature and Science of Sleep</i> , 2015 , 7, 43-50	3.6	41
38	Inter-expert and intra-expert reliability in sleep spindle scoring. Clinical Neurophysiology, 2015 , 126, 154	18 _† .5 ₅ 6	39
37	Morbidity and mortality in children with obstructive sleep apnoea: a controlled national study. <i>Thorax</i> , 2013 , 68, 949-54	7.3	37
36	Risk of ischemic heart disease in self-reported snorers. A prospective study of 2,937 men aged 54 to 74 years: the Copenhagen Male Study. <i>Chest</i> , 1995 , 108, 138-42	5.3	36
35	Morbidity prior to a diagnosis of sleep-disordered breathing: a controlled national study. <i>Journal of Clinical Sleep Medicine</i> , 2013 , 9, 103-8	3.1	35
34	miRNA profiles in plasma from patients with sleep disorders reveal dysregulation of miRNAs in narcolepsy and other central hypersomnias. <i>Sleep</i> , 2014 , 37, 1525-33	1.1	24
33	Mortality, health, social and economic consequences of amyotrophic lateral sclerosis: a controlled national study. <i>Journal of Neurology</i> , 2013 , 260, 785-93	5.5	24
32	Validation of a novel automatic sleep spindle detector with high performance during sleep in middle aged subjects. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference,	0.9	24

31	Cerebrospinal fluid cytokine levels in type 1 narcolepsy patients very close to onset. <i>Brain, Behavior, and Immunity</i> , 2015 , 49, 54-8	16.6	22
30	Morbidity and mortality of childhood- and adolescent-onset epilepsy: A controlled national study. <i>Epilepsy and Behavior</i> , 2017 , 66, 80-85	3.2	19
29	Welfare consequences for people with epilepsy and their partners: A matched nationwide study in Denmark. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017 , 49, 17-24	3.2	18
28	Morbidity of childhood onset narcolepsy: a controlled national study. <i>Sleep Medicine</i> , 2017 , 29, 13-17	4.6	17
27	Absence of autoreactive CD4 T-cells targeting HLA-DQA1*01:02/DQB1*06:02 restricted hypocretin/orexin epitopes in narcolepsy type 1 when detected by EliSpot. <i>Journal of Neuroimmunology</i> , 2017 , 309, 7-11	3.5	16
26	The sensory construction of dreams and nightmare frequency in congenitally blind and late blind individuals. <i>Sleep Medicine</i> , 2014 , 15, 586-95	4.6	16
25	Health, social, and economic consequences of neck injuries: a controlled national study evaluating societal effects on patients and their partners. <i>Spine</i> , 2013 , 38, 449-57	3.3	16
24	Impaired cerebrovascular reactivity in obstructive sleep apnea: a case-control study. <i>Sleep Medicine</i> , 2018 , 43, 7-13	4.6	16
23	EIF3G is associated with narcolepsy across ethnicities. <i>European Journal of Human Genetics</i> , 2015 , 23, 1573-80	5.3	15
22	Does autoreactivity have a role in narcolepsy?. <i>Lancet Neurology, The</i> , 2014 , 13, 1072-1073	24.1	15
21	Health, social and economic consequences of hypersomnia: a controlled national study from a national registry evaluating the societal effect on patients and their partners. <i>European Journal of Health Economics</i> , 2014 , 15, 303-11	3.6	15
20	Obstructive sleep apnea in a Danish population of men and women aged 60-80 years with nocturia. Journal of Clinical Sleep Medicine, 2012 , 8, 515-20	3.1	15
19	Morbidity and mortality of middle-aged and elderly narcoleptics. Sleep Medicine, 2017, 36, 23-28	4.6	14
18	Morbidities in rapid eye movement sleep behavior disorder. <i>Sleep Medicine</i> , 2013 , 14, 782-7	4.6	14
17	The Impact of Nocturnal Hypoglycemia on Sleep in Subjects With Type 2 Diabetes. <i>Diabetes Care</i> , 2015 , 38, 2151-7	14.6	12
16	Societal Costs of Schizophrenia in Denmark: A Nationwide Matched Controlled Study of Patients and Spouses Before and After Initial Diagnosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 68-77	1.3	11
15	Sleep-wake stability in narcolepsy patients with normal, low and unmeasurable hypocretin levels. <i>Sleep Medicine</i> , 2017 , 34, 1-6	4.6	9
14	European guideline and expert statements on the management of narcolepsy in adults and children. <i>Journal of Sleep Research</i> , 2021 , 30, e13387	5.8	9

LIST OF PUBLICATIONS

A comparative study of methods for automatic detection of rapid eye movement abnormal muscular activity in narcolepsy. <i>Sleep Medicine</i> , 2018 , 44, 97-105	4.6	8
European guideline and expert statements on the management of narcolepsy in adults and children. <i>European Journal of Neurology</i> , 2021 , 28, 2815-2830	6	8
Investigation of sleep spindle activity and morphology as predictors of neurocognitive functioning in medicated patients with schizophrenia. <i>Journal of Sleep Research</i> , 2019 , 28, e12672	5.8	8
Sleep spindle density in narcolepsy. <i>Sleep Medicine</i> , 2017 , 34, 40-49	4.6	6
Health, social and economic consequences of polyneuropathy: a controlled national study evaluating societal effects on patients and their partners. <i>European Neurology</i> , 2015 , 73, 81-8	2.1	6
B-waves are present in patients without intracranial pressure disturbances. <i>Journal of Sleep Research</i> , 2021 , 30, e13214	5.8	4
Snoring and atherosclerotic manifestations in a 70-year-old population. <i>European Journal of Epidemiology</i> , 1996 , 12, 285-90	12.1	4
Narcolepsy risk loci are enriched in immune cells and suggest autoimmune modulation of the T cell receptor repertoire		3
Sleep apnea diagnosis varies with the hypopnea criteria applied. <i>Sleep and Breathing</i> , 2016 , 20, 219-26	3.1	2
The Danish National Database for Obstructive Sleep Apnea. Clinical Epidemiology, 2016, 8, 573-576	5.9	2
Socioeconomic and humanistic burden of illness of excessive daytime sleepiness severity associated with obstructive sleep apnoea in the European Union 5. <i>Sleep Medicine</i> , 2021 , 84, 46-55	4.6	2
Sleep-Disordered Breathing is frequently associated with idiopathic normal pressure hydrocephalus but not other types of hydrocephalus. <i>Sleep</i> , 2021 ,	1.1	1
Costs of schizotypal disorder: A matched-controlled nationwide register-based study of patients and spouses. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 60-71	6.5	0
	European guideline and expert statements on the management of narcolepsy in adults and children. European Journal of Neurology, 2021, 28, 2815-2830 Investigation of sleep spindle activity and morphology as predictors of neurocognitive functioning in medicated patients with schizophrenia. Journal of Sleep Research, 2019, 28, e12672 Sleep spindle density in narcolepsy. Sleep Medicine, 2017, 34, 40-49 Health, social and economic consequences of polyneuropathy: a controlled national study evaluating societal effects on patients and their partners. European Neurology, 2015, 73, 81-8 B-waves are present in patients without intracranial pressure disturbances. Journal of Sleep Research, 2021, 30, e13214 Snoring and atherosclerotic manifestations in a 70-year-old population. European Journal of Epidemiology, 1996, 12, 285-90 Narcolepsy risk loci are enriched in immune cells and suggest autoimmune modulation of the T cell receptor repertoire Sleep apnea diagnosis varies with the hypopnea criteria applied. Sleep and Breathing, 2016, 20, 219-26 The Danish National Database for Obstructive Sleep Apnea. Clinical Epidemiology, 2016, 8, 573-576 Socioeconomic and humanistic burden of illness of excessive daytime sleepiness severity associated with obstructive sleep apnoea in the European Union 5. Sleep Medicine, 2021, 84, 46-55 Sleep-Disordered Breathing is frequently associated with idiopathic normal pressure hydrocephalus but not other types of hydrocephalus. Sleep, 2021,	European guideline and expert statements on the management of narcolepsy in adults and children. European Journal of Neurology, 2021, 28, 2815-2830 Investigation of sleep spindle activity and morphology as predictors of neurocognitive functioning in medicated patients with schizophrenia. Journal of Sleep Research, 2019, 28, e12672 5.8 Sleep spindle density in narcolepsy. Sleep Medicine, 2017, 34, 40-49 4.6 Health, social and economic consequences of polyneuropathy: a controlled national study evaluating societal effects on patients and their partners. European Neurology, 2015, 73, 81-8 B-waves are present in patients without intracranial pressure disturbances. Journal of Sleep Research, 2021, 30, e13214 Snoring and atherosclerotic manifestations in a 70-year-old population. European Journal of Epidemiology, 1996, 12, 285-90 Narcolepsy risk loci are enriched in immune cells and suggest autoimmune modulation of the T cell receptor repertoire Sleep apnea diagnosis varies with the hypopnea criteria applied. Sleep and Breathing, 2016, 20, 219-26 3.1 The Danish National Database for Obstructive Sleep Apnea. Clinical Epidemiology, 2016, 8, 573-576 5.9 Socioeconomic and humanistic burden of illness of excessive daytime sleepiness severity associated with obstructive sleep apnoea in the European Union 5. Sleep Medicine, 2021, 84, 46-55 Sleep-Disordered Breathing is frequently associated with idiopathic normal pressure hydrocephalus but not other types of hydrocephalus. Sleep, 2021, Costs of schizotypal disorder: A matched-controlled nationwide register-based study of patients