## **Gregory Simon**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10718536/publications.pdf

Version: 2024-02-01

37	5,473	28 h-index	37
papers	citations		g-index
37	37	37	6729
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Counter-Point. Medical Care, 2018, 56, 382-383.	1.1	5
2	Near Real-time Surveillance for Consequences of Health Policies Using Sequential Analysis. Medical Care, 2018, 56, 365-372.	1.1	9
3	Counter-Point. Medical Care, 2018, 56, 384-390.	1.1	5
4	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression. JAMA Psychiatry, 2016, 73, 978.	6.0	76
5	Changes in antidepressant use by young people and suicidal behavior after FDA warnings and media coverage: quasi-experimental study. BMJ, The, 2014, 348, g3596-g3596.	3.0	172
6	Patient-rated alliance as a measure of therapist performance in two clinical settings Journal of Consulting and Clinical Psychology, 2013, 81, 154-165.	1.6	18
7	A telephonic intervention for promoting occupational re-integration in work-disabled individuals with musculoskeletal pain. Translational Behavioral Medicine, 2012, 2, 149-158.	1.2	17
8	Lay health worker led intervention for depressive and anxiety disorders in India: impact on clinical and disability outcomes over 12 months. British Journal of Psychiatry, 2011, 199, 459-466.	1.7	214
9	Effectiveness of an intervention led by lay health counsellors for depressive and anxiety disorders in primary care in Goa, India (MANAS): a cluster randomised controlled trial. Lancet, The, 2010, 376, 2086-2095.	6.3	566
10	Packages of Care for Depression in Low- and Middle-Income Countries. PLoS Medicine, 2009, 6, e1000159.	3.9	161
11	Collaborative care for mood disorders. Current Opinion in Psychiatry, 2009, 22, 37-41.	3.1	37
12	Are Comparisons of Consumer Satisfaction With Providers Biased by Nonresponse or Case-Mix Differences?. Psychiatric Services, 2009, 60, 67-73.	1.1	17
13	Improving the outcomes of primary care attenders with common mental disorders in developing countries: a cluster randomized controlled trial of a collaborative stepped care intervention in Goa, India. Trials, 2008, 9, 4.	0.7	56
14	The effect of telephone-administered psychotherapy on symptoms of depression and attrition: A meta-analysis Clinical Psychology: Science and Practice, 2008, 15, 243-253.	0.6	182
15	Integrating evidenceâ€based treatments for common mental disorders in routine primary care: feasibility and acceptability of the MANAS intervention in Goa, India. World Psychiatry, 2008, 7, 39-46.	4.8	84
16	An international study comparing the effect of medically explained and unexplained somatic symptoms on psychosocial outcome. Journal of Psychosomatic Research, 2006, 60, 125-130.	1.2	51
17	Where is the patient? The association of psychosocial factors and missed primary care appointments in patients with diabetes. General Hospital Psychiatry, 2006, 28, 9-17.	1.2	89
18	Panic episodes among patients with diabetes. General Hospital Psychiatry, 2006, 28, 475-481.	1.2	40

#	Article	IF	CITATIONS
19	The Costs and Benefits of Enhanced Depression Care to Employers. Archives of General Psychiatry, 2006, 63, 1345-53.	13.8	103
20	An International Study of the Effect of Physical III Health on Psychiatric Recovery in Primary Care. Psychosomatic Medicine, 2005, 67, 116-122.	1.3	19
21	Potentially Modifiable Factors Associated With Disability Among People With Diabetes. Psychosomatic Medicine, 2005, 67, 233-240.	1.3	99
22	Work Disability Among Individuals With Diabetes. Diabetes Care, 2005, 28, 1326-1332.	4.3	145
23	Depression and diabetes symptom burden. General Hospital Psychiatry, 2004, 26, 430-436.	1.2	209
24	Behavioral and Clinical Factors Associated With Depression Among Individuals With Diabetes. Diabetes Care, 2004, 27, 914-920.	4.3	381
25	Influence of Patient Attachment Style on Self-care and Outcomes in Diabetes. Psychosomatic Medicine, 2004, 66, 720-728.	1.3	195
26	Treatment of Depression in Primary Care. Medical Care, 2004, 42, 1153-1157.	1.1	67
27	Quality of Depression Care in a Population-Based Sample of Patients With Diabetes and Major Depression. Medical Care, 2004, 42, 1222-1229.	1.1	178
28	The economic burden of depression and the cost-effectiveness of treatment. International Journal of Methods in Psychiatric Research, 2003, 12, 22-33.	1.1	334
29	The World Health Organization Health and Work Performance Questionnaire (HPQ). Journal of Occupational and Environmental Medicine, 2003, 45, 156-174.	0.9	844
30	Willingness to Pay for Depression Treatment in Primary Care. Psychiatric Services, 2003, 54, 340-345.	1.1	52
31	A look to the past, directions for the future. Psychiatric Quarterly, 2000, 71, 79-95.	1.1	11
32	The Prescribing of Psychotropic Drugs by Primary Care Physicians. Journal of Clinical Psychopharmacology, 1999, 19, 132-140.	0.7	102
33	Treatment Costs, Cost Offset, and Cost-Effectiveness of Collaborative Management of Depression. Psychosomatic Medicine, 1998, 60, 143-149.	1.3	228
34	The Relationship Between Pain and Depression. British Journal of Psychiatry, 1996, 168, 101-108.	1.7	368
35	Somatic Symptoms of Distress. Psychosomatic Medicine, 1996, 58, 481-488.	1.3	205
36	Quality and customers: Type 2 change in mental health delivery within health care reform. Journal of Mental Health Administration, 1995, 22, 414-425.	1.1	11

#	Article	IF	CITATIONS
37	The predictors of persistence of depression in primary care. Journal of Affective Disorders, 1994, 31, 81-90.	2.0	123