## Bizhan Rashidian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10718753/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Design Procedure for Optimizing the LLC Resonant Converter as a Wide Output Range Voltage Source. IEEE Transactions on Power Electronics, 2012, 27, 3749-3763.	7.9	231
2	Using LLC Resonant Converter for Designing Wide-Range Voltage Source. IEEE Transactions on Industrial Electronics, 2011, 58, 1746-1756.	7.9	202
3	Optimizing the Normalized Dead-Time and Maximum Switching Frequency of a Wide-Adjustable-Range LLC Resonant Converter. IEEE Transactions on Power Electronics, 2011, 26, 462-472.	7.9	177
4	Optimizing the LLC–LC Resonant Converter Topology for Wide-Output-Voltage and Wide-Output-Load Applications. IEEE Transactions on Power Electronics, 2011, 26, 3192-3204.	7.9	62
5	A possible anticancer drug delivery system based on carbon nanotube–dendrimer hybrid nanomaterials. Journal of Materials Chemistry, 2011, 21, 15456.	6.7	55
6	Modified transfer matrix method for conducting interfaces. Journal of Optics, 2002, 4, 251-256.	1.5	47
7	Designing an Adjustable Wide Range Regulated Current Source. IEEE Transactions on Power Electronics, 2010, 25, 197-208.	7.9	45
8	Modified differential-transfer-matrix method for solution of one-dimensional linear inhomogeneous optical structures. Journal of the Optical Society of America B: Optical Physics, 2005, 22, 1521.	2.1	34
9	Guided light propagation in dielectric slab waveguide with conducting interfaces. Journal of Optics, 2001, 3, 380-386.	1.5	28
10	Novel optical devices based on surface wave excitation at conducting interfaces. Semiconductor Science and Technology, 2003, 18, 582-588.	2.0	23
11	Comprehensive three-dimensional split-field finite-difference time-domain method for analysis of periodic plasmonic nanostructures: near- and far-field formulation. Journal of the Optical Society of America B: Optical Physics, 2011, 28, 2690.	2.1	23
12	A Distributed Circuit Model for Side-Coupled Nanoplasmonic Structures With Metal–Insulator–Metal Arrangement. IEEE Journal of Selected Topics in Quantum Electronics, 2012, 18, 1692-1699.	2.9	23
13	GPU IMPLEMENTATION OF SPLIT-FIELD FINITE-DIFFERENCE TIME-DOMAIN METHOD FOR DRUDE-LORENTZ DISPERSIVE MEDIA. Progress in Electromagnetics Research, 2012, 125, 55-77.	4.4	23
14	Geometrical approach in physical understanding of the Goos-Haenchen shift in one- and two-dimensional periodic structures. Optics Letters, 2008, 33, 2940.	3.3	22
15	Polynomial expansion for extraction of electromagnetic eigenmodes in layered structures. Journal of the Optical Society of America B: Optical Physics, 2003, 20, 2434.	2.1	19
16	Analytical Approach for Analysis of Nonuniform Lossy/Lossless Transmission Lines and Tapered Microstrips. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 4122-4129.	4.6	18
17	An Efficient Circuit Model for the Analysis and Design of Rectangular Plasmonic Resonators. Plasmonics, 2012, 7, 245-252.	3.4	18

18 Single event upset immune latch circuit design using C-element. , 2011, , .

**BIZHAN RASHIDIAN** 

#	Article	IF	CITATIONS
19	New integrated optical memory based on the plasma wave modulator/switch. , 2001, , .		13
20	Design and Analysis of the Integrated Plasma Wave Micro-Optical Modulator/Switch. Fiber and Integrated Optics, 2002, 21, 173-191.	2.5	10
21	Optimization of Sputtering Parameters for the Deposition of Low Resistivity Indium Tin Oxide Thin Films. Acta Metallurgica Sinica (English Letters), 2014, 27, 324-330.	2.9	10
22	New integrated programmable optical diffractive element. , 2001, , .		9
23	Variational approach for extraction of eigenmodes in layered waveguides. Journal of the Optical Society of America B: Optical Physics, 2002, 19, 1978.	2.1	9
24	Optical modulation by surface states. Semiconductor Science and Technology, 2003, 18, 60-67.	2.0	9
25	Novel optical slow wave structure and surface electromagnetic wave coupler with conducting interfaces. Semiconductor Science and Technology, 2004, 19, 890-896.	2.0	9
26	A multi-bit error tolerant register file for a high reliable embedded processor. , 2011, , .		9
27	Dynamics of interface traps in bonded silicon wafers. Semiconductor Science and Technology, 2002, 17, 421-426.	2.0	8
28	Plasmonic propagation modes of a structured two-dimensional conducting interface. Journal of Optics, 2008, 10, 025202.	1.5	8
29	Quantum mechanical analysis of a Muller effect plasma wave optical modulator/switch. , 1999, , .		7
30	<title>Analysis of Kronig-Penny photonic crystals by modified transfer matrices</title> . , 2002, 4655, 260.		6
31	Optical anisotropy of schwarzschild metric within equivalent medium framework. Optics Communications, 2010, 283, 1222-1228.	2.1	6
32	Wide adjustable range LLC resonant converter's maximum switching frequency for realizing the ZVS operation. , 2010, , .		6
33	Enhanced Optical Transmission Through Metallic Holes Array: Role of TE Polarization in SPP Excitation. Plasmonics, 2013, 8, 403-409.	3.4	6
34	Near Field Differential Interference Contrast Microscopy. Scientific Reports, 2020, 10, 9644.	3.3	6
35	Interface electromagnetic waves between Kronig-Penney photonic crystals. , 2003, , .		5
36	Surface electromagnetic waves on dielectrics with conducting interfaces. , 2003, , .		5

Surface electromagnetic waves on dielectrics with conducting interfaces. , 2003, , . 36

3

**BIZHAN RASHIDIAN** 

#	Article	IF	CITATIONS
37	Band structures of coupled electromagnetic slow waves. Journal of Optics, 2004, 6, 937-942.	1.5	5
38	Approximate expressions for resonant shifts in the reflection of Gaussian wave packets from two-dimensional photonic crystal waveguides. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 683.	2.1	5
39	Behavior of plasmonic nanoparticle array in near- and far-field coupling regimes for transverse electric and transverse magnetic polarizations. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 2286.	2.1	5
40	Addendum to `Generalized conditions for the existence of optical axes'. Journal of Optics, 2002, 4, 111-113.	1.5	4
41	Surface wave excitation control by using interface conductivity on one-dimensional photonic crystals. , 2002, , .		4
42	NOVEL METHOD FOR CANCER CELL APOPTOSIS BY LOCALIZED UV LIGHT WITH GOLD NANOSTRUCTURES: A THEORETICAL INVESTIGATION. Nano, 2010, 05, 325-332.	1.0	4
43	<title>Design and analysis of plasma-wave-based programmable grating</title> ., 2001, , .		3
44	Asymptotic behaviour of a subwavelength nanoconducting layer. Journal of Optics, 2006, 8, 639-646.	1.5	3
45	Modified WKB method for solution of wave propagation in inhomogeneous structures with arbitrary permittivity and permeability profiles. , 2007, , .		3
46	Tight-Binding Analysis of Coupled Dielectric Waveguide Structures. Fiber and Integrated Optics, 2006, 25, 11-27.	2.5	2
47	Analysis of Third Harmonic Generation and Four Wave Mixing in Gold Nanostructures by Nonlinear Finite Difference Time Domain. Journal of Nanoscience and Nanotechnology, 2010, 10, 7179-7182.	0.9	2
48	A method for reducing the complexity, and increasing the accuracy ofÂfield emission electron gun simulations. Vacuum, 2013, 95, 50-65.	3.5	2
49	Investigation of a quasi-3D plasmonic nanostructure for TE and TM polarizations. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 2838.	2.1	2
50	Foveated scanning: dynamic monodimensional enlargement of resolved field of view in lenses of scanner systems. Applied Optics, 2016, 55, 7314.	2.1	2
51	Geometrically Modified Einzel Lenses, From the Conventional Cylindrical Einzel Lens to Cubic and Continuous Einzel Lens. IEEE Transactions on Plasma Science, 2017, 45, 828-835.	1.3	2
52	Photothermal Heating Using a Near-Field Plasmonic Probe, Application in NFO-CVD. , 2018, , .		2
53	Monodimensional enlargement of resolved field of view in line scan cameras by a single doubly symmetric mirror. Optik, 2019, 182, 1-10.	2.9	2
54	Fluorescent microscopy using localized excitation source with gold nanotriangles: A computational study. Photonics and Nanostructures - Fundamentals and Applications, 2011, 9, 219-224.	2.0	1

**BIZHAN RASHIDIAN** 

#	Article	IF	CITATIONS
55	An Analytical Formulation Enabling Analysis of Resonance Eigenmodes and Their Interferences in Scattering From Plasmonic Nanostructures, Applications in Engineering the Radiation Loss. IEEE Journal of Quantum Electronics, 2016, 52, 1-9.	1.9	1
56	A quantum description of linear, and non-linear optical interactions in arrays of plasmonic nanoparticles. Journal of Modern Optics, 2018, 65, 1235-1244.	1.3	1
57	Forbidden Spatial Frequencies in Periodic Structures Composed of Subwavelength Nano Conducting Layers. , 2006, , .		Ο
58	Coupled Surface Electromagnetic Waves Supported by Subwavelength Nano Conducting Layers. , 2006, , .		0
59	Modified WKB method for solution of wave propagation in inhomogeneous structures with arbitrary permittivity and permeability profiles. , 2007, , .		0
60	Hermite Polynomial Expansion for Analysis of Electromagnetic Slow Waves in Coupled NANO Conducting Layer with Gaussian Profile. , 2007, , .		0
61	Exploiting the Ewald method for calculating the T-matrix of arbitrary periodic arrays. , 2018, , .		0