

Ezio Rizzardo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10720040/ezio-rizzardo-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers

24,559
citations

63
h-index

156
g-index

180
ext. papers

25,689
ext. citations

4
avg, IF

6.8
L-index

#	Paper	IF	Citations
171	High-Throughput/High-Output Experimentation in RAFT Polymer Synthesis 2021 , 1051-1076		
170	Overview of RAFT Polymerization 2021 , 1-13		
169	Dithioesters in RAFT Polymerization 2021 , 223-358		3
168	Photo RAFT Polymerization 2021 , 611-645		5
167	Complex Polymeric Architectures Synthesized through RAFT Polymerization 2021 , 933-981		1
166	Mathematical Modelling of RAFT Polymerization 2021 , 187-221		0
165	RAFT Polymerization: Mechanistic Considerations 2021 , 95-137		2
164	Xanthates in RAFT Polymerization 2021 , 493-548		3
163	Star Polymers by RAFT Polymerization 2021 , 983-1015		
162	RAFT -Mediated Polymerization-Induced Self-Assembly (PISA) 2021 , 707-751		1
161	Considerations for and Applications of Aqueous RAFT Polymerization 2021 , 679-705		1
160	An Industrial History of RAFT Polymerization 2021 , 1077-1169		2
159	Cationic RAFT Polymerization 2021 , 1171-1194		1
158	RAFT -Functional End Groups: Installation and Transformation 2021 , 753-804		3
157	Quantum Chemical Studies of RAFT Polymerization 2021 , 139-185		2
156	Kinetics and Mechanism of RAFT Polymerizations 2021 , 59-93		1
155	Trithiocarbonates in RAFT Polymerization 2021 , 359-492		4

154	RAFT Crosslinking Polymerization 2021 , 873-932		1
153	Sequence-Encoded RAFT Oligomers and Polymers 2021 , 805-828		1
152	Dithiocarbamates in RAFT Polymerization 2021 , 549-610		3
151	How to Do a RAFT Polymerization 2021 , 25-58		
150	Redox-Initiated RAFT Polymerization and (Electro)chemical Activation of RAFT Agents 2021 , 647-677		2
149	A 20th anniversary perspective on the life of RAFT (RAFT coming of age). <i>Polymer International</i> , 2020 , 69, 658-661	3.3	19
148	Attempted Synthesis and Unexpected Fragmentation of a Hindered β -Keto Nitroxide. <i>Australian Journal of Chemistry</i> , 2017 , 70, 1106	1.2	1
147	An Alternating Donor-Acceptor Conjugated Polymer Based on Benzodithiophene and [3,4-c]pyrrole-4,6-dione: Synthesis, Characterization, and Application in Photovoltaic Devices. <i>Australian Journal of Chemistry</i> , 2015 , 68, 1773	1.2	3
146	Advances in Switchable RAFT Polymerization. <i>Macromolecular Symposia</i> , 2015 , 350, 34-42	0.8	37
145	Preparation of 1 : 1 alternating, nucleobase-containing copolymers for use in sequence-controlled polymerization. <i>Polymer Chemistry</i> , 2015 , 6, 228-232	4.9	24
144	Enhancement of MHC-I antigen presentation via architectural control of pH-responsive, endosomolytic polymer nanoparticles. <i>AAPS Journal</i> , 2015 , 17, 358-69	3.7	44
143	Donor-Acceptor rod-coil block copolymers comprising poly[2,7-(9,9-dihexylfluorene)-alt-bithiophene] and fullerene as compatibilizers for organic photovoltaic devices. <i>Journal of Polymer Science Part A</i> , 2015 , 53, 888-903	2.5	10
142	RAFT for the Control of Monomer Sequence Distribution [Single Unit Monomer Insertion (SUMI) into Dithiobenzoate RAFT Agents. <i>ACS Symposium Series</i> , 2014 , 133-147	0.4	14
141	An arm-first approach to cleavable mikto-arm star polymers by RAFT polymerization. <i>Macromolecular Rapid Communications</i> , 2014 , 35, 840-5	4.8	42
140	Synthesis of cleavable multi-functional mikto-arm star polymer by RAFT polymerization: example of an anti-cancer drug 7-ethyl-10-hydroxycamptothecin (SN-38) as functional moiety. <i>Science China Chemistry</i> , 2014 , 57, 995-1001	7.9	16
139	Synthesis of a rod-coil block copolymer incorporating PCBM. <i>Polymer Chemistry</i> , 2013 , 4, 53-56	4.9	10
138	RAFT polymerization and some of its applications. <i>Chemistry - an Asian Journal</i> , 2013 , 8, 1634-44	4.5	219
137	CHAPTER 6: Fundamentals of RAFT Polymerization. <i>RSC Polymer Chemistry Series</i> , 2013 , 205-249	1.3	19

136	Chain Transfer Kinetics of Acid/Base Switchable N-Aryl-N-Pyridyl Dithiocarbamate RAFT Agents in Methyl Acrylate, N-Vinylcarbazole and Vinyl Acetate Polymerization. <i>Macromolecules</i> , 2012 , 45, 4205-4215	5.5	74
135	RAFT Agent Design and Synthesis. <i>Macromolecules</i> , 2012 , 45, 5321-5342	5.5	416
134	Some Recent Developments in RAFT Polymerization. <i>ACS Symposium Series</i> , 2012 , 243-258	0.4	9
133	On the Origins of Nitroxide Mediated Polymerization (NMP) and Reversible Addition-Fragmentation Chain Transfer (RAFT). <i>Australian Journal of Chemistry</i> , 2012 , 65, 945	1.2	43
132	Living Radical Polymerization by the RAFT Process [A Third Update. <i>Australian Journal of Chemistry</i> , 2012 , 65, 985	1.2	798
131	Block copolymers containing organic semiconductor segments by RAFT polymerization. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 6111-9	3.9	39
130	Functional polymers for optoelectronic applications by RAFT polymerization. <i>Polymer Chemistry</i> , 2011 , 2, 492-519	4.9	140
129	Controlled RAFT Polymerization in a Continuous Flow Microreactor. <i>Organic Process Research and Development</i> , 2011 , 15, 593-601	3.9	114
128	Switchable Reversible Addition-Fragmentation Chain Transfer (RAFT) Polymerization in Aqueous Solution, N,N-Dimethylacrylamide. <i>Macromolecules</i> , 2011 , 44, 6738-6745	5.5	91
127	Block Copolymer Synthesis through the Use of Switchable RAFT Agents. <i>ACS Symposium Series</i> , 2011 , 81-102	0.4	22
126	End-functional polymers, thiocarbonylthio group removal/transformation and reversible addition-fragmentation-chain transfer (RAFT) polymerization. <i>Polymer International</i> , 2011 , 60, 9-25	3.3	238
125	A Potential New RAFT - Click Reaction or a Cautionary Note on the Use of Diazomethane to Methylate RAFT-synthesized Polymers. <i>Australian Journal of Chemistry</i> , 2011 , 64, 433	1.2	17
124	Benzothiadiazole-Containing Pendant Polymers Prepared by RAFT and Their Electro-Optical Properties. <i>Macromolecules</i> , 2010 , 43, 7101-7110	5.5	23
123	Substituent Effects on RAFT Polymerization with Benzyl Aryl Trithiocarbonates. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 529-538	2.6	24
122	Reversible Addition-Fragmentation Chain Transfer Polymerization 2009 ,		1
121	Thiocarbonylthio end group removal from RAFT-synthesized polymers by a radical-induced process. <i>Journal of Polymer Science Part A</i> , 2009 , 47, 6704-6714	2.5	89
120	Living Radical Polymerization by the RAFT Process - A Second Update. <i>Australian Journal of Chemistry</i> , 2009 , 62, 1402	1.2	813
119	New Features of the Mechanism of RAFT Polymerization. <i>ACS Symposium Series</i> , 2009 , 3-18	0.4	33

118	Universal (switchable) RAFT agents. <i>Journal of the American Chemical Society</i> , 2009 , 131, 6914-5	16.4	256
117	Polystyrene-block-poly(vinyl acetate) through the Use of a Switchable RAFT Agent. <i>Macromolecules</i> , 2009 , 42, 9384-9386	5.5	106
116	Controlled synthesis of luminescent polymers using a bis-dithiobenzoate RAFT agent. <i>Chemical Communications</i> , 2008 , 1112-4	5.8	36
115	Radical addition-fragmentation chemistry in polymer synthesis. <i>Polymer</i> , 2008 , 49, 1079-1131	3.9	1188
114	Toward living radical polymerization. <i>Accounts of Chemical Research</i> , 2008 , 41, 1133-42	24.3	607
113	Reversible Addition Fragmentation Chain Transfer Polymerization of Methyl Methacrylate in the Presence of Lewis Acids: An Approach to Stereocontrolled Living Radical Polymerization. <i>Macromolecules</i> , 2007 , 40, 9262-9271	5.5	47
112	Thiocarbonylthio End Group Removal from RAFT-Synthesized Polymers by Radical-Induced Reduction. <i>Macromolecules</i> , 2007 , 40, 4446-4455	5.5	198
111	RAFT Polymerization: Adding to the Picture. <i>Macromolecular Symposia</i> , 2007 , 248, 104-116	0.8	71
110	Rate Optimization in Controlled Radical Emulsion Polymerization Using RAFT. <i>Macromolecular Theory and Simulations</i> , 2006 , 15, 70-86	1.5	42
109	Thermolysis of RAFT-Synthesized Poly(Methyl Methacrylate). <i>Australian Journal of Chemistry</i> , 2006 , 59, 755	1.2	104
108	Living Radical Polymerization by the RAFT Process: A First Update. <i>Australian Journal of Chemistry</i> , 2006 , 59, 669	1.2	802
107	RAFT Copolymerization and Its Application to the Synthesis of Novel Dispersants/Intercalants/Exfoliants for Polymer/Clay Nanocomposites. <i>ACS Symposium Series</i> , 2006 , 514-532	0.4	19
106	Binary Copolymerization with Catalytic Chain Transfer. A Method for Synthesizing Macromonomers Based on Monosubstituted Monomers. <i>Macromolecules</i> , 2005 , 38, 9037-9054	5.5	25
105	Radical Loss in RAFT-Mediated Emulsion Polymerizations. <i>Macromolecules</i> , 2005 , 38, 4901-4912	5.5	58
104	Searching for More Effective Agents and Conditions for the RAFT Polymerization of MMA: Influence of Dithioester Substituents, Solvent, and Temperature. <i>Macromolecules</i> , 2005 , 38, 3129-3140	5.5	199
103	Living Radical Polymerization by the RAFT Process. <i>Australian Journal of Chemistry</i> , 2005 , 58, 379	1.2	1960
102	Remarkable Solvent Effects of Oxygen- and Sulfur-Containing Compounds on the Propagation Rate of Methyl Methacrylate. <i>Zeitschrift Fur Physikalische Chemie</i> , 2005 , 219, 267-281	3.1	11
101	The application of a novel profluorescent nitroxide to monitor thermo-oxidative degradation of polypropylene. <i>Polymer Degradation and Stability</i> , 2005 , 89, 427-435	4.7	53

100	Advances in RAFT polymerization: the synthesis of polymers with defined end-groups. <i>Polymer</i> , 2005 , 46, 8458-8468	3.9	661
99	Synthesis of Functionalized RAFT Agents for Light Harvesting Macromolecules. <i>Macromolecules</i> , 2004 , 37, 5479-5481	5.5	71
98	A New Double-Responsive Block Copolymer Synthesized via RAFT Polymerization: Poly(N-isopropylacrylamide)-block-poly(acrylic acid). <i>Macromolecules</i> , 2004 , 37, 7861-7866	5.5	505
97	Chain Transfer Activity of π Unsaturated Methacrylic Oligomers in Polymerizations of Methacrylic Monomers. <i>Macromolecules</i> , 2004 , 37, 4441-4452	5.5	40
96	Thiocarbonylthio Compounds [SC(Ph)SR] in Free Radical Polymerization with Reversible Addition-Fragmentation Chain Transfer (RAFT Polymerization). Role of the Free-Radical Leaving Group (R). <i>Macromolecules</i> , 2003 , 36, 2256-2272	5.5	713
95	Kinetics and Mechanism of RAFT Polymerization. <i>ACS Symposium Series</i> , 2003 , 520-535	0.4	50
94	RAFT Polymers: Novel Precursors for Polymer-Protein Conjugates. <i>ACS Symposium Series</i> , 2003 , 603-618	0.4	58
93	Thiocarbonylthio Compounds (SC(Z)SR) in Free Radical Polymerization with Reversible Addition-Fragmentation Chain Transfer (RAFT Polymerization). Effect of the Activating Group Z. <i>Macromolecules</i> , 2003 , 36, 2273-2283	5.5	558
92	Living Free Radical Polymerization with Reversible Addition-Fragmentation Chain Transfer (RAFT Polymerization): Approaches to Star Polymers. <i>Macromolecules</i> , 2003 , 36, 1505-1513	5.5	284
91	Synthesis of novel architectures by radical polymerization with reversible addition fragmentation chain transfer (RAFT polymerization). <i>Macromolecular Symposia</i> , 2003 , 192, 1-12	0.8	137
90	RAFT synthesis of linear and star-shaped light harvesting polymers using di- and hexafunctional ruthenium polypyridine reagents. <i>Journal of Materials Chemistry</i> , 2003 , 13, 2696-2700		83
89	Living Free Radical Polymerisation Under a Constant Source of Gamma Radiation [An Example of Reversible Addition-Fragmentation Chain Transfer or Reversible Termination?]. <i>Macromolecular Rapid Communications</i> , 2002 , 23, 717-721	4.8	53
88	Living free-radical polymerization of styrene under a constant source of γ radiation. <i>Journal of Polymer Science Part A</i> , 2002 , 40, 19-25	2.5	79
87	Substituent effects on the chain-transfer behavior of 7-methylene-2-methyl-1,5-dithiacyclooctane in the presence of disulfides and thiols. <i>Journal of Polymer Science Part A</i> , 2002 , 40, 4421-4425	2.5	15
86	Multiarm organic compounds for use as reversible chain-transfer agents in living radical polymerizations. <i>Tetrahedron Letters</i> , 2002 , 43, 6811-6814	2	49
85	Initiating free radical polymerization. <i>Macromolecular Symposia</i> , 2002 , 182, 65-80	0.8	67
84	Pulsed Laser Copolymerization of Ring-Opening Cyclic Allylic Sulfide Monomers with Methyl Methacrylate and Styrene. <i>Macromolecules</i> , 2002 , 35, 2474-2480	5.5	13
83	Reversible Addition-Fragmentation Chain Transfer Polymerization Initiated with Ultraviolet Radiation. <i>Macromolecules</i> , 2002 , 35, 7620-7627	5.5	253

82	Successful Use of RAFT Techniques in Seeded Emulsion Polymerization of Styrene: Living Character, RAFT Agent Transport, and Rate of Polymerization. <i>Macromolecules</i> , 2002 , 35, 5417-5425	5.5	141
81	Synthesis of light harvesting polymers by RAFT methods. <i>Chemical Communications</i> , 2002 , 2276-7	5.8	57
80	Tailored polymer architectures by reversible addition-fragmentation chain transfer. <i>Macromolecular Symposia</i> , 2001 , 174, 209-212	0.8	75
79	Replacement of benzene with regulators for the catalyzed polymerization of 1,3-butadiene to high cis-1,4-polybutadiene. <i>Journal of Polymer Science Part A</i> , 2001 , 39, 2244-2255	2.5	6
78	Active-center equilibrium in Ziegler-Natta butadiene polymerization. <i>Journal of Polymer Science Part A</i> , 2001 , 39, 2256-2261	2.5	8
77	Free radical ring-opening polymerization of cyclic allylic sulfides: Liquid monomers with low polymerization volume shrinkage. <i>Journal of Polymer Science Part A</i> , 2001 , 39, 202-215	2.5	33
76	Mechanism and Kinetics of RAFT-Based Living Radical Polymerizations of Styrene and Methyl Methacrylate. <i>Macromolecules</i> , 2001 , 34, 402-408	5.5	293
75	Ambient temperature reversible addition-fragmentation chain transfer polymerisation. <i>Chemical Communications</i> , 2001 , 1044-1045	5.8	141
74	Copolymerization Behavior of 7-Methylene-2-methyl-1,5-dithiacyclooctane: Reversible Cross-Propagation. <i>Macromolecules</i> , 2001 , 34, 3869-3876	5.5	25
73	Living free radical polymerization with reversible addition-fragmentation chain transfer (the life of RAFT). <i>Polymer International</i> , 2000 , 49, 993-1001	3.3	74 ⁰
72	Living polymerization: Rationale for uniform terminology 2000 , 38, 1706-1708		81
71	Living polymerization: Rationale for uniform terminology. <i>Journal of Polymer Science Part A</i> , 2000 , 38, 1709-1709	2.5	12
70	Chain Transfer in the Sulfur-Centered Free Radical Ring-Opening Polymerization of 3-Methylene-6-methyl-1,5-dithiacyclooctane. <i>Macromolecules</i> , 2000 , 33, 9553-9560	5.5	25
69	Preparation of Macromonomers via Chain Transfer with and without Added Chain Transfer Agent. <i>ACS Symposium Series</i> , 2000 , 297-312	0.4	16
68	Synthesis of Defined Polymers by Reversible Addition-Fragmentation Chain Transfer: The RAFT Process. <i>ACS Symposium Series</i> , 2000 , 278-296	0.4	153
67	Thermal decomposition mechanisms of tert-alkyl peroxyvalates studied by the nitroxide radical trapping technique. <i>Journal of Organic Chemistry</i> , 2000 , 65, 16-23	4.2	29
66	Free-Radical Ring-Opening Polymerization of Cyclic Allylic Sulfides. 2. Effect of Substituents on Seven- and Eight-Membered Ring Low Shrink Monomers. <i>Macromolecules</i> , 2000 , 33, 6722-6731	5.5	37
65	Living Polymers by the Use of Trithiocarbonates as Reversible Addition-Fragmentation Chain Transfer (RAFT) Agents: α ABA Triblock Copolymers by Radical Polymerization in Two Steps. <i>Macromolecules</i> , 2000 , 33, 243-245	5.5	417

64	Molecular Weight Characterization of Poly(N-isopropylacrylamide) Prepared by Living Free-Radical Polymerization. <i>Macromolecules</i> , 2000 , 33, 6738-6745	5.5	314
63	Initiation mechanisms for radical polymerization of styrene and methyl methacrylate with highly substituted peroxy-pivalate initiators. <i>Polymer</i> , 1999 , 40, 1395-1401	3.9	16
62	A novel synthesis of functional dithioesters, dithiocarbamates, xanthates and trithiocarbonates. <i>Tetrahedron Letters</i> , 1999 , 40, 2435-2438	2	414
61	Investigation of methylaluminumoxane as a cocatalyst for the polymerization of 1,3-butadiene to high cis-1,4-polybutadiene. <i>Journal of Polymer Science Part A</i> , 1999 , 37, 3277-3284	2.5	21
60	Living Radical Polymerization with Reversible Addition-Fragmentation Chain Transfer (RAFT): Direct ESR Observation of Intermediate Radicals. <i>Macromolecules</i> , 1999 , 32, 5457-5459	5.5	161
59	Tailored polymers by free radical processes. <i>Macromolecular Symposia</i> , 1999 , 143, 291-307	0.8	126
58	Living Radical Polymerization with Reversible Addition-Fragmentation Chain Transfer (RAFT Polymerization) Using Dithiocarbamates as Chain Transfer Agents. <i>Macromolecules</i> , 1999 , 32, 6977-6980	5.5	480
57	Imidazolidinone Nitroxide-Mediated Polymerization. <i>Macromolecules</i> , 1999 , 32, 6895-6903	5.5	77
56	Chain Transfer to Polymer: A Convenient Route to Macromonomers. <i>Macromolecules</i> , 1999 , 32, 7700-7703	2	149
55	A More Versatile Route to Block Copolymers and Other Polymers of Complex Architecture by Living Radical Polymerization: The RAFT Process. <i>Macromolecules</i> , 1999 , 32, 2071-2074	5.5	761
54	Living Free-Radical Polymerization by Reversible Addition-Fragmentation Chain Transfer: The RAFT Process. <i>Macromolecules</i> , 1998 , 31, 5559-5562	5.5	4221
53	Improving the knowledge and design of end groups in polymers produced by free radical polymerization. <i>Polymers for Advanced Technologies</i> , 1998 , 9, 94-100	3.2	7
52	Controlled-Growth Free-Radical Polymerization of Methacrylate Esters: Reversible Chain Transfer versus Reversible Termination. <i>ACS Symposium Series</i> , 1998 , 332-360	0.4	69
51	Thermal Decomposition of 1-Cyclohexyl-1-methylethyl Peroxy-pivalate. <i>Chemistry Letters</i> , 1998 , 27, 965-966	0	0
50	A Novel Organic Peroxyester as an Exclusive Source of tert-Butyl Radicals. <i>Chemistry Letters</i> , 1997 , 26, 1093-1094	1.7	7
49	Initiation Mechanisms in Radical Polymerization: Reaction of tert-Alkyl Peroxy-pivalates with Methyl Methacrylate. <i>Macromolecules</i> , 1997 , 30, 2843-2847	5.5	14
48	Reaction of tert-Alkoxy and Alkyl Radicals with Styrene Studied by the Nitroxide Radical-Trapping Technique. <i>Journal of Organic Chemistry</i> , 1997 , 62, 5578-5582	4.2	25
47	Free Radical Initiation Mechanisms in the Polymerization of Methyl Methacrylate and Styrene with 1,1,3,3-Tetramethylbutyl Peroxy-pivalate: Addition of Neopentyl Radicals. <i>Journal of the American Chemical Society</i> , 1997 , 119, 10987-10991	16.4	16

46	Advantage of Using tert-Hexyl Peroxypivalate as an Initiator for the Polymerization of Methyl Methacrylate. <i>Macromolecules</i> , 1996 , 29, 8975-8976	5.5	10
45	Initiation Mechanisms for Radical Polymerization of Methyl Methacrylate with tert-Butyl Peroxypivalate. <i>Journal of the American Chemical Society</i> , 1996 , 118, 10824-10828	16.4	17
44	Chain Transfer Activity of β -Unsaturated Methyl Methacrylate Oligomers. <i>Macromolecules</i> , 1996 , 29, 7717-7726	5.5	119
43	Control of polymer structure by chain transfer processes. <i>Macromolecular Symposia</i> , 1996 , 111, 1-11	0.8	23
42	A new form of controlled growth free radical polymerization. <i>Macromolecular Symposia</i> , 1996 , 111, 13-23	3.8	73
41	Free-Radical Ring-Opening Polymerization of Cyclic Allylic Sulfides. <i>Macromolecules</i> , 1996 , 29, 6983-6989	5.5	63
40	Alkoxyamine-Initiated Living Radical Polymerization: Factors Affecting Alkoxyamine Homolysis Rates. <i>Macromolecules</i> , 1995 , 28, 8722-8728	5.5	288
39	Narrow Polydispersity Block Copolymers by Free-Radical Polymerization in the Presence of Macromonomers. <i>Macromolecules</i> , 1995 , 28, 5381-5385	5.5	176
38	Chain transfer by radical addition-fragmentation mechanisms: Synthesis of macromonomers and end-functional oligomers. <i>Macromolecular Symposia</i> , 1995 , 98, 101-123	0.8	44
37	In vivo evaluation of polyurethanes based on novel macrodiols and MDI. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1994 , 6, 41-54	3.5	17
36	New Free-Radical Ring-Opening Acrylate Monomers. <i>Macromolecules</i> , 1994 , 27, 7935-7937	5.5	58
35	Comparison of initiation mechanisms for polymerization initiated by primary, secondary and tertiary alkoxy radicals. <i>European Polymer Journal</i> , 1993 , 29, 397-400	5.2	17
34	Degradation of medical-grade polyurethane elastomers: the effect of hydrogen peroxide in vitro. <i>Journal of Biomedical Materials Research Part B</i> , 1993 , 27, 345-56		49
33	Synthesis and characterization of hydroxy-terminated poly(alkylene oxides) by condensation polymerization of diols. <i>Polymer International</i> , 1992 , 27, 275-283	3.3	21
32	Absolute rate constants for radical-monomer reactions. <i>Polymer Bulletin</i> , 1992 , 29, 647-652	2.4	61
31	Polyurethane elastomers based on novel polyether macrodiols and MDI: Synthesis, mechanical properties, and resistance to hydrolysis and oxidation. <i>Journal of Applied Polymer Science</i> , 1992 , 46, 319-328	2.9	44
30	Influence of thionoesters on the degree of polymerization of styrene, methyl acrylate, methyl methacrylate and vinyl acetate. <i>Die Makromolekulare Chemie</i> , 1992 , 193, 369-378		22
29	New chain transfer agents for free radical polymerizations. <i>Polymer International</i> , 1991 , 26, 239-244	3.3	14

28	Thiohydroxamic esters. <i>Polymer Bulletin</i> , 1991 , 26, 291-295	2.4	22
27	Initiation mechanisms in radical polymerization: reaction of isopropoxyl radicals with methyl methacrylate. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1991 , 1351		18
26	The use of substituted allylic sulfides to prepare end-functional polymers of controlled molecular weight by free-radical polymerization. <i>Macromolecules</i> , 1991 , 24, 3689-3695	5.5	92
25	Chain transfer activity of some activated allylic compounds. <i>Polymer Bulletin</i> , 1990 , 24, 501-505	2.4	72
24	The use of activated benzyl vinyl ethers to control molecular weight in free radical polymerizations. <i>Die Makromolekulare Chemie</i> , 1990 , 191, 1545-1553		36
23	REACTIVITY OF MACROMONOMERS IN FREE RADICAL POLYMERIZATION. <i>Journal of Macromolecular Science - Reviews in Macromolecular Chemistry and Physics</i> , 1990 , 30, 305-377		76
22	Other Initiating Systems 1989 , 141-146		14
21	Chain transfer by an addition-fragmentation mechanism. The use of β -benzyloxystyrene for the preparation of low-molecular-weight poly(methyl methacrylate) and polystyrene. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1988 , 9, 547-551		57
20	Thermal stability of poly(methyl methacrylate). <i>Polymer Bulletin</i> , 1988 , 20, 499-503	2.4	28
19	End groups of poly(methyl methacrylate-co-styrene) prepared with tert-butoxy, methyl, and/or phenyl radical initiation: effects of solvent, monomer composition, and conversion. <i>Macromolecules</i> , 1988 , 21, 1522-1528	5.5	35
18	Preparation of controlled-molecular-weight, olefin-terminated polymers by free radical methods. Chain transfer using allylic sulfides. <i>Macromolecules</i> , 1988 , 21, 3122-3124	5.5	114
17	Kinetic data for coupling of primary alkyl radicals with a stable nitroxide. <i>Journal of the Chemical Society Chemical Communications</i> , 1986 , 1003		23
16	^{13}C - ^1H heteronuclear chemical shift correlation spectroscopy applied to poly(methyl [carbonyl- ^{13}C]methacrylate): an unambiguous method for assigning resonances to configurational sequences. <i>Macromolecules</i> , 1986 , 19, 2494-2497	5.5	26
15	Reaction of t-butoxy radicals with norbornadiene. <i>Tetrahedron Letters</i> , 1985 , 26, 5081-5084	2	10
14	Reactions of hydroxyl radicals with polymerizable olefins. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1985 , 379		14
13	Reaction of tert-butoxyl radicals with electron-rich β -methylvinyl monomers. <i>Die Makromolekulare Chemie</i> , 1984 , 185, 1809-1817		17
12	Application of ^{13}C -labelled initiators and ^{13}C NMR to the study of the kinetics and efficiency of initiation of styrene polymerization. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1984 , 5, 793-798		73
11	2-(t-Butylazo)prop-2-yl hydroperoxide: a convenient source of hydroxyl radicals in organic media. <i>Journal of the Chemical Society Chemical Communications</i> , 1984 , 867		8

10	Identification of end groups in polymers by a spin-echo NMR technique. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1983 , 4, 29-32		20
9	Confirmation of the Mayo mechanism for the initiation of the thermal polymerization of styrene. <i>Journal of the American Chemical Society</i> , 1983 , 105, 7761-7762	16.4	69
8	Selectivity of the reaction of free radicals with styrene. <i>Macromolecules</i> , 1982 , 15, 909-914	5.5	190
7	Reactions of benzoyloxyl radicals with some common vinyl monomers. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1982 , 3, 533-536		26
6	Quantitative studies on free radical reactions with the scavenger 1,1,3,3-tetramethylisoindolyl-2-oxy. <i>Tetrahedron Letters</i> , 1982 , 23, 1309-1312	2	55
5	A product study of the nitroxide inhibited thermal polymerization of styrene. <i>Polymer Bulletin</i> , 1982 , 6, 589	2.4	72
4	Head additon of radicals to methyl methacrylate. <i>Polymer Bulletin</i> , 1982 , 6, 647	2.4	12
3	The reaction of acyl peroxides with 2,2,6,6-tetramethylpiperidiny-1-oxy. <i>Tetrahedron Letters</i> , 1981 , 22, 1165-1168	2	50
2	A new method for investigating the mechanism of initiation of radical polymerization. <i>Polymer Bulletin</i> , 1979 , 1, 529-534	2.4	84
1	RAFT Polymerization in Bulk Monomer or in (Organic) Solution 189-234		14