

Richard W Morris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1072204/publications.pdf>

Version: 2024-02-01

208
papers

13,674
citations

28736

57
h-index

29333

108
g-index

223
all docs

223
docs citations

223
times ranked

25250
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of e-cigarette retail displays on attitudes to smoking and vaping in children: an online experimental study. <i>Tobacco Control</i> , 2023, 32, e220-e227.	1.8	1
2	Electronic cigarette and smoking paraphernalia point of sale displays: an observational study in England. <i>Tobacco Control</i> , 2022, 31, e201-e206.	1.8	3
3	Effect of health warning labels on motivation towards energy-dense snack foods: Two experimental studies. <i>Appetite</i> , 2022, 175, 106084.	1.8	3
4	Impact of health warning labels communicating the risk of cancer on alcohol selection: an online experimental study. <i>Addiction</i> , 2021, 116, 41-52.	1.7	32
5	Categories and health impacts of intimate partner violence in the World Health Organization multi-country study on women's health and domestic violence. <i>International Journal of Epidemiology</i> , 2021, 50, 652-662.	0.9	68
6	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021, 30, 393-409.	1.4	32
7	Investigating the Use of Electronic Well-being Diaries Completed Within a Psychoeducation Program for University Students: Longitudinal Text Analysis Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e25279.	2.1	1
8	Underutilisation of EPaCCS (Electronic Palliative Care Coordination Systems) in end-of life-care: a cross-sectional study. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjpspcare-2020-002798.	0.8	2
9	Equity-specific effects of interventions to promote physical activity among middle-aged and older adults: results from applying a novel equity-specific re-analysis strategy. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 65.	2.0	4
10	Health warning labels and alcohol selection: a randomised controlled experiment in a naturalistic shopping laboratory. <i>Addiction</i> , 2021, 116, 3333-3345.	1.7	15
11	Straight-sided beer and cider glasses to reduce alcohol sales for on-site consumption: A randomised crossover trial in bars. <i>Social Science and Medicine</i> , 2021, 278, 113911.	1.8	0
12	Lagged Association between Climate Variables and Hospital Admissions for Pneumonia in South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6191.	1.2	7
13	Cigarette pack size and consumption: an adaptive randomised controlled trial. <i>BMC Public Health</i> , 2021, 21, 1420.	1.2	2
14	Detecting Heterogeneity of Intervention Effects Using Analysis and Meta-analysis of Differences in Variance Between Trial Arms. <i>Epidemiology</i> , 2021, 32, 846-854.	1.2	28
15	P62â€¦Educational inequalities in statin treatment: cross-sectional analysis of UK biobank. , 2021, , .		0
16	145Educational inequalities in primary prevention statin use in UK Biobank. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
17	Is continuity of primary care declining in England? Practice-level longitudinal study from 2012 to 2017. <i>British Journal of General Practice</i> , 2021, 71, e432-e440.	0.7	27
18	Size and shape of plates and size of wine glasses and bottles: impact on self-serving of food and alcohol. <i>BMC Psychology</i> , 2021, 9, 163.	0.9	6

#	ARTICLE	IF	CITATIONS
19	An intervention to improve teacher well-being support and training to support students in UK high schools (the WISE study): A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003847.	3.9	12
20	Mental health support and training to improve secondary school teachers'™ well-being: the WISE cluster RCT. <i>Public Health Research</i> , 2021, 9, 1-138.	0.5	2
21	Immediate oral versus immediate topical versus delayed oral antibiotics for children with acute otitis media with discharge: the REST three-arm non-inferiority electronic platform-supported RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-76.	1.3	2
22	The effect of prehospital critical care on survival following out-of-hospital cardiac arrest: A prospective observational study. <i>Resuscitation</i> , 2020, 146, 178-187.	1.3	10
23	Agreement was moderate between data-based and opinion-based assessments of biases affecting randomized trials within meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2020, 125, 16-25.	2.4	0
24	The impact on selection of non-alcoholic vs alcoholic drink availability: an online experiment. <i>BMC Public Health</i> , 2020, 20, 526.	1.2	11
25	A multi-centre, pragmatic, three-arm, individually randomised, non-inferiority, open trial to compare immediate orally administered, immediate topically administered or delayed orally administered antibiotics for acute otitis media with discharge in children: The Runny Ear Study (REST): study protocol. <i>Trials</i> , 2020, 21, 463.	0.7	4
26	Impact of emergency hospital admissions on patterns of primary care prescribing: a retrospective cohort analysis of electronic records in England. <i>British Journal of General Practice</i> , 2020, 70, e399-e405.	0.7	0
27	The coMforT study of a trauma-informed mindfulness intervention for women who have experienced domestic violence and abuse: a protocol for an intervention refinement and individually randomized parallel feasibility trial. <i>Pilot and Feasibility Studies</i> , 2020, 6, 33.	0.5	6
28	Impact of health warning labels on snack selection: An online experimental study. <i>Appetite</i> , 2020, 154, 104744.	1.8	14
29	Image-and-text health warning labels on alcohol and food: potential effectiveness and acceptability. <i>BMC Public Health</i> , 2020, 20, 376.	1.2	40
30	Digital Behavior Change Interventions for Younger Children With Chronic Health Conditions: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e16924.	2.1	40
31	Do adolescents with chronic fatigue syndrome (CFS/ME) and co-morbid anxiety and/or depressive symptoms think differently to those who do not have co-morbid psychopathology?. <i>Journal of Affective Disorders</i> , 2020, 274, 752-758.	2.0	7
32	Is teachers'™ mental health and wellbeing associated with students'™ mental health and wellbeing?. <i>Journal of Affective Disorders</i> , 2019, 242, 180-187.	2.0	155
33	Polypharmacy patterns in the last year of life in patients with dementia. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1583-1591.	0.8	13
34	Reply to: Comment on: "The effect of prehospital critical care on survival following out of hospital cardiac arrest: A prospective observational study" Resuscitation, 2019, 145, 206-207.	1.3	3
35	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 240.	0.7	22
36	Plate size and food consumption: a pre-registered experimental study in a general population sample. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 75.	2.0	15

#	ARTICLE	IF	CITATIONS
37	Equity-Specific Effects of Interventions to Promote Physical Activity among Middle-Aged and Older Adults: Development of a Collaborative Equity-Specific Re-Analysis Strategy. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3195.	1.2	6
38	<p>Health indicator recording in UK primary care electronic health records: key implications for handling missing data</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 157-167.	1.5	38
39	The impact of a named GP scheme on continuity of care and emergency hospital admission: a cohort study among older patients in England, 2012â€“2016. <i>BMJ Open</i> , 2019, 9, e029103.	0.8	21
40	How are behavioural interventions delivered to children (5â€“11 years old): a systematic mapping review. <i>BMJ Paediatrics Open</i> , 2019, 3, e000543.	0.6	9
41	Does total volume of physical activity matter more than pattern for onset of CVD? A prospective cohort study of older British men. <i>International Journal of Cardiology</i> , 2019, 278, 267-272.	0.8	38
42	Objectively measured physical activity, sedentary behaviour and all-cause mortality in older men: does volume of activity matter more than pattern of accumulation?. <i>British Journal of Sports Medicine</i> , 2019, 53, 1013-1020.	3.1	171
43	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-98.	0.4	6
44	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 145-154.	3.7	66
45	Can we identify older people most vulnerable to living in cold homes during winter?. <i>Annals of Epidemiology</i> , 2018, 28, 1-7.e3.	0.9	4
46	A cluster randomised controlled trial of the Wellbeing in Secondary Education (WISE) Project â€“ an intervention to improve the mental health support and training available to secondary school teachers: protocol for an integrated process evaluation. <i>Trials</i> , 2018, 19, 270.	0.7	61
47	Costâ€“effectiveness of personal tailored risk information and taster sessions to increase the uptake of the NHS stop smoking services: the Start2quit randomized controlled trial. <i>Addiction</i> , 2018, 113, 708-718.	1.7	8
48	Investigating associations between the built environment and physical activity among older people in 20 UK towns. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 121-131.	2.0	34
49	Complementary medicine use, views, and experiences: a national survey in England. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101614.	0.9	22
50	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. <i>Nature Communications</i> , 2018, 9, 5141.	5.8	119
51	Investigating the relationship between the <scp>HJHS</scp> and <scp>HAL</scp> in routine clinical practice: A retrospective review. <i>Haemophilia</i> , 2018, 24, 988-994.	1.0	14
52	Use of primary care data to predict those most vulnerable to cold weather: a case-crossover analysis. <i>British Journal of General Practice</i> , 2018, 68, e146-e156.	0.7	6
53	Partial factorial trials: comparing methods for statistical analysis and economic evaluation. <i>Trials</i> , 2018, 19, 442.	0.7	7
54	Effectiveness of personalised risk information and taster sessions to increase the uptake of smoking cessation services (Start2quit): a randomised controlled trial. <i>Lancet</i> , 2017, 389, 823-833.	6.3	41

#	ARTICLE	IF	CITATIONS
55	Association of Maximum Temperature With Sedentary Time in Older British Men. <i>Journal of Physical Activity and Health</i> , 2017, 14, 265-269.	1.0	9
56	Causal Associations of Adiposity and Body Fat Distribution With Coronary Heart Disease, Stroke Subtypes, and Type 2 Diabetes Mellitus. <i>Circulation</i> , 2017, 135, 2373-2388.	1.6	304
57	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 97-105.	5.5	298
58	Relationship between outdoor temperature and cardiovascular disease risk factors in older people. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 349-356.	0.8	21
59	Optimising measurement of health-related characteristics of the built environment: Comparing data collected by foot-based street audits, virtual street audits and routine secondary data sources. <i>Health and Place</i> , 2017, 43, 75-84.	1.5	50
60	Why do patients seek primary medical care in emergency departments? An ethnographic exploration of access to general practice. <i>BMJ Open</i> , 2017, 7, e013816.	0.8	65
61	Associations of time of day with cardiovascular disease risk factors measured in older men: results from the British Regional Heart Study. <i>BMJ Open</i> , 2017, 7, e018264.	0.8	5
62	Continuity of Primary Care and Emergency Hospital Admissions Among Older Patients in England. <i>Annals of Family Medicine</i> , 2017, 15, 515-522.	0.9	39
63	HAPRAP: a haplotype-based iterative method for statistical fine mapping using GWAS summary statistics. <i>Bioinformatics</i> , 2017, 33, 79-86.	1.8	4
64	Exploring the relationship between general practice characteristics and attendance at Walk-in Centres, Minor Injuries Units and Emergency Departments in England 2009/10-2012/2013: a longitudinal study. <i>BMC Health Services Research</i> , 2017, 17, 546.	0.9	7
65	Start2quit: a randomised clinical controlled trial to evaluate the effectiveness and cost-effectiveness of using personal tailored risk information and taster sessions to increase the uptake of the NHS Stop Smoking Services. <i>Health Technology Assessment</i> , 2017, 21, 1-206.	1.3	11
66	Marginal role for 53 common genetic variants in cardiovascular disease prediction. <i>Heart</i> , 2016, 102, 1640-1647.	1.2	27
67	Dietary patterns and the risk of CVD and all-cause mortality in older British men. <i>British Journal of Nutrition</i> , 2016, 116, 1246-1255.	1.2	60
68	Effect of cold spells and their modifiers on cardiovascular disease events: Evidence from two prospective studies. <i>International Journal of Cardiology</i> , 2016, 218, 275-283.	0.8	34
69	Exercise for reducing fear of falling in older people living in the community: Cochrane systematic review and meta-analysis. <i>Age and Ageing</i> , 2016, 45, 345-352.	0.7	174
70	Exploring the relationship between general practice characteristics, and attendance at walk-in centres, minor injuries units and EDs in England 2012/2013: a cross-sectional study. <i>Emergency Medicine Journal</i> , 2016, 33, 702-708.	0.4	13
71	Prehospital critical care for out-of-hospital cardiac arrest: An observational study examining survival and a stakeholder-focused cost analysis. <i>BMC Emergency Medicine</i> , 2016, 16, 47.	0.7	6
72	Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers - the WISE (Wellbeing in Secondary) Trial. <i>BMJ Open</i> , 2016, 6, e009888.	0.4	10

#	ARTICLE	IF	CITATIONS
73	Evaluating the clinical and cost effectiveness of a behaviour change intervention for lowering cardiovascular disease risk for people with severe mental illnesses in primary care (PRIMROSE study): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 80.	0.7	17
74	Plasma urate concentration and risk of coronary heart disease: a Mendelian randomisation analysis. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 327-336.	5.5	122
75	Adult height, coronary heart disease and stroke: a multi-locus Mendelian randomization meta-analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 1927-1937.	0.9	94
76	Frailty predicts trajectories of quality of life over time among British community-dwelling older people. <i>Quality of Life Research</i> , 2016, 25, 1743-1750.	1.5	52
77	Exome-wide analysis of rare coding variation identifies novel associations with COPD and airflow limitation in <i>MOCS3</i> , <i>IFIT3</i> and <i>SERPINA12</i> . <i>Thorax</i> , 2016, 71, 501-509.	2.7	22
78	Replication and Characterization of Association between ABO SNPs and Red Blood Cell Traits by Meta-Analysis in Europeans. <i>PLoS ONE</i> , 2016, 11, e0156914.	1.1	22
79	Exercise for reducing fear of falling in older people living in the community. <i>The Cochrane Library</i> , 2015, 2015, CD009848.	1.5	176
80	Diet quality in older age: the influence of childhood and adult socio-economic circumstances. <i>British Journal of Nutrition</i> , 2015, 113, 1441-1452.	1.2	43
81	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2015, 65, e731-e738.	0.7	47
82	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 155.	1.1	61
83	Cardiovascular Risk Prediction Models for People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2015, 72, 143.	6.0	127
84	Feasibility and impact of a computerised clinical decision support system on investigation and initial management of new onset chest pain: a mixed methods study. <i>BMC Medical Informatics and Decision Making</i> , 2015, 15, 71.	1.5	9
85	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. <i>The CARTA consortium: Table 1</i> . <i>BMJ Open</i> , 2015, 5, e008808.	0.8	53
86	Randomised controlled trial of the effectiveness of community group and home-based falls prevention exercise programmes on bone health in older people: the ProAct65+ bone study. <i>Age and Ageing</i> , 2015, 44, 573-579.	0.7	32
87	The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 423-430.	5.5	67
88	Does the timed up and go test predict future falls among British community-dwelling older people? Prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 38.	1.1	112
89	Variation in the <i>SLC23A1</i> gene does not influence cardiometabolic outcomes to the extent expected given its association with l-ascorbic acid. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 202-209.	2.2	13
90	Mendelian randomization of blood lipids for coronary heart disease. <i>European Heart Journal</i> , 2015, 36, 539-550.	1.0	567

#	ARTICLE	IF	CITATIONS
91	“Keeping Moving” factors associated with sedentary behaviour among older people recruited to an exercise promotion trial in general practice. <i>BMC Family Practice</i> , 2015, 16, 67.	2.9	28
92	Effect of Smoking on Blood Pressure and Resting Heart Rate. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 832-841.	5.1	105
93	Diurnal patterns of objectively measured physical activity and sedentary behaviour in older men. <i>BMC Public Health</i> , 2015, 15, 609.	1.2	57
94	Smoking and diabetes risk: building a causal case with clinical implications. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 918-920.	5.5	12
95	Sixty-Five Common Genetic Variants and Prediction of Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 1830-1840.	0.3	91
96	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet</i> , 2015, 385, 351-361.	6.3	562
97	Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. <i>BMJ Open</i> , 2014, 4, e006141.	0.8	150
98	Cost-Effectiveness of Computer-Tailored Smoking Cessation Advice in Primary Care: A Randomized Trial (ESCAPE). <i>Nicotine and Tobacco Research</i> , 2014, 16, 270-278.	1.4	16
99	Stratification by Smoking Status Reveals an Association of CHRNA5-A3-B4 Genotype with Body Mass Index in Never Smokers. <i>PLoS Genetics</i> , 2014, 10, e1004799.	1.5	45
100	Can analyses of electronic patient records be independently and externally validated? The effect of statins on the mortality of patients with ischaemic heart disease: a cohort study with nested case-control analysis. <i>BMJ Open</i> , 2014, 4, e004952.	0.8	29
101	Inequalities in heart failure in older men: prospective associations between socioeconomic measures and heart failure incidence in a 10-year follow-up study. <i>European Heart Journal</i> , 2014, 35, 442-447.	1.0	26
102	Which features of primary care affect unscheduled secondary care use? A systematic review. <i>BMJ Open</i> , 2014, 4, e004746.	0.8	158
103	High Diet Quality Is Associated with a Lower Risk of Cardiovascular Disease and All-Cause Mortality in Older Men. <i>Journal of Nutrition</i> , 2014, 144, 673-680.	1.3	82
104	Smoker, ex-smoker or non-smoker? The validity of routinely recorded smoking status in UK primary care: a cross-sectional study. <i>BMJ Open</i> , 2014, 4, e004958.	0.8	59
105	Sarcopenic Obesity and Risk of Cardiovascular Disease and Mortality: A Population-Based Cohort Study of Older Men. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 253-260.	1.3	362
106	Evaluation of two-fold fully conditional specification multiple imputation for longitudinal electronic health record data. <i>Statistics in Medicine</i> , 2014, 33, 3725-3737.	0.8	46
107	Response to Safer et al.. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1208-1209.	1.3	0
108	Assessing Risk Prediction Models Using Individual Participant Data From Multiple Studies. <i>American Journal of Epidemiology</i> , 2014, 179, 621-632.	1.6	47

#	ARTICLE	IF	CITATIONS
109	Time trends in socioeconomic inequalities in cancer mortality: results from a 35-year prospective study in British men. <i>BMC Cancer</i> , 2014, 14, 474.	1.1	13
110	Which factors are associated with fear of falling in community-dwelling older people?. <i>Age and Ageing</i> , 2014, 43, 76-84.	0.7	144
111	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ</i> , 2014, 349, g4164-g4164.	3.0	528
112	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014, 46, 826-836.	9.4	281
113	A randomised controlled trial of the clinical effectiveness and cost-effectiveness of different knee prostheses: the Knee Arthroplasty Trial (KAT). <i>Health Technology Assessment</i> , 2014, 18, 1-235, vii-viii.	1.3	98
114	Multicentre cluster randomised trial comparing a community group exercise programme and home-based exercise with usual care for people aged 65 years and over in primary care. <i>Health Technology Assessment</i> , 2014, 18, 1-106.	1.3	128
115	Lessons learnt during a complex, multicentre cluster randomised controlled trial: the ProAct65+ trial. <i>Trials</i> , 2013, 14, 192.	0.7	15
116	Longitudinal measurement of cortisol in association with mental health and experience of domestic violence and abuse: study protocol. <i>BMC Psychiatry</i> , 2013, 13, 188.	1.1	9
117	Secretory Phospholipase A2-IIA and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1966-1976.	1.2	115
118	Sample size requirement for digital image analysis of collagen proportionate area in cirrhotic livers. <i>Histopathology</i> , 2013, 62, 421-430.	1.6	26
119	Apolipoprotein E genotype, cardiovascular biomarkers and risk of stroke: Systematic review and meta-analysis of 14 015 stroke cases and pooled analysis of primary biomarker data from up to 60 883 individuals. <i>International Journal of Epidemiology</i> , 2013, 42, 475-492.	0.9	145
120	ESCAPE: a randomised controlled trial of computer-tailored smoking cessation advice in primary care. <i>Addiction</i> , 2013, 108, 811-819.	1.7	18
121	Population Genomics of Cardiometabolic Traits: Design of the University College London-London School of Hygiene and Tropical Medicine-Edinburgh-Bristol (UCLEB) Consortium. <i>PLoS ONE</i> , 2013, 8, e71345.	1.1	39
122	Completion and Return of Fall Diaries Varies With Participants' Level of Education, First Language, and Baseline Fall Risk. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67A, 210-214.	1.7	31
123	Comparative analysis of genome-wide association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular Biomarker Genetics Collaboration. <i>European Heart Journal</i> , 2012, 33, 393-407.	1.0	93
124	Factors predicting recruitment to a UK wide primary care smoking cessation study (the ESCAPE trial). <i>Family Practice</i> , 2012, 29, 110-117.	0.8	28
125	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 1419-1433.	0.9	230
126	Rising adiposity curbing decline in the incidence of myocardial infarction: 20-year follow-up of British men and women in the Whitehall II cohort. <i>European Heart Journal</i> , 2012, 33, 478-485.	1.0	28

#	ARTICLE	IF	CITATIONS
127	The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. <i>Lancet</i> , The, 2012, 379, 1214-1224.	6.3	886
128	Is it important to measure or reduce C-reactive protein in people at risk of cardiovascular disease?. <i>European Heart Journal</i> , 2012, 33, 2258-2264.	1.0	14
129	Evaluating the effectiveness of using personal tailored risk information and taster sessions to increase the uptake of smoking cessation services: study protocol for a randomised controlled trial. <i>Trials</i> , 2012, 13, 195.	0.7	8
130	Association Between Genetic Variants on Chromosome 15q25 Locus and Objective Measures of Tobacco Exposure. <i>Journal of the National Cancer Institute</i> , 2012, 104, 740-748.	3.0	198
131	Survival with Treated and Well-Controlled Blood Pressure: Findings from a Prospective Cohort Study. <i>PLoS ONE</i> , 2011, 6, e17792.	1.1	26
132	Patellar Resurfacing in Total Knee Replacement: Five-Year Clinical and Economic Results of a Large Randomized Controlled Trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1473-1481.	1.4	77
133	Class and lifestyle "lock-in" among middle-aged and older men: a Multiple Correspondence Analysis of the British Regional Heart Study. <i>Sociology of Health and Illness</i> , 2011, 33, 399-419.	1.1	23
134	Genetic Variants Associated with von Willebrand Factor Levels in Healthy Men and Women Identified Using the HumanCVD BeadChip. <i>Annals of Human Genetics</i> , 2011, 75, 456-467.	0.3	28
135	Blood Pressure Loci Identified with a Gene-Centric Array. <i>American Journal of Human Genetics</i> , 2011, 89, 688-700.	2.6	159
136	Commentary on "Interactive computer-based interventions for sexual health promotion" with a response from the review authors. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2011, 6, 2271-2274.	2.0	1
137	Effect of Five Genetic Variants Associated with Lung Function on the Risk of Chronic Obstructive Lung Disease, and Their Joint Effects on Lung Function. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 786-795.	2.5	128
138	Longitudinal associations of socioeconomic position in childhood and adulthood with decline in lung function over 20 years: results from a population-based cohort of British men. <i>Thorax</i> , 2011, 66, 1058-1064.	2.7	30
139	Genetic variation at CHRNA5-CHRNA3-CHRNA4 interacts with smoking status to influence body mass index. <i>International Journal of Epidemiology</i> , 2011, 40, 1617-1628.	0.9	100
140	Prediction of coronary heart disease risk by Framingham and SCORE risk assessments varies by socioeconomic position: results from a study in British men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 186-193.	3.1	26
141	Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. <i>Nature Genetics</i> , 2011, 43, 1082-1090.	9.4	367
142	Psychodynamic approaches to teaching medical students about the doctor-patient relationship: randomised controlled trial. <i>The Psychiatrist</i> , 2011, 35, 308-313.	0.3	22
143	Four Genetic Loci Influencing Electrocardiographic Indices of Left Ventricular Hypertrophy. Circulation: <i>Cardiovascular Genetics</i> , 2011, 4, 626-635.	5.1	28
144	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 770-774.	2.0	30

#	ARTICLE	IF	CITATIONS
145	Social Class Differences in Secular Trends in Established Coronary Risk Factors over 20 Years: A Cohort Study of British Men from 1978â€“80 to 1998â€“2000. PLoS ONE, 2011, 6, e19742.	1.1	12
146	Assessing the impact of medication use on trends in major coronary risk factors in older British men: a cohort study. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 502-508.	3.1	13
147	CAPL: a novel association test using caseâ€“control and family data and accounting for population stratification. Genetic Epidemiology, 2010, 34, 747-755.	0.6	15
148	Multi-centre cluster randomised trial comparing a community group exercise programme with home based exercise with usual care for people aged 65 and over in primary care: protocol of the ProAct 65+ trial. Trials, 2010, 11, 6.	0.7	30
149	Issues in multiple imputation of missing data for large general practice clinical databases. Pharmacoepidemiology and Drug Safety, 2010, 19, 618-626.	0.9	99
150	Genome-wide association study identifies five loci associated with lung function. Nature Genetics, 2010, 42, 36-44.	9.4	518
151	Genetic variation at the SLC23A1 locus is associated with circulating concentrations of l-ascorbic acid (vitamin C): evidence from 5 independent studies with >15,000 participants. American Journal of Clinical Nutrition, 2010, 92, 375-382.	2.2	102
152	Is the Recent Rise in Type 2 Diabetes Incidence From 1984 to 2007 Explained by the Trend in Increasing BMI?: Evidence from a prospective study of British men. Diabetes Care, 2010, 33, 1494-1496.	4.3	24
153	Association of the 98T ELAM-1 Polymorphism With Increased Bleeding After Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2010, 24, 427-433.	0.6	14
154	The Potential of Web-based Interventions for Heart Disease Self-Management: A Mixed Methods Investigation. Journal of Medical Internet Research, 2010, 12, e56.	2.1	47
155	Association Test for X-Linked QTL in Family-Based Designs. American Journal of Human Genetics, 2009, 84, 431-444.	2.6	17
156	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study. BMJ: British Medical Journal, 2009, 338, b1279-b1279.	2.4	46
157	Bespoke cohort studies needed. BMJ: British Medical Journal, 2009, 339, b3512-b3512.	2.4	3
158	Effectiveness of computer-tailored Smoking Cessation Advice in Primary Care (ESCAPE): a Randomised Trial. Trials, 2008, 9, 23.	0.7	19
159	Xâ€“LRT: a likelihood approach to estimate genetic risks and test association with Xâ€“linked markers using a caseâ€“parents design. Genetic Epidemiology, 2008, 32, 370-380.	0.6	13
160	Response to Ding and Lin. American Journal of Human Genetics, 2008, 82, 530-531.	2.6	1
161	Disease Associations and Familyâ€“Based Tests. Current Protocols in Human Genetics, 2008, 58, Unit 1.12.	3.5	4
162	Extent of Social Inequalities in Disability in the Elderly: Results From a Population-based Study of British Men. Annals of Epidemiology, 2008, 18, 896-903.	0.9	45

#	ARTICLE	IF	CITATIONS
163	Relationships of inflammatory and haemostatic markers with social class: Results from a population-based study of older men. <i>Atherosclerosis</i> , 2008, 197, 654-661.	0.4	28
164	Is Socioeconomic Position Related to the Prevalence of Metabolic Syndrome?. <i>Diabetes Care</i> , 2008, 31, 2380-2382.	4.3	44
165	Do socioeconomic characteristics of neighbourhood of residence independently influence incidence of coronary heart disease and all-cause mortality in older British men?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 19-25.	3.1	8
166	Hard drinking water does not protect against cardiovascular disease: new evidence from the British Regional Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 185-189.	3.1	32
167	How Much of the Recent Decline in the Incidence of Myocardial Infarction in British Men Can Be Explained by Changes in Cardiovascular Risk Factors?. <i>Circulation</i> , 2008, 117, 598-604.	1.6	139
168	Knee-length graduated compression stockings for thromboprophylaxis in air travellers: A meta-analysis. <i>International Journal of Angiology</i> , 2008, 17, 119-123.	0.2	4
169	Missed opportunities for secondary prevention of cerebrovascular disease in elderly British men from 1999 to 2005: a population-based study. <i>Journal of Public Health</i> , 2007, 29, 251-257.	1.0	26
170	Are childhood socio-economic circumstances related to coronary heart disease risk? Findings from a population-based study of older men. <i>International Journal of Epidemiology</i> , 2007, 36, 560-566.	0.9	30
171	Orofacial Cleft Risk Is Increased with Maternal Smoking and Specific Detoxification-Gene Variants. <i>American Journal of Human Genetics</i> , 2007, 80, 76-90.	2.6	156
172	X-APL: An Improved Family-Based Test of Association in the Presence of Linkage for the X Chromosome. <i>American Journal of Human Genetics</i> , 2007, 80, 59-68.	2.6	24
173	BEHAVIOURAL TESTING AND HISTOLOGICAL ASSESSMENTS OF RABBIT SPINAL CORD FOLLOWING INTRATHECAL ADMINISTRATION OF ONDANSETRON. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 798-801.	0.9	2
174	Adolescent rats are protected from the conditioned aversive properties of cocaine and lithium chloride. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 84, 344-352.	1.3	67
175	Secondary prevention of coronary heart disease in older patients after the national service framework: population based study. <i>BMJ: British Medical Journal</i> , 2006, 332, 144-145.	2.4	25
176	How Well Do HapMap Haplotypes Identify Common Haplotypes of Genes? A Comparison with Haplotypes of 334 Genes Resequenced in the Environmental Genome Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 133-137.	1.1	15
177	Commentary: Over-correction for regression dilution bias? Not for blood pressure vs coronary heart disease. <i>International Journal of Epidemiology</i> , 2005, 34, 1368-1369.	0.9	0
178	Trends in rates of different forms of diagnosed coronary heart disease, 1978 to 2000: prospective, population based study of British men. <i>BMJ: British Medical Journal</i> , 2005, 330, 1046.	2.4	49
179	Genetic Polymorphisms and the Risk of Stroke After Cardiac Surgery. <i>Stroke</i> , 2005, 36, 1854-1858.	1.0	84
180	INTERHEART. <i>Lancet</i> , The, 2005, 365, 117.	6.3	6

#	ARTICLE	IF	CITATIONS
181	Social class differences in coronary heart disease in middle-aged British men: implications for prevention. <i>International Journal of Epidemiology</i> , 2004, 33, 289-296.	0.9	58
182	Equity and need when waiting for total hip replacement surgery. <i>Journal of Evaluation in Clinical Practice</i> , 2004, 10, 3-9.	0.9	41
183	Testing for association with a case-parents design in the presence of genotyping errors. <i>Genetic Epidemiology</i> , 2004, 26, 142-154.	0.6	27
184	Extent of regression dilution for established and novel coronary risk factors: results from the British Regional Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 125-134.	3.1	66
185	Evaluating the impact of population and high-risk strategies for the primary prevention of cardiovascular disease. <i>European Heart Journal</i> , 2004, 25, 484-491.	1.0	190
186	The influence of peripheral vascular disease on the carotid and femoral wall mechanics in subjects with abdominal aortic aneurysm. <i>Journal of Vascular Surgery</i> , 2003, 37, 403-409.	0.6	9
187	Invited Commentary: Testing for Hardy-Weinberg Disequilibrium Using a Genome Single-Nucleotide Polymorphism Scan Based on Cases Only. <i>American Journal of Epidemiology</i> , 2003, 158, 401-403.	1.6	25
188	Re-assessing the contribution of serum total cholesterol, blood pressure and cigarette smoking to the aetiology of coronary heart disease: impact of regression dilution bias. <i>European Heart Journal</i> , 2003, 24, 1719-1726.	1.0	105
189	Does waiting for total hip replacement matter? Prospective cohort study. <i>Journal of Health Services Research and Policy</i> , 2002, 7, 19-25.	0.8	91
190	Impaired carotid and femoral viscoelastic properties and elevated intima-media thickness in peripheral vascular disease. <i>Atherosclerosis</i> , 2002, 164, 113-120.	0.4	38
191	Mortality, morbidity, and 1-year outcomes of primary elective total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 165-171.	1.5	85
192	Hysterectomy: surgical route and complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002, 104, 148-151.	0.5	36
193	On the advantage of haplotype analysis in the presence of multiple disease susceptibility alleles. <i>Genetic Epidemiology</i> , 2002, 23, 221-233.	0.6	363
194	Does EBM offer the best opportunity yet for teaching medical statistics?. <i>Statistics in Medicine</i> , 2002, 21, 969-977.	0.8	22
195	Prospects for Association-Based Fine Mapping of a Susceptibility Gene for a Complex Disease. <i>Theoretical Population Biology</i> , 2001, 60, 181-191.	0.5	13
196	Issues concerning association studies for fine mapping a susceptibility gene for a complex disease. <i>Genetic Epidemiology</i> , 2001, 20, 432-457.	0.6	48
197	Long-term clinical and neurophysiological follow-up of patients with peripheral neuropathy associated with benign monoclonal gammopathy. <i>Muscle and Nerve</i> , 2000, 23, 164-174.	1.0	58
198	A practical approach to adjusting for attrition bias in HIV clinical trials with serial marker responses. <i>Aids</i> , 1998, 12, 1155-1161.	1.0	11

#	ARTICLE	IF	CITATIONS
199	Nuchal translucency measurements: frequency distribution and changes with gestation in a general population. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 1201-1204.	1.1	61
200	Outcome following fractured neck of femur - variation in acute hospital care or case mix?. Journal of Public Health, 1995, , .	1.0	4
201	Grading of cellular rejection after orthotopic liver transplantation. Hepatology, 1995, 21, 46-57.	3.6	74
202	Grading of cellular rejection after orthotopic liver transplantation. Hepatology, 1995, 21, 46-57.	3.6	4
203	Comparison of biphasic and monophasic waveforms in epicardial atrial defibrillation. Journal of the American College of Cardiology, 1994, 24, 171-176.	1.2	28
204	Assessing medical records: Patient preferences and knowledge. Journal of Mental Health, 1993, 2, 175-181.	1.0	1
205	Doctors' Interviewing Technique and Its Response to Different Booking Time. Family Practice, 1992, 9, 57-60.	0.8	22
206	p53 expression and prognosis in gastric carcinoma. International Journal of Cancer, 1992, 50, 859-862.	2.3	320
207	Skin tumors in the European PUVA Study. Eight-year follow-up of 1643 patients treated with PUVA for psoriasis. Journal of the American Academy of Dermatology, 1989, 20, 297.	0.6	4
208	Sources of variation in extinction rates, turnover, and diversity of marine invertebrate families during the Paleozoic. Paleobiology, 1986, 12, 421-432.	1.3	42