

Richard W Morris

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1072204/richard-w-morris-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

207
papers

10,405
citations

53
h-index

97
g-index

223
ext. papers

12,261
ext. citations

6.3
avg, IF

5.62
L-index

#	Paper	IF	Citations
207	Effect of health warning labels on motivation towards energy-dense snack foods: Two experimental studies.. <i>Appetite</i> , 2022 , 106084	4.5	0
206	An intervention to improve teacher well-being support and training to support students in UK high schools (the WISE study): A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2021 , 18, e1003847	11.6	4
205	Mental health support and training to improve secondary school teachers' well-being: the WISE cluster RCT. <i>Public Health Research</i> , 2021 , 9, 1-138	1.7	
204	Immediate oral versus immediate topical versus delayed oral antibiotics for children with acute otitis media with discharge: the REST three-arm non-inferiority electronic platform-supported RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-76	4.4	
203	Is continuity of primary care declining in England? Practice-level longitudinal study from 2012 to 2017. <i>British Journal of General Practice</i> , 2021 , 71, e432-e440	1.6	3
202	Size and shape of plates and size of wine glasses and bottles: impact on self-serving of food and alcohol. <i>BMC Psychology</i> , 2021 , 9, 163	2.8	1
201	Investigating the Use of Electronic Well-being Diaries Completed Within a Psychoeducation Program for University Students: Longitudinal Text Analysis Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25279	7.6	1
200	Equity-specific effects of interventions to promote physical activity among middle-aged and older adults: results from applying a novel equity-specific re-analysis strategy. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 65	8.4	0
199	Health warning labels and alcohol selection: a randomised controlled experiment in a naturalistic shopping laboratory. <i>Addiction</i> , 2021 , 116, 3333-3345	4.6	3
198	Straight-sided beer and cider glasses to reduce alcohol sales for on-site consumption: A randomised crossover trial in bars. <i>Social Science and Medicine</i> , 2021 , 278, 113911	5.1	
197	Lagged Association between Climate Variables and Hospital Admissions for Pneumonia in South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
196	Cigarette pack size and consumption: an adaptive randomised controlled trial. <i>BMC Public Health</i> , 2021 , 21, 1420	4.1	0
195	Impact of health warning labels communicating the risk of cancer on alcohol selection: an online experimental study. <i>Addiction</i> , 2021 , 116, 41-52	4.6	14
194	Categories and health impacts of intimate partner violence in the World Health Organization multi-country study on women's health and domestic violence. <i>International Journal of Epidemiology</i> , 2021 , 50, 652-662	7.8	21
193	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021 , 30, 393-409	5.6	6
192	Detecting Heterogeneity of Intervention Effects Using Analysis and Meta-analysis of Differences in Variance Between Trial Arms. <i>Epidemiology</i> , 2021 , 32, 846-854	3.1	6
191	Agreement was moderate between data-based and opinion-based assessments of biases affecting randomized trials within meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2020 , 125, 16-25	5.7	

190	The impact on selection of non-alcoholic vs alcoholic drink availability: an online experiment. <i>BMC Public Health</i> , 2020 , 20, 526	4.1	5
189	A multi-centre, pragmatic, three-arm, individually randomised, non-inferiority, open trial to compare immediate orally administered, immediate topically administered or delayed orally administered antibiotics for acute otitis media with discharge in children: The Runny Ear Study (RESY): study protocol. <i>Trials</i> , 2020 , 21, 463	2.8	3
188	Impact of emergency hospital admissions on patterns of primary care prescribing: a retrospective cohort analysis of electronic records in England. <i>British Journal of General Practice</i> , 2020 , 70, e399-e405	1.6	
187	The coMforT study of a trauma-informed mindfulness intervention for women who have experienced domestic violence and abuse: a protocol for an intervention refinement and individually randomized parallel feasibility trial. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 33	1.9	3
186	Impact of health warning labels on snack selection: An online experimental study. <i>Appetite</i> , 2020 , 154, 104744	4.5	8
185	Do adolescents with chronic fatigue syndrome (CFS/ME) and co-morbid anxiety and/or depressive symptoms think differently to those who do not have co-morbid psychopathology?. <i>Journal of Affective Disorders</i> , 2020 , 274, 752-758	6.6	2
184	Digital Behavior Change Interventions for Younger Children With Chronic Health Conditions: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e16924	7.6	14
183	The effect of prehospital critical care on survival following out-of-hospital cardiac arrest: A prospective observational study. <i>Resuscitation</i> , 2020 , 146, 178-187	4	4
182	Image-and-text health warning labels on alcohol and food: potential effectiveness and acceptability. <i>BMC Public Health</i> , 2020 , 20, 376	4.1	18
181	Plate size and food consumption: a pre-registered experimental study in a general population sample. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 75	8.4	12
180	Equity-Specific Effects of Interventions to Promote Physical Activity among Middle-Aged and Older Adults: Development of a Collaborative Equity-Specific Re-Analysis Strategy. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
179	Health indicator recording in UK primary care electronic health records: key implications for handling missing data. <i>Clinical Epidemiology</i> , 2019 , 11, 157-167	5.9	21
178	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. <i>Journal of Affective Disorders</i> , 2019 , 242, 180-187	6.6	67
177	Polypharmacy patterns in the last year of life in patients with dementia. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 1583-1591	2.8	7
176	Reply to: Comment on: "The effect of prehospital critical care on survival following out of hospital cardiac arrest: A prospective observational study". <i>Resuscitation</i> , 2019 , 145, 206-207	4	2
175	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 240	2.3	8
174	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-98	1.5	2
173	The impact of a named GP scheme on continuity of care and emergency hospital admission: a cohort study among older patients in England, 2012-2016. <i>BMJ Open</i> , 2019 , 9, e029103	3	13

172	How are behavioural interventions delivered to children (5-11 years old): a systematic mapping review. <i>BMJ Paediatrics Open</i> , 2019 , 3, e000543	2.4	6
171	Does total volume of physical activity matter more than pattern for onset of CVD? A prospective cohort study of older British men. <i>International Journal of Cardiology</i> , 2019 , 278, 267-272	3.2	24
170	Objectively measured physical activity, sedentary behaviour and all-cause mortality in older men: does volume of activity matter more than pattern of accumulation?. <i>British Journal of Sports Medicine</i> , 2019 , 53, 1013-1020	10.3	101
169	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2018 , 5, 145-154	23.3	46
168	Can we identify older people most vulnerable to living in cold homes during winter?. <i>Annals of Epidemiology</i> , 2018 , 28, 1-7.e3	6.4	1
167	A cluster randomised controlled trial of the Wellbeing in Secondary Education (WISE) Project - an intervention to improve the mental health support and training available to secondary school teachers: protocol for an integrated process evaluation. <i>Trials</i> , 2018 , 19, 270	2.8	58
166	Cost-effectiveness of personal tailored risk information and taster sessions to increase the uptake of the NHS stop smoking services: the Start2quit randomized controlled trial. <i>Addiction</i> , 2018 , 113, 708-718	4.6	7
165	Investigating associations between the built environment and physical activity among older people in 20 UK towns. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 121-131	5.1	22
164	Complementary medicine use, views, and experiences: a national survey in England. <i>BJGP Open</i> , 2018 , 2, bjgpopen18X101614	3.1	13
163	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. <i>Nature Communications</i> , 2018 , 9, 5141	17.4	64
162	Investigating the relationship between the HJHS and HAL in routine clinical practice: A retrospective review. <i>Haemophilia</i> , 2018 , 24, 988-994	3.3	7
161	Use of primary care data to predict those most vulnerable to cold weather: a case-crossover analysis. <i>British Journal of General Practice</i> , 2018 , 68, e146-e156	1.6	4
160	Partial factorial trials: comparing methods for statistical analysis and economic evaluation. <i>Trials</i> , 2018 , 19, 442	2.8	1
159	Effectiveness of personalised risk information and taster sessions to increase the uptake of smoking cessation services (Start2quit): a randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 823-833	4.0	28
158	Association of Maximum Temperature With Sedentary Time in Older British Men. <i>Journal of Physical Activity and Health</i> , 2017 , 14, 265-269	2.5	7
157	Causal Associations of Adiposity and Body Fat Distribution With Coronary Heart Disease, Stroke Subtypes, and Type 2 Diabetes Mellitus: A Mendelian Randomization Analysis. <i>Circulation</i> , 2017 , 135, 2373-2388	16.7	182
156	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 97-105	18.1	225
155	Relationship between outdoor temperature and cardiovascular disease risk factors in older people. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 349-356	3.9	14

154	Optimising measurement of health-related characteristics of the built environment: Comparing data collected by foot-based street audits, virtual street audits and routine secondary data sources. <i>Health and Place</i> , 2017 , 43, 75-84	4.6	34
153	Exploring the relationship between general practice characteristics and attendance at Walk-in Centres, Minor Injuries Units and Emergency Departments in England 2009/10-2012/2013: a longitudinal study. <i>BMC Health Services Research</i> , 2017 , 17, 546	2.9	4
152	Why do patients seek primary medical care in emergency departments? An ethnographic exploration of access to general practice. <i>BMJ Open</i> , 2017 , 7, e013816	3	42
151	Associations of time of day with cardiovascular disease risk factors measured in older men: results from the British Regional Heart Study. <i>BMJ Open</i> , 2017 , 7, e018264	3	5
150	Continuity of Primary Care and Emergency Hospital Admissions Among Older Patients in England. <i>Annals of Family Medicine</i> , 2017 , 15, 515-522	2.9	24
149	HAPRAP: a haplotype-based iterative method for statistical fine mapping using GWAS summary statistics. <i>Bioinformatics</i> , 2017 , 33, 79-86	7.2	4
148	Start2quit: a randomised clinical controlled trial to evaluate the effectiveness and cost-effectiveness of using personal tailored risk information and taster sessions to increase the uptake of the NHS Stop Smoking Services. <i>Health Technology Assessment</i> , 2017 , 21, 1-206	4.4	6
147	Exploring the relationship between general practice characteristics, and attendance at walk-in centres, minor injuries units and EDs in England 2012/2013: a cross-sectional study. <i>Emergency Medicine Journal</i> , 2016 , 33, 702-8	1.5	11
146	Prehospital critical care for out-of-hospital cardiac arrest: An observational study examining survival and a stakeholder-focused cost analysis. <i>BMC Emergency Medicine</i> , 2016 , 16, 47	2.4	6
145	Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers - the WISE (Wellbeing in Secondary Education) study. <i>BMC Public Health</i> , 2016 , 16, 1089	4.1	17
144	Evaluating the clinical and cost effectiveness of a behaviour change intervention for lowering cardiovascular disease risk for people with severe mental illnesses in primary care (PRIMROSE study): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016 , 17, 80	2.8	9
143	Plasma urate concentration and risk of coronary heart disease: a Mendelian randomisation analysis. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 327-36	18.1	100
142	Adult height, coronary heart disease and stroke: a multi-locus Mendelian randomization meta-analysis. <i>International Journal of Epidemiology</i> , 2016 , 45, 1927-1937	7.8	65
141	Frailty predicts trajectories of quality of life over time among British community-dwelling older people. <i>Quality of Life Research</i> , 2016 , 25, 1743-50	3.7	38
140	Exome-wide analysis of rare coding variation identifies novel associations with COPD and airflow limitation in MOCS3, IFIT3 and SERPINA12. <i>Thorax</i> , 2016 , 71, 501-9	7.3	18
139	Replication and Characterization of Association between ABO SNPs and Red Blood Cell Traits by Meta-Analysis in Europeans. <i>PLoS ONE</i> , 2016 , 11, e0156914	3.7	16
138	Marginal role for 53 common genetic variants in cardiovascular disease prediction. <i>Heart</i> , 2016 , 102, 1640-7	5.1	23
137	Dietary patterns and the risk of CVD and all-cause mortality in older British men. <i>British Journal of Nutrition</i> , 2016 , 116, 1246-1255	3.6	36

136	Effect of cold spells and their modifiers on cardiovascular disease events: Evidence from two prospective studies. <i>International Journal of Cardiology</i> , 2016 , 218, 275-283	3.2	22
135	Exercise for reducing fear of falling in older people living in the community: Cochrane systematic review and meta-analysis. <i>Age and Ageing</i> , 2016 , 45, 345-52	3	119
134	Randomised controlled trial of the effectiveness of community group and home-based falls prevention exercise programmes on bone health in older people: the ProAct65+ bone study. <i>Age and Ageing</i> , 2015 , 44, 573-9	3	20
133	The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 423-430	18.1	48
132	Does the timed up and go test predict future falls among British community-dwelling older people? Prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015 , 15, 38	4.1	65
131	Variation in the SLC23A1 gene does not influence cardiometabolic outcomes to the extent expected given its association with L-ascorbic acid. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 202-9	7	12
130	Mendelian randomization of blood lipids for coronary heart disease. <i>European Heart Journal</i> , 2015 , 36, 539-50	9.5	417
129	"Keeping Moving": factors associated with sedentary behaviour among older people recruited to an exercise promotion trial in general practice. <i>BMC Family Practice</i> , 2015 , 16, 67	2.6	20
128	Effect of Smoking on Blood Pressure and Resting Heart Rate: A Mendelian Randomization Meta-Analysis in the CARTA Consortium. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 832-41		70
127	Diurnal patterns of objectively measured physical activity and sedentary behaviour in older men. <i>BMC Public Health</i> , 2015 , 15, 609	4.1	40
126	Smoking and diabetes risk: building a causal case with clinical implications. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 918-20	18.1	9
125	Sixty-five common genetic variants and prediction of type 2 diabetes. <i>Diabetes</i> , 2015 , 64, 1830-40	0.9	76
124	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet, The</i> , 2015 , 385, 351-61	40	409
123	Diet quality in older age: the influence of childhood and adult socio-economic circumstances. <i>British Journal of Nutrition</i> , 2015 , 113, 1441-52	3.6	29
122	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2015 , 65, e731-8	1.6	30
121	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015 , 15, 155	4.1	38
120	Cardiovascular risk prediction models for people with severe mental illness: results from the prediction and management of cardiovascular risk in people with severe mental illnesses (PRIMROSE) research program. <i>JAMA Psychiatry</i> , 2015 , 72, 143-51	14.5	93
119	Feasibility and impact of a computerised clinical decision support system on investigation and initial management of new onset chest pain: a mixed methods study. <i>BMC Medical Informatics and Decision Making</i> , 2015 , 15, 71	3.6	5

118	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium. <i>BMJ Open</i> , 2015 , 5, e008808	3	39
117	Time trends in socioeconomic inequalities in cancer mortality: results from a 35 year prospective study in British men. <i>BMC Cancer</i> , 2014 , 14, 474	4.8	13
116	Which factors are associated with fear of falling in community-dwelling older people?. <i>Age and Ageing</i> , 2014 , 43, 76-84	3	104
115	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014 , 349, g4164	5.9	406
114	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014 , 46, 826-36	36.3	199
113	Exercise for reducing fear of falling in older people living in the community. <i>The Cochrane Library</i> , 2014 , CD009848	5.2	117
112	Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. <i>BMJ Open</i> , 2014 , 4, e006141	3	115
111	Cost-effectiveness of computer-tailored smoking cessation advice in primary care: a randomized trial (ESCAPE). <i>Nicotine and Tobacco Research</i> , 2014 , 16, 270-8	4.9	13
110	Stratification by smoking status reveals an association of CHRNA5-A3-B4 genotype with body mass index in never smokers. <i>PLoS Genetics</i> , 2014 , 10, e1004799	6	40
109	Can analyses of electronic patient records be independently and externally validated? The effect of statins on the mortality of patients with ischaemic heart disease: a cohort study with nested case-control analysis. <i>BMJ Open</i> , 2014 , 4, e004952	3	25
108	Inequalities in heart failure in older men: prospective associations between socioeconomic measures and heart failure incidence in a 10-year follow-up study. <i>European Heart Journal</i> , 2014 , 35, 442-7 ⁵		24
107	Which features of primary care affect unscheduled secondary care use? A systematic review. <i>BMJ Open</i> , 2014 , 4, e004746	3	114
106	High diet quality is associated with a lower risk of cardiovascular disease and all-cause mortality in older men. <i>Journal of Nutrition</i> , 2014 , 144, 673-80	4.1	65
105	Smoker, ex-smoker or non-smoker? The validity of routinely recorded smoking status in UK primary care: a cross-sectional study. <i>BMJ Open</i> , 2014 , 4, e004958	3	46
104	Sarcopenic obesity and risk of cardiovascular disease and mortality: a population-based cohort study of older men. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 253-60	5.6	262
103	Evaluation of two-fold fully conditional specification multiple imputation for longitudinal electronic health record data. <i>Statistics in Medicine</i> , 2014 , 33, 3725-37	2.3	32
102	Response to Safer et al. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1208-9	5.6	
101	Assessing risk prediction models using individual participant data from multiple studies. <i>American Journal of Epidemiology</i> , 2014 , 179, 621-32	3.8	36

100	A randomised controlled trial of the clinical effectiveness and cost-effectiveness of different knee prostheses: the Knee Arthroplasty Trial (KAT). <i>Health Technology Assessment</i> , 2014 , 18, 1-235, vii-viii	4.4	75
99	Multicentre cluster randomised trial comparing a community group exercise programme and home-based exercise with usual care for people aged 65 years and over in primary care. <i>Health Technology Assessment</i> , 2014 , 18, vii-xxvii, 1-105	4.4	94
98	Lessons learnt during a complex, multicentre cluster randomised controlled trial: the ProAct65+ trial. <i>Trials</i> , 2013 , 14, 192	2.8	14
97	Longitudinal measurement of cortisol in association with mental health and experience of domestic violence and abuse: study protocol. <i>BMC Psychiatry</i> , 2013 , 13, 188	4.2	7
96	Secretory phospholipase A(2)-IIA and cardiovascular disease: a mendelian randomization study. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1966-1976	15.1	91
95	Sample size requirement for digital image analysis of collagen proportionate area in cirrhotic livers. <i>Histopathology</i> , 2013 , 62, 421-30	7.3	24
94	Apolipoprotein E genotype, cardiovascular biomarkers and risk of stroke: systematic review and meta-analysis of 14,015 stroke cases and pooled analysis of primary biomarker data from up to 60,883 individuals. <i>International Journal of Epidemiology</i> , 2013 , 42, 475-92	7.8	113
93	ESCAPE: a randomised controlled trial of computer-tailored smoking cessation advice in primary care. <i>Addiction</i> , 2013 , 108, 811-9	4.6	16
92	Population genomics of cardiometabolic traits: design of the University College London-London School of Hygiene and Tropical Medicine-Edinburgh-Bristol (UCLEB) Consortium. <i>PLoS ONE</i> , 2013 , 8, e71345	3.7	33
91	The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. <i>Lancet</i> , 2012 , 379, 1214-24	4.0	658
90	Is it important to measure or reduce C-reactive protein in people at risk of cardiovascular disease?. <i>European Heart Journal</i> , 2012 , 33, 2258-64	9.5	12
89	Evaluating the effectiveness of using personal tailored risk information and taster sessions to increase the uptake of smoking cessation services: study protocol for a randomised controlled trial. <i>Trials</i> , 2012 , 13, 195	2.8	8
88	Association between genetic variants on chromosome 15q25 locus and objective measures of tobacco exposure. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 740-8	9.7	178
87	Completion and return of fall diaries varies with participants' level of education, first language, and baseline fall risk. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012 , 67, 210-4	6.4	27
86	Exercise for reducing fear of falling in older people living in the community 2012 ,		2
85	Comparative analysis of genome-wide association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular Biomarker Genetics Collaboration. <i>European Heart Journal</i> , 2012 , 33, 393-407	8.5	75
84	Factors predicting recruitment to a UK wide primary care smoking cessation study (the ESCAPE trial). <i>Family Practice</i> , 2012 , 29, 110-7	1.9	27
83	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012 , 41, 1419-33	7.8	178

82	Rising adiposity curbing decline in the incidence of myocardial infarction: 20-year follow-up of British men and women in the Whitehall II cohort. <i>European Heart Journal</i> , 2012 , 33, 478-85	9.5	25
81	Survival with treated and well-controlled blood pressure: findings from a prospective cohort study. <i>PLoS ONE</i> , 2011 , 6, e17792	3.7	19
80	Patellar resurfacing in total knee replacement: five-year clinical and economic results of a large randomized controlled trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93, 1473-81	5.6	64
79	Class and lifestyle 'lock-in' among middle-aged and older men: a Multiple Correspondence Analysis of the British Regional Heart Study. <i>Sociology of Health and Illness</i> , 2011 , 33, 399-419	3	14
78	Genetic variants associated with Von Willebrand factor levels in healthy men and women identified using the HumanCVD BeadChip. <i>Annals of Human Genetics</i> , 2011 , 75, 456-67	2.2	24
77	Blood pressure loci identified with a gene-centric array. <i>American Journal of Human Genetics</i> , 2011 , 89, 688-700	11	137
76	Commentary on Interactive computer-based interventions for sexual health promotion with a response from the review authors. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2011 , 6, 2271-2274 ^O		
75	Effect of five genetic variants associated with lung function on the risk of chronic obstructive lung disease, and their joint effects on lung function. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 786-95	10.2	112
74	Longitudinal associations of socioeconomic position in childhood and adulthood with decline in lung function over 20 years: results from a population-based cohort of British men. <i>Thorax</i> , 2011 , 66, 1058-64	7.3	22
73	Genetic variation at CHRNA5-CHRNA3-CHRNA4 interacts with smoking status to influence body mass index. <i>International Journal of Epidemiology</i> , 2011 , 40, 1617-28	7.8	92
72	Prediction of coronary heart disease risk by Framingham and SCORE risk assessments varies by socioeconomic position: results from a study in British men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011 , 18, 186-93		21
71	Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. <i>Nature Genetics</i> , 2011 , 43, 1082-90	36.3	313
70	Psychodynamic approaches to teaching medical students about the doctor-patient relationship: randomised controlled trial. <i>The Psychiatrist</i> , 2011 , 35, 308-313		19
69	Four genetic loci influencing electrocardiographic indices of left ventricular hypertrophy. <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, 626-35		22
68	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 770-4	5.1	27
67	Social class differences in secular trends in established coronary risk factors over 20 years: a cohort study of British men from 1978-80 to 1998-2000. <i>PLoS ONE</i> , 2011 , 6, e19742	3.7	11
66	Genome-wide association study identifies five loci associated with lung function. <i>Nature Genetics</i> , 2010 , 42, 36-44	36.3	43 ^O
65	Genetic variation at the SLC23A1 locus is associated with circulating concentrations of L-ascorbic acid (vitamin C): evidence from 5 independent studies with >15,000 participants. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 375-82	7	84

64	Is the recent rise in type 2 diabetes incidence from 1984 to 2007 explained by the trend in increasing BMI?: evidence from a prospective study of British men. <i>Diabetes Care</i> , 2010 , 33, 1494-6	14.6	20
63	Association of the 98T ELAM-1 polymorphism with increased bleeding after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010 , 24, 427-33	2.1	12
62	Assessing the impact of medication use on trends in major coronary risk factors in older British men: a cohort study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 502-8		13
61	CAPL: a novel association test using case-control and family data and accounting for population stratification. <i>Genetic Epidemiology</i> , 2010 , 34, 747-55	2.6	15
60	Multi-centre cluster randomised trial comparing a community group exercise programme with home based exercise with usual care for people aged 65 and over in primary care: protocol of the ProAct 65+ trial. <i>Trials</i> , 2010 , 11, 6	2.8	29
59	Issues in multiple imputation of missing data for large general practice clinical databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 618-26	2.6	70
58	The potential of Web-based interventions for heart disease self-management: a mixed methods investigation. <i>Journal of Medical Internet Research</i> , 2010 , 12, e56	7.6	42
57	Association test for X-linked QTL in family-based designs. <i>American Journal of Human Genetics</i> , 2009 , 84, 431-44	11	12
56	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study. <i>BMJ, The</i> , 2009 , 338, b1279	5.9	39
55	QRISK validation and evaluation. Bespoke cohort studies needed. <i>BMJ, The</i> , 2009 , 339, b3512	5.9	2
54	Disease associations and family-based tests. <i>Current Protocols in Human Genetics</i> , 2008 , Chapter 1, Unit 1.12	3.2	4
53	Extent of social inequalities in disability in the elderly: results from a population-based study of British men. <i>Annals of Epidemiology</i> , 2008 , 18, 896-903	6.4	37
52	Relationships of inflammatory and haemostatic markers with social class: results from a population-based study of older men. <i>Atherosclerosis</i> , 2008 , 197, 654-61	3.1	26
51	Is socioeconomic position related to the prevalence of metabolic syndrome?: influence of social class across the life course in a population-based study of older men. <i>Diabetes Care</i> , 2008 , 31, 2380-2	14.6	36
50	Do socioeconomic characteristics of neighbourhood of residence independently influence incidence of coronary heart disease and all-cause mortality in older British men?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 19-25		8
49	Hard drinking water does not protect against cardiovascular disease: new evidence from the British Regional Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 185-9		22
48	How much of the recent decline in the incidence of myocardial infarction in British men can be explained by changes in cardiovascular risk factors? Evidence from a prospective population-based study. <i>Circulation</i> , 2008 , 117, 598-604	16.7	125
47	Knee-length graduated compression stockings for thromboprophylaxis in air travellers: A meta-analysis. <i>International Journal of Angiology</i> , 2008 , 17, 119-23	1.1	3

46	Effectiveness of computer-tailored Smoking Cessation Advice in Primary Care (ESCAPE): a randomised trial. <i>Trials</i> , 2008 , 9, 23	2.8	17
45	X-LRT: a likelihood approach to estimate genetic risks and test association with X-linked markers using a case-parents design. <i>Genetic Epidemiology</i> , 2008 , 32, 370-80	2.6	9
44	Response to Ding and Lin. <i>American Journal of Human Genetics</i> , 2008 , 82, 530-531	11	78
43	Missed opportunities for secondary prevention of cerebrovascular disease in elderly British men from 1999 to 2005: a population-based study. <i>Journal of Public Health</i> , 2007 , 29, 251-7	3.5	23
42	Are childhood socio-economic circumstances related to coronary heart disease risk? Findings from a population-based study of older men. <i>International Journal of Epidemiology</i> , 2007 , 36, 560-6	7.8	29
41	Interactive computer-based interventions for sexual health promotion 2007 ,		3
40	Orofacial cleft risk is increased with maternal smoking and specific detoxification-gene variants. <i>American Journal of Human Genetics</i> , 2007 , 80, 76-90	11	135
39	X-APL: an improved family-based test of association in the presence of linkage for the X chromosome. <i>American Journal of Human Genetics</i> , 2007 , 80, 59-68	11	20
38	Adolescent rats are protected from the conditioned aversive properties of cocaine and lithium chloride. <i>Pharmacology Biochemistry and Behavior</i> , 2006 , 84, 344-52	3.9	67
37	Secondary prevention of coronary heart disease in older patients after the national service framework: population based study. <i>BMJ, The</i> , 2006 , 332, 144-5	5.9	22
36	How well do HapMap haplotypes identify common haplotypes of genes? A comparison with haplotypes of 334 genes resequenced in the environmental genome project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 133-7	4	12
35	Behavioural testing and histological assessments of rabbit spinal cord following intrathecal administration of ondansetron. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006 , 33, 798-807		2
34	Trends in rates of different forms of diagnosed coronary heart disease, 1978 to 2000: prospective, population based study of British men. <i>BMJ, The</i> , 2005 , 330, 1046	5.9	42
33	Genetic polymorphisms and the risk of stroke after cardiac surgery. <i>Stroke</i> , 2005 , 36, 1854-8	6.7	74
32	INTERHEART. <i>Lancet, The</i> , 2005 , 365, 117; author reply 118	40	3
31	Commentary: over-correction for regression dilution bias? Not for blood pressure vs coronary heart disease. <i>International Journal of Epidemiology</i> , 2005 , 34, 1368-9	7.8	
30	Social class differences in coronary heart disease in middle-aged British men: implications for prevention. <i>International Journal of Epidemiology</i> , 2004 , 33, 289-96	7.8	42
29	Equity and need when waiting for total hip replacement surgery. <i>Journal of Evaluation in Clinical Practice</i> , 2004 , 10, 3-9	2.5	37

28	Testing for association with a case-parents design in the presence of genotyping errors. <i>Genetic Epidemiology</i> , 2004 , 26, 142-54	2.6	27
27	Extent of regression dilution for established and novel coronary risk factors: results from the British Regional Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004 , 11, 125-34		61
26	Evaluating the impact of population and high-risk strategies for the primary prevention of cardiovascular disease. <i>European Heart Journal</i> , 2004 , 25, 484-91	9.5	155
25	Re-assessing the contribution of serum total cholesterol, blood pressure and cigarette smoking to the aetiology of coronary heart disease: impact of regression dilution bias. <i>European Heart Journal</i> , 2003 , 24, 1719-26	9.5	84
24	The influence of peripheral vascular disease on the carotid and femoral wall mechanics in subjects with abdominal aortic aneurysm. <i>Journal of Vascular Surgery</i> , 2003 , 37, 403-9	3.5	7
23	Invited commentary: Testing for Hardy-Weinberg disequilibrium using a genome single-nucleotide polymorphism scan based on cases only. <i>American Journal of Epidemiology</i> , 2003 , 158, 401-3; discussion 404-5	3.8	22
22	On the advantage of haplotype analysis in the presence of multiple disease susceptibility alleles. <i>Genetic Epidemiology</i> , 2002 , 23, 221-33	2.6	313
21	Does EBM offer the best opportunity yet for teaching medical statistics?. <i>Statistics in Medicine</i> , 2002 , 21, 969-77; discussion 979-81, 983-84	2.3	17
20	Does waiting for total hip replacement matter? Prospective cohort study. <i>Journal of Health Services Research and Policy</i> , 2002 , 7, 19-25	2.4	75
19	Impaired carotid and femoral viscoelastic properties and elevated intima-media thickness in peripheral vascular disease. <i>Atherosclerosis</i> , 2002 , 164, 113-20	3.1	35
18	Mortality, morbidity, and 1-year outcomes of primary elective total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002 , 17, 165-71	4.4	77
17	Hysterectomy: surgical route and complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002 , 104, 148-51	2.4	30
16	Issues concerning association studies for fine mapping a susceptibility gene for a complex disease. <i>Genetic Epidemiology</i> , 2001 , 20, 432-57	2.6	44
15	Prospects for association-based fine mapping of a susceptibility gene for a complex disease. <i>Theoretical Population Biology</i> , 2001 , 60, 181-91	1.2	12
14	Long-term clinical and neurophysiological follow-up of patients with peripheral, neuropathy associated with benign monoclonal gammopathy. <i>Muscle and Nerve</i> , 2000 , 23, 164-74	3.4	54
13	A practical approach to adjusting for attrition bias in HIV clinical trials with serial marker responses. <i>Aids</i> , 1998 , 12, 1155-61	3.5	10
12	Nuchal translucency measurements: frequency distribution and changes with gestation in a general population. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996 , 103, 1201-4	3.7	47
11	Grading of cellular rejection after orthotopic liver transplantation. <i>Hepatology</i> , 1995 , 21, 46-57	11.2	67

10	Grading of cellular rejection after orthotopic liver transplantation 1995 , 21, 46		3
9	Comparison of biphasic and monophasic waveforms in epicardial atrial defibrillation. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 171-6	15.1	23
8	Assessing medical records: Patient preferences and knowledge. <i>Journal of Mental Health</i> , 1993 , 2, 175-181	1.7	1
7	Doctors' interviewing technique and its response to different booking time. <i>Family Practice</i> , 1992 , 9, 57-60	1.9	20
6	p53 expression and prognosis in gastric carcinoma. <i>International Journal of Cancer</i> , 1992 , 50, 859-62	7.5	280
5	Sources of variation in extinction rates, turnover, and diversity of marine invertebrate families during the Paleozoic. <i>Paleobiology</i> , 1986 , 12, 421-432	2.6	36
4	Detecting heterogeneity of intervention effects using analysis and meta-analysis of differences in variance between arms of a trial		6
3	Impact of health warning labels communicating the risk of cancer on alcohol selection: An online experimental study		2
2	Impact of health warning labels on snack selection: an online experimental study		2
1	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9		1