

Pan Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10725412/publications.pdf>

Version: 2024-02-01

10
papers

452
citations

1163117

8
h-index

1588992

8
g-index

10
all docs

10
docs citations

10
times ranked

843
citing authors

#	ARTICLE	IF	CITATIONS
1	Methylparaben and butylparaben alter multipotent mesenchymal stem cell fates towards adipocyte lineage. <i>Toxicology and Applied Pharmacology</i> , 2017, 329, 48-57.	2.8	47
2	Differential effects on adiposity and serum marker of bone formation by post-weaning exposure to methylparaben and butylparaben. <i>Environmental Science and Pollution Research</i> , 2016, 23, 21957-21968.	5.3	49
3	Early Life Triclocarban Exposure During Lactation Affects Neonate Rat Survival. <i>Reproductive Sciences</i> , 2015, 22, 75-89.	2.5	21
4	Physiologically achievable doses of resveratrol enhance 3T3-L1 adipocyte differentiation. <i>European Journal of Nutrition</i> , 2015, 54, 569-579.	3.9	30
5	Activation of pattern recognition receptors in brown adipocytes induces inflammation and suppresses uncoupling protein 1 expression and mitochondrial respiration. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 306, C918-C930.	4.6	65
6	Activation of nucleotide oligomerization domain containing protein 1 induces lipolysis through NF- κ B and the lipolytic PKA activation in 3T3-L1 adipocytes. <i>Biochemistry and Cell Biology</i> , 2013, 91, 428-434.	2.0	13
7	Effects of Parabens on Adipocyte Differentiation. <i>Toxicological Sciences</i> , 2013, 131, 56-70.	3.1	148
8	NOD1 activation induces proinflammatory gene expression and insulin resistance in 3T3-L1 adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 301, E587-E598.	3.5	77
9	NOD1 activation induces proinflammatory gene expression and insulin resistance in 3T3-L1 adipocytes. <i>FASEB Journal</i> , 2011, 25, 995.19.	0.5	0
10	The Effects of NOD Activation on Adipocyte Differentiation. <i>Obesity</i> , 0, , .	3.0	2