

Lorenzo Cerroni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10728852/lorenzo-cerroni-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

292
papers

16,327
citations

61
h-index

126
g-index

312
ext. papers

18,903
ext. citations

3.5
avg. IF

6.09
L-index

#	Paper	IF	Citations
292	Syringotropic Melanoma: A Diagnostic Challenge With Prognostic Implications. <i>American Journal of Dermatopathology</i> , 2022 , 44, 33-36	0.9	1
291	Lichen Sclerosus et Atrophicus With Histopathologic Features Mimicking Mycosis Fungoides: A Large Series of Cases Comparing Genital With Extragenital Lichen Sclerosus. <i>American Journal of Surgical Pathology</i> , 2022 , 46, 83-88	6.7	0
290	Unusual contact dermatitis after SARS-CoV-2 vaccinations.. <i>Contact Dermatitis</i> , 2022 ,	2.7	1
289	Sclerotic Fibroma-Like Dermatofibrosarcoma Protuberans With Pleomorphic Sarcomatous Transformation: A Diagnostic Challenge. <i>American Journal of Dermatopathology</i> , 2021 , 43, 315-317	0.9	
288	Multiple Comedonal Plaques of Both Ears With Hearing Loss: Challenge. <i>American Journal of Dermatopathology</i> , 2021 , 43, e119-e120	0.9	
287	Multiple Comedonal Plaques of Both Ears With Hearing Loss: Answer. <i>American Journal of Dermatopathology</i> , 2021 , 43, 838-839	0.9	
286	Intravascular Cutaneous Disorders. A Clinicopathologic Review. <i>American Journal of Dermatopathology</i> , 2021 , 43, 119-136	0.9	3
285	Long-standing purpuric exanthema. <i>JAAD Case Reports</i> , 2021 , 11, 38-40	1.4	
284	Subcutaneous panniculitis-like T-cell lymphoma, lupus erythematosus profundus, and overlapping cases: molecular characterization through the study of 208 genes. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2130-2140	1.9	0
283	E-Cadherin Expression and Blunted Interferon Response in Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 1428-1438	6.7	0
282	Impact of Next-generation Sequencing on Interobserver Agreement and Diagnosis of Spitzoid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 1597-1605	6.7	3
281	Cutaneous lymphohistiocytic infiltrates with foamy macrophages: A novel histopathological clue to Stenotrophomonas maltophilia septicemia. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 160-164	1.7	1
280	Merkel cell carcinoma: A review. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 411-421	1.7	12
279	Blastic Plasmacytoid Dendritic Cell Neoplasm: Underlining the importance of an early diagnosis and the use of tagraxofusp therapy before wide dissemination. <i>Australasian Journal of Dermatology</i> , 2021 , 62, e316-e318	1.3	
278	Genomic landscape of cutaneous follicular lymphomas reveals 2 subgroups with clinically predictive molecular features. <i>Blood Advances</i> , 2021 , 5, 649-661	7.8	7
277	Super-enhancer-based identification of a BATF3/IL-2R-module reveals vulnerabilities in anaplastic large cell lymphoma. <i>Nature Communications</i> , 2021 , 12, 5577	17.4	1
276	A case of spontaneous regression of metastatic skin undifferentiated carcinoma. <i>Italian Journal of Dermatology and Venereology</i> , 2021 , 156, 404-405	1.2	

275	Connective tissue nevus in Marfan Syndrome successfully treated with intralesional steroid injections. <i>Italian Journal of Dermatology and Venereology</i> , 2021 , 156, 626-628	1.2	
274	Melanoma of the proximal nail fold mimicking Hutchinson sign. <i>JAAD Case Reports</i> , 2020 , 6, 411-413	1.4	
273	Cutaneous borreliosis: An insidious mimicker of patch-type granuloma annulare. <i>Journal of Cutaneous Pathology</i> , 2020 , 47, 876-878	1.7	1
272	Molecular Profiling of Keratinocyte Skin Tumors Links Overabundance and Increased Human β Defensin-2 Expression to Growth Promotion of Squamous Cell Carcinoma. <i>Cancers</i> , 2020 , 12,	6.6	10
271	Bendamustine Monotherapy for Primary Cutaneous Gamma-Delta T-Cell Lymphoma. <i>JAMA Dermatology</i> , 2020 , 156, 1029-1030	5.1	1
270	A 47-Year-Old Patient With Multiple Desquamative Patches and Subsequent Onset of Papular Lesions: Challenge. <i>American Journal of Dermatopathology</i> , 2020 , 42, e139-e140	0.9	
269	Undifferentiated round cell sarcomas with CIC-DUX4 gene fusion: expanding the clinical spectrum. <i>Pathology</i> , 2020 , 52, 236-242	1.6	10
268	Biological Significance of the Association Between Cutaneous Al-amyloidoma and Sjögren Syndrome. <i>American Journal of Dermatopathology</i> , 2020 , 42, 553-555	0.9	1
267	Incidental Acantholysis in Hailey-Hailey Disease (Microscopic Nikolsky Sign): An Underappreciated Histologic Sign. <i>American Journal of Dermatopathology</i> , 2020 , 42, e61-e64	0.9	
266	Blastic plasmacytoid dendritic cell neoplasms: results of an international survey on 398 adult patients. <i>Blood Advances</i> , 2020 , 4, 4838-4848	7.8	12
265	A 47-Year-Old Patient With Multiple Desquamative Patches and Subsequent Onset of Papular Lesions: Answer. <i>American Journal of Dermatopathology</i> , 2020 , 42, 791-792	0.9	
264	Cutaneous adult T-cell leukemia/lymphoma 2020 , 239-242		
263	Cutaneous follicle center lymphoma 2020 , 255-273		
262	Cutaneous marginal zone lymphoma (cutaneous MALT lymphoma) and variants 2020 , 274-298		
261	Intravascular large cell lymphomas 2020 , 315-325		
260	Cutaneous lymphomas in immunosuppressed individuals 2020 , 355-375		
259	Cutaneous manifestations of other leukemias 2020 , 419-423		
258	Cutaneous lymphoblastic lymphomas 2020 , 424-433		

- 257 Cutaneous manifestations of Hodgkin lymphoma **2020**, 435-442
- 256 Aggressive cutaneous cytotoxic lymphomas **2020**, 195-218
- 255 Correlation Between Dermoscopic and Histologic Features of Uncommon Cutaneous Melanoma Variants. *JAMA Dermatology*, **2020**, 156, 1029-1030 5.1
- 254 Primary cutaneous CD30+ lymphoproliferative disorders **2020**, 133-179
- 253 Subcutaneous panniculitis-like T-cell lymphoma **2020**, 180-194
- 252 Cutaneous NK/T-cell lymphomas **2020**, 13-13
- 251 Infiltrated erythematous plaques on the lumbar area. *JDDG - Journal of the German Society of Dermatology*, **2020**, 18, 1331-1334 1.2
- 250 Pruritic papules after extensive fasting period. *JAAD Case Reports*, **2020**, 6, 1191-1192 1.4
- 249 Other cutaneous B-cell lymphomas **2020**, 326-354
- 248 Cutaneous lymphomas in children and adolescents **2020**, 461-472
- 247 The parapsoriasis riddle, wrapped in a mystery, inside an enigma **2020**, 15-22
- 246 Cutaneous manifestations of myelogenous leukemia **2020**, 390-406
- 245 Pseudolymphomas of the skin **2020**, 473-562
- 244 The cutaneous atypical lymphoid proliferation **2020**, 563-567
- 243 Cutaneous CD4+ small/medium T-cell lymphoproliferative disorder **2020**, 228-234 1
- 242 Keratotic Nodules and Plaques on the Lower Extremities: Answer. *American Journal of Dermatopathology*, **2020**, 42, 613 0.9 1
- 241 Keratotic Nodules and Plaques on the Lower Extremities: Challenge. *American Journal of Dermatopathology*, **2020**, 42, e113-e114 0.9
- 240 A Large Subcutaneous Plaque on the Left Flank: Challenge. *American Journal of Dermatopathology*, **2020**, 42, e111-e112 0.9

239	A Large Subcutaneous Plaque on the Left Flank: Answer. <i>American Journal of Dermatopathology</i> , 2020 , 42, 612	0.9	
238	Intracorneal pustular drug eruption associated with nivolumab in a patient with metastatic renal cancer. <i>International Journal of Dermatology</i> , 2020 , 59, e435-e437	1.7	
237	Acral CD8+ cutaneous T-cell lymphoma 2020 , 235-238		
236	Cutaneous diffuse large B-cell lymphoma, leg type 2020 , 299-314		0
235	Cutaneous manifestations of B-cell chronic lymphocytic leukemia 2020 , 377-389		
234	Blastic plasmacytoid dendritic cell neoplasm 2020 , 407-418		
233	Cutaneous peripheral T-cell lymphoma, not otherwise specified (NOS) 2020 , 219-227		
232	Cutaneous B-cell lymphomas 2020 , 253-253		
231	Other cutaneous NK/T-cell lymphomas 2020 , 243-252		
230	Cutaneous composite lymphomas 2020 , 443-449		
229	Nonneoplastic cutaneous signs of systemic lymphomas 2020 , 450-459		
228	Sjögren syndrome 2020 , 113-132		
227	Pagetoid reticulosis (Woringer-Kolopp disease) in a 2-year-old girl-Case report and review of the literature. <i>JAAD Case Reports</i> , 2019 , 5, 104-107	1.4	9
226	Hypokeratotic lesion on the palm. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 752-754		2
225	Plasmacytic cutaneous pathology: A review. <i>Journal of Cutaneous Pathology</i> , 2019 , 46, 698-708	1.7	5
224	Pathogenesis of Leprosy: An Insight Into B Lymphocytes and Plasma Cells. <i>American Journal of Dermatopathology</i> , 2019 , 41, 422-427	0.9	9
223	Evaluation of Low-Dose, Low-Frequency Oral Psoralen-UV-A Treatment With or Without Maintenance on Early-Stage Mycosis Fungoides: A Randomized Clinical Trial. <i>JAMA Dermatology</i> , 2019 , 155, 538-547	5.1	23
222	Primary intrafascial desmoplastic melanoma with pseudoglandular differentiation and aberrant cytokeratins expression: An exceptional presentation. <i>Pathology Research and Practice</i> , 2019 , 215, 152668	3.4	2

221	Uncommon Histopathological Variants of Malignant Melanoma. Part 2. <i>American Journal of Dermatopathology</i> , 2019 , 41, 321-342	0.9	12
220	Global PD-L1 Signals and Tumor-Infiltrating Lymphocytes: Markers of Immunogenicity in Different Subsets of Merkel Cell Carcinoma and Potential Therapeutic Implications. <i>American Journal of Dermatopathology</i> , 2019 , 41, 819-825	0.9	5
219	Papular Mycosis Fungoides Is a Distinctive Variant of Early-stage Mycosis Fungoides: Extended Retrospective Study With Long-term Follow-up. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1129-1134	6.7	6
218	Syringotropic Lichen Planus: A Potential Histopathologic Mimicker of Syringotropic Mycosis Fungoides. <i>American Journal of Dermatopathology</i> , 2019 , 41, e50-e53	0.9	4
217	Uncommon Histopathological Variants of Malignant Melanoma: Part 1. <i>American Journal of Dermatopathology</i> , 2019 , 41, 243-263	0.9	12
216	The 2018 update of the WHO-EORTC classification for primary cutaneous lymphomas. <i>Blood</i> , 2019 , 133, 1703-1714	2.2	431
215	Clues in Histopathological Diagnosis of Panniculitis. <i>American Journal of Dermatopathology</i> , 2018 , 40, 155-167	0.9	5
214	Correlation of Reflectance Confocal Microscopy and Dermatopathology Findings in a Case of Acrodermatitis Chronica Atrophicans. <i>American Journal of Dermatopathology</i> , 2018 , 40, 367-370	0.9	0
213	Cutaneous hemophagocytosis: Clinicopathologic features of 21 cases. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 377-382	4.5	3
212	The Use of Central Pathology Review With Digital Slide Scanning in Advanced-stage Mycosis Fungoides and Szary Syndrome: A Multi-institutional and International Pathology Study. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 726-734	6.7	14
211	The Histopathological Spectrum of Pseudolymphomatous Infiltrates in Cutaneous Lupus Erythematosus. <i>American Journal of Dermatopathology</i> , 2018 , 40, 247-253	0.9	14
210	Genomic Analyses Identify Recurrent Alterations in Immune Evasion Genes in Diffuse Large B-Cell Lymphoma, Leg Type. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 2365-2376	4.3	39
209	Skin manifestations of rheumatoid arthritis. <i>Italian Journal of Dermatology and Venereology</i> , 2018 , 153, 243-255	1.2	15
208	Painful hemorrhagic bullae on the dorsal hands. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1152-1154	1.2	
207	Prevalence of ALK gene alterations among the spectrum of plexiform spitzoid lesions. <i>Journal of the American Academy of Dermatology</i> , 2018 , 79, 728-735	4.5	7
206	Pityriasis Lichenoides, Atypical Pityriasis Lichenoides, and Related Conditions: A Study of 66 Cases. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 1101-1112	6.7	12
205	Mycosis fungoides-clinical and histopathologic features, differential diagnosis, and treatment. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2018 , 37, 2-10	1.4	27
204	Dermoscopy of a single plaque on the face: an uncommon presentation of cutaneous sarcoidosis. <i>Dermatology Practical and Conceptual</i> , 2018 , 8, 174-176	1.5	4

203	Clinical-Pathological Conference Series from the Medical University of Graz : Case No'162: A 30-year-old woman from Nigeria with fever 3 months postpartum. <i>Wiener Klinische Wochenschrift</i> , 2017 , 129, 145-152	2.3	0
202	AL Amyloidoma of the Skin/Subcutis: Cutaneous Amyloidosis, Plasma Cell Dyscrasia or a Manifestation of Primary Cutaneous Marginal Zone Lymphoma?. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 1069-1076	6.7	23
201	Pigmented trichoblastoma developed in a sebaceous nevus: HRAS mutation as a common molecular driver. <i>Pathology Research and Practice</i> , 2017 , 213, 860-862	3.4	3
200	Past, present and future of cutaneous lymphomas. <i>Seminars in Diagnostic Pathology</i> , 2017 , 34, 3-14	4.3	10
199	Histiocytoid Sweet Syndrome and Myelodysplastic Syndrome-Reply. <i>JAMA Dermatology</i> , 2017 , 153, 836-837	8.37	1
198	Nodular Sclerodermatous Chronic Cutaneous Graft-Versus-Host Disease (GvHD): A New Clinicopathological Variant of Cutaneous Sclerodermatous GvHD Resembling Nodular/Keloidal Scleroderma. <i>American Journal of Dermatopathology</i> , 2017 , 39, 910-913	0.9	5
197	Non-reproducible sequence artifacts in FFPE tissue: an experience report. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 1199-1207	4.9	4
196	Clinicopathologic, Immunohistochemical, and Molecular Features of Histiocytoid Sweet Syndrome. <i>JAMA Dermatology</i> , 2017 , 153, 651-659	5.1	42
195	Merkel cell carcinoma. <i>Nature Reviews Disease Primers</i> , 2017 , 3, 17077	51.1	219
194	Paraprotein deposits in the skin. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 1145-1158	4.5	17
193	Asymptomatic, Tiny Yellowish Papules on the Back of the Wrist: Answer. <i>American Journal of Dermatopathology</i> , 2017 , 39, 945-946	0.9	
192	Asymptomatic, Tiny Yellowish Papules on the Back of the Wrist: Challenge. <i>American Journal of Dermatopathology</i> , 2017 , 39, e161-e162	0.9	
191	Combined activation of MAP kinase pathway and Ectenin signaling cause deep penetrating nevi. <i>Nature Communications</i> , 2017 , 8, 644	17.4	68
190	Imaging mass spectrometry assists in the classification of diagnostically challenging atypical Spitzoid neoplasms. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 1176-1186.e4	4.5	36
189	Interstitial Mycosis Fungoides: A Clinicopathologic Study of 21 Patients. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 1360-7	6.7	13
188	Blue nevus with halo?. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, e15-6	4.5	0
187	STAT3/5-Dependent IL9 Overexpression Contributes to Neoplastic Cell Survival in Mycosis Fungoides. <i>Clinical Cancer Research</i> , 2016 , 22, 3328-39	12.9	28
186	Clinicopathologic Features of Hydroa Vacciniforme-Like Lymphoma: A Series of 9 Patients. <i>American Journal of Dermatopathology</i> , 2016 , 38, 20-5	0.9	31

185	Atypical clinical presentation of primary and secondary cutaneous follicle center lymphoma (FCL) on the head characterized by macular lesions. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 1000-1006	4.5	14
184	Indolent CD8-positive lymphoid proliferation of acral sites: three further cases of a rare entity and an update on a unique patient. <i>Journal of Cutaneous Pathology</i> , 2016 , 43, 125-36	1.7	34
183	Phenotypic Variation in Different Lesions of Mycosis Fungoides Biopsied Within a Short Period of Time From the Same Patient. <i>American Journal of Dermatopathology</i> , 2016 , 38, 541-5	0.9	10
182	A morphological and immunophenotypic map of the immune response in Merkel cell carcinoma. <i>Human Pathology</i> , 2016 , 52, 190-6	3.7	29
181	Genomic aberrations in spitzoid melanocytic tumours and their implications for diagnosis, prognosis and therapy. <i>Pathology</i> , 2016 , 48, 113-31	1.6	95
180	Convergent mutations and kinase fusions lead to oncogenic STAT3 activation in anaplastic large cell lymphoma. <i>Cancer Cell</i> , 2015 , 27, 516-32	24.3	283
179	Lobular panniculitic infiltrates with overlapping histopathologic features of lupus panniculitis (lupus profundus) and subcutaneous T-cell lymphoma: a conceptual and practical dilemma. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 206-11	6.7	51
178	Expression of T-follicular helper markers in sequential biopsies of progressive mycosis fungoides and other primary cutaneous T-cell lymphomas. <i>American Journal of Dermatopathology</i> , 2015 , 37, 115-21	0.9	36
177	Atypical clinicopathologic presentation of primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 1016-20	4.5	13
176	Diffuse dermal angiomatosis of the abdomen. <i>European Journal of Dermatology</i> , 2015 , 25, 350-2	0.8	2
175	Prior knowledge of the clinical picture does not introduce bias in the histopathologic diagnosis of melanocytic skin lesions. <i>Journal of Cutaneous Pathology</i> , 2015 , 42, 953-958	1.7	8
174	Aggressive epidermotropic cutaneous CD8+ lymphoma: a cutaneous lymphoma with distinct clinical and pathological features. Report of an EORTC Cutaneous Lymphoma Task Force Workshop. <i>Histopathology</i> , 2015 , 67, 425-41	7.3	61
173	Fibrous hamartoma of infancy within a congenital nevus. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 1282-4	1.2	2
172	Cutaneous Spindle-Cell B-Cell Lymphomas: Most are Neoplasms of Follicular Center Cell Origin. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 737-43	6.7	20
171	Dermoscopy and reflectance confocal microscopy in verruciform xanthoma of the glans penis. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, e147-9	4.5	6
170	Sjögren Syndrome 2014 , 74-84		
169	Clinicopathologic and molecular features in cutaneous extranodal natural killer-/T-cell lymphoma, nasal type, with aggressive and indolent course. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 716-723	4.5	10
168	Cutaneous B-Cell Lymphomas 2014 , 183-183		

- 167 Intravascular Large Cell Lymphomas **2014**, 232-244 1
- 166 Other Cutaneous B-Cell Lymphomas **2014**, 245-262
- 165 Cutaneous Follicle Center Lymphoma **2014**, 185-200
- 164 Other Cutaneous NK/T-Cell Lymphomas **2014**, 176-182
- 163 Cutaneous Adult T-Cell Leukemia/Lymphoma **2014**, 172-175
- 162 Cutaneous CD4+ small-medium T-cell Lymphoma **2014**, 163-171
- 161 Cutaneous Peripheral T-Cell Lymphoma, not Otherwise Specified (NOS) **2014**, 155-162 1
- 160 Cutaneous Lymphoproliferative Disorders in Other Iatrogenic and Non-Iatrogenic Immune Deficiencies **2014**, 281-284
- 159 Cutaneous NK/T-Cell Lymphomas **2014**, 9-9
- 158 Cutaneous Lymphomas in Children and Adolescents **2014**, 339-347
- 157 Primary Cutaneous CD30+ Lymphoproliferative Disorders **2014**, 85-119
- 156 Subcutaneous Panniculitis-like T-cell Lymphoma **2014**, 120-132 1
- 155 The Cutaneous Atypical Lymphoid Proliferation **2014**, 411-414
- 154 Pseudolymphomas of the Skin **2014**, 349-409
- 153 Cutaneous Lymphomas in Immunosuppressed Individuals **2014**, 263-264
- 152 Aggressive Cutaneous Cytotoxic Lymphomas **2014**, 133-154 1
- 151 Cutaneous Manifestations of Hodgkin Lymphoma **2014**, 329-337
- 150 Cutaneous Manifestations of Other Leukemias **2014**, 317-319

149	Cutaneous Manifestations of Myelogenous Leukemia 2014 , 296-305		
148	Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type 2014 , 220-231		
147	The BRAF V600K mutation is more frequent than the BRAF V600E mutation in melanoma in situ of lentigo maligna type. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 548-550	4.3	20
146	Cutaneous Post-transplant Lymphoproliferative Disorders 2014 , 265-274		
145	Kinase fusions are frequent in Spitz tumours and spitzoid melanomas. <i>Nature Communications</i> , 2014 , 5, 3116	17.4	394
144	Presence of human polyomavirus 6 in mutation-specific BRAF inhibitor-induced epithelial proliferations. <i>JAMA Dermatology</i> , 2014 , 150, 1180-6	5.1	45
143	Mid-dermal elastolysis as a manifestation of immune reconstitution inflammatory syndrome in an HIV-infected patient. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, e134-5	4.5	6
142	Cutaneous Lymphomas in HIV-Infected Individuals 2014 , 275-280		
141	Cutaneous Lymphoblastic Lymphomas 2014 , 320-327		
140	Blastic Plasmacytoid Dendritic Cell Neoplasm 2014 , 306-316		2
139	Cutaneous Manifestations of B-cell Chronic Lymphocytic Leukemia 2014 , 285-295		
138	Cutaneous Marginal Zone Lymphoma (Cutaneous MALT-Lymphoma) and Variants 2014 , 201-219		2
137	Mycosis Fungoides With Large Cell Transformation and T Follicular Helper Phenotype 2014 , 19, 208-211		0
136	Phenotypic variability in primary cutaneous anaplastic large T-cell lymphoma: a study on 35 patients. <i>American Journal of Dermatopathology</i> , 2014 , 36, 153-7	0.9	26
135	Cutaneous deposits. <i>American Journal of Dermatopathology</i> , 2014 , 36, 1-48	0.9	26
134	TCR- β expression in primary cutaneous T-cell lymphomas. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 375-84	6.7	100
133	Molecular diagnostics in cutaneous lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11 Suppl 4, 25-35	1.2	9
132	Molekularbiologische Methoden zur Verbesserung der Diagnose und Prognose bei melanozytären Tumoren. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 20-25	1.2	1

131	Molekulare Diagnostik kutaner Lymphome. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 26-36	1.2	1
130	Molecular Profiling Of Blastic Plasmacytoid Dendritic CELL Neoplasm Reveals A Unique Pattern and Suggests Selective Sensitivity To NF-KB Pathway Inhibition. <i>Blood</i> , 2013 , 122, 2502-2502	2.2	3
129	Accuracy in melanoma detection: a 10-year multicenter survey. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 54-9	4.5	131
128	Histopathologic patterns associated with external agents. <i>Dermatologic Clinics</i> , 2012 , 30, 731-48, vii	4.2	18
127	Evaluation of the ICDP-UEMS Dermatopathology Examination. <i>American Journal of Dermatopathology</i> , 2012 , 34, 471-7	0.9	2
126	Coexistence of patch stage mycosis fungoides and interstitial granuloma annulare in the same patient: a pitfall in the clinicopathologic diagnosis of mycosis fungoides. <i>American Journal of Dermatopathology</i> , 2012 , 34, 198-202	0.9	16
125	A distinct subset of atypical Spitz tumors is characterized by BRAF mutation and loss of BAP1 expression. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 818-30	6.7	234
124	Germline mutations in BAP1 predispose to melanocytic tumors. <i>Nature Genetics</i> , 2011 , 43, 1018-21	36.3	562
123	Adverse reactions to injectable soft tissue fillers. <i>Journal of the American Academy of Dermatology</i> , 2011 , 64, 1-34; quiz 35-6	4.5	232
122	Clinicopathologic features of early lesions of primary cutaneous follicle center lymphoma, diffuse type: implications for early diagnosis and treatment. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, 991-1000	4.5	39
121	Miliary and agminated-type primary cutaneous follicle center lymphoma: report of 18 cases. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, 749-755	4.5	33
120	Syringotropic mycosis fungoides: a rare variant of the disease with peculiar clinicopathologic features. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 100-9	6.7	51
119	Cutaneous manifestations of B-cell chronic lymphocytic leukemia associated with Borrelia burgdorferi infection showing a marginal zone B-cell lymphoma-like infiltrate. <i>American Journal of Dermatopathology</i> , 2011 , 33, 712-5	0.9	26
118	EORTC, ISCL, and USCLC consensus recommendations for the treatment of primary cutaneous CD30-positive lymphoproliferative disorders: lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma. <i>Blood</i> , 2011 , 118, 4024-35	2.2	295
117	Borderline CD30+ cutaneous lymphoproliferative disorder: report of a case with expression of cytotoxic markers and response to clarithromycin. <i>Journal of Cutaneous Pathology</i> , 2011 , 38, 301-5	1.7	2
116	Clinical end points and response criteria in mycosis fungoides and S _z ary syndrome: a consensus statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2598-607	2.2	407
115	Indolent CD8+ lymphoid proliferation of the ear: a phenotypic variant of the small-medium pleomorphic cutaneous T-cell lymphoma?. <i>Journal of Cutaneous Pathology</i> , 2010 , 37, 81-4	1.7	59
114	Influence of evaluation of clinical pictures on the histopathologic diagnosis of inflammatory skin disorders. <i>Journal of the American Academy of Dermatology</i> , 2010 , 63, 647-52	4.5	22

113	Anetodermic primary cutaneous B-cell lymphoma: a unique clinicopathological presentation of lymphoma possibly associated with antiphospholipid antibodies. <i>Archives of Dermatology</i> , 2010 , 146, 175-82		17
112	Cutaneous manifestations of blastic plasmacytoid dendritic cell neoplasm-morphologic and phenotypic variability in a series of 33 patients. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 75-87	6.7	135
111	A variant of lymphomatoid papulosis simulating primary cutaneous aggressive epidermotropic CD8+ cytotoxic T-cell lymphoma. Description of 9 cases. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 1168-75	6.7	167
110	Cutaneous lymphoid proliferations: a clinicopathological continuum?. <i>Diagnostic Histopathology</i> , 2010 , 16, 417-424	0.7	5
109	Solitary small- to medium-sized pleomorphic T-cell nodules of undetermined significance: clinical, histopathological, immunohistochemical and molecular analysis of 26 cases. <i>Dermatology</i> , 2009 , 219, 42-7	4.4	30
108	Intravascular large B-cell lymphoma of the skin: typical clinical manifestations and a favourable response to rituximab-containing therapy. <i>Dermatology</i> , 2009 , 219, 344-6	4.4	7
107	9p21 deletion in primary cutaneous large B-cell lymphoma, leg type, may escape detection by standard FISH assays. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 238-40	4.3	7
106	Primary cutaneous marginal zone B-cell lymphomas are targeted by aberrant somatic hypermutation. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 476-9	4.3	26
105	Fine-mapping chromosomal loss at 9p21: correlation with prognosis in primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 1149-55	4.3	69
104	Foreign body granuloma due to Matridex injection for cosmetic purposes. <i>American Journal of Dermatopathology</i> , 2009 , 31, 197-9	0.9	26
103	Primary cutaneous CD4+ small-/medium-sized pleomorphic T-cell lymphoma: a cutaneous nodular proliferation of pleomorphic T lymphocytes of undetermined significance? A study of 136 cases. <i>American Journal of Dermatopathology</i> , 2009 , 31, 317-22	0.9	158
102	Dermatopathology examination in europe: a summary of 6 years of the European Board Certification. <i>American Journal of Dermatopathology</i> , 2009 , 31, 803-5	0.9	2
101	Subcutaneous panniculitis-like T-cell lymphoma with overlapping clinicopathologic features of lupus erythematosus: coexistence of 2 entities?. <i>American Journal of Dermatopathology</i> , 2009 , 31, 520-6	0.9	105
100	Regarding the algorithm for the diagnosis of early mycosis fungoides proposed by the International Society for Cutaneous Lymphomas: suggestions from routine histopathology practice. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 549-53	1.7	32
99	Cutaneous T-cell lymphoma and emerging therapies. <i>Drug Discovery Today Disease Mechanisms</i> , 2008 , 5, e69-e79		
98	Conflict of interests. <i>Journal of the American Academy of Dermatology</i> , 2008 , 58, 170	4.5	
97	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008 , 111, 838-45	2.2	492
96	Granulomatous mycosis fungoides and granulomatous slack skin: a multicenter study of the Cutaneous Lymphoma Histopathology Task Force Group of the European Organization For Research and Treatment of Cancer (EORTC). <i>Archives of Dermatology</i> , 2008 , 144, 1609-17		121

95	The majority of cutaneous marginal zone B-cell lymphomas expresses class-switched immunoglobulins and develops in a T-helper type 2 inflammatory environment. <i>Blood</i> , 2008 , 112, 3355-61 ²		73
94	European Organization for Research and Treatment of Cancer and International Society for Cutaneous Lymphoma consensus recommendations for the management of cutaneous B-cell lymphomas. <i>Blood</i> , 2008 , 112, 1600-9	2.2	339
93	"Ancient" blue nevi (cellular blue nevi with degenerative stromal changes). <i>American Journal of Dermatopathology</i> , 2008 , 30, 1-5	0.9	24
92	Intravascular large T-cell or NK-cell lymphoma: a rare variant of intravascular large cell lymphoma with frequent cytotoxic phenotype and association with Epstein-Barr virus infection. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 891-8	6.7	84
91	The morphologic spectrum of primary cutaneous anaplastic large T-cell lymphoma: a histopathologic study on 66 biopsy specimens from 47 patients with report of rare variants. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 46-53	1.7	41
90	Mycosis fungoides. <i>Critical Reviews in Oncology/Hematology</i> , 2008 , 65, 172-82	7	64
89	CD4-negative variant of CD4+/CD56+ hematodermic neoplasm: description of three cases. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 911-5	1.7	32
88	Large CD30-positive cells in benign, atypical lymphoid infiltrates of the skin. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 1100-7	1.7	108
87	Dermoscopic features of difficult melanoma. <i>Dermatologic Surgery</i> , 2007 , 33, 91-9	1.7	24
86	CD56-positive haematological neoplasms of the skin: a multicentre study of the Cutaneous Lymphoma Project Group of the European Organisation for Research and Treatment of Cancer. <i>Journal of Clinical Pathology</i> , 2007 , 60, 981-9	3.9	95
85	Epidermotropic precursor T-cell lymphoma with highly aggressive clinical behavior simulating localized pagetoid reticulosis. <i>American Journal of Dermatopathology</i> , 2007 , 29, 392-4	0.9	6
84	Dermoscopic Features of Difficult Melanoma. <i>Dermatologic Surgery</i> , 2007 , 33, 91-99	1.7	
83	Cutaneous B-cell pseudolymphoma at the site of vaccination. <i>American Journal of Dermatopathology</i> , 2007 , 29, 538-42	0.9	41
82	Rimming of adipocytes by neoplastic lymphocytes: a histopathologic feature not restricted to subcutaneous T-cell lymphoma. <i>American Journal of Dermatopathology</i> , 2006 , 28, 9-12	0.9	69
81	Histopathologic features of cutaneous herpes virus infections (herpes simplex, herpes varicella/zoster): a broad spectrum of presentations with common pseudolymphomatous aspects. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 50-8	6.7	84
80	The protean spectrum of non-Hodgkin lymphomas with prominent involvement of subcutaneous fat. <i>Journal of Cutaneous Pathology</i> , 2006 , 33, 418-25	1.7	40
79	Primary cutaneous B-cell lymphomas: then and now. <i>Journal of Cutaneous Pathology</i> , 2006 , 33 Suppl 1, 1-5	1.7	5
78	International Board Certification in Dermatopathology A Worldwide Effort to Raise Standards in Dermatopathology. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 801-804	1.9	

77	WHO-EORTC classification for cutaneous lymphomas. <i>Blood</i> , 2005 , 105, 3768-85	2.2	2980
76	Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2005 , 53, 1053-63	4.5	356
75	Histopathologic features of early (patch) lesions of mycosis fungoides: a morphologic study on 745 biopsy specimens from 427 patients. <i>American Journal of Surgical Pathology</i> , 2005 , 29, 550-60	6.7	138
74	Genetic aberrations in primary cutaneous large B-cell lymphoma: a fluorescence in situ hybridization study of 25 cases. <i>American Journal of Surgical Pathology</i> , 2005 , 29, 666-73	6.7	38
73	Primary cutaneous large B-cell lymphomas: clinicopathologic features, classification, and prognostic factors in a large series of patients. <i>Blood</i> , 2005 , 106, 2491-7	2.2	186
72	Lupus erythematosus panniculitis (lupus profundus): clinical, histopathological, and molecular analysis of nine cases. <i>Journal of Cutaneous Pathology</i> , 2005 , 32, 396-404	1.7	139
71	WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. <i>Journal of Cutaneous Pathology</i> , 2005 , 32, 647-74	1.7	271
70	A pilot study of a combined dermoscopic-pathological approach to the teleradiology of melanocytic skin neoplasms. <i>Journal of Telemedicine and Telecare</i> , 2004 , 10, 34-8	6.8	41
69	Lymphomatoid papulosis: reappraisal of clinicopathologic presentation and classification into subtypes A, B, and C. <i>Archives of Dermatology</i> , 2004 , 140, 441-7		150
68	<i>Borrelia burgdorferi</i> -associated lymphocytoma cutis: clinicopathologic, immunophenotypic, and molecular study of 106 cases. <i>Journal of Cutaneous Pathology</i> , 2004 , 31, 232-40	1.7	129
67	International Board Certification in Dermatopathology: paving the way for the future. <i>Journal of Cutaneous Pathology</i> , 2004 , 31, 683-685	1.7	2
66	The spectrum of cutaneous lymphomas in patients less than 20 years of age. <i>Pediatric Dermatology</i> , 2004 , 21, 525-33	1.9	143
65	Diagnostic principles and new developments in primary cutaneous B-cell lymphomas. <i>Journal of Dermatological Science</i> , 2004 , 34, 167-75	4.3	20
64	Lyme borreliosis. <i>Lancet, The</i> , 2004 , 363, 249	4.0	3
63	Subcutaneous, blastic natural killer (NK), NK/T-cell, and other cytotoxic lymphomas of the skin: a morphologic, immunophenotypic, and molecular study of 50 patients. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 719-35	6.7	189
62	Differential diagnosis of cutaneous infiltrates of B lymphocytes with follicular growth pattern. <i>American Journal of Dermatopathology</i> , 2004 , 26, 4-13	0.9	97
61	Cytotoxic/natural killer cell cutaneous lymphomas. Report of EORTC Cutaneous Lymphoma Task Force Workshop. <i>Cancer</i> , 2003 , 97, 610-27	6.4	200
60	Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 679-93	4.5	882

59	T(14;18)(q32;q21) involving IGH and MALT1 is a frequent chromosomal aberration in MALT lymphoma. <i>Blood</i> , 2003 , 101, 2335-9	2.2	402
58	Differential diagnosis between cutaneous lymphoma and pseudolymphoma 2003 , 25, 191-8		3
57	Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia (B-CLL) at sites typical for <i>Borrelia burgdorferi</i> infection. <i>Journal of Cutaneous Pathology</i> , 2002 , 29, 142-7	1.7	41
56	Follicular mucinosis: a critical reappraisal of clinicopathologic features and association with mycosis fungoides and S ₂ ary syndrome. <i>Archives of Dermatology</i> , 2002 , 138, 182-9		132
55	Cutaneous lymphomas with prominent granulomatous reaction: a potential pitfall in the histopathologic diagnosis of cutaneous T- and B-cell lymphomas. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 1259-68	6.7	122
54	Primary cutaneous lymphomas: applicability of current classification schemes (European Organization for Research and Treatment of Cancer, World Health Organization) based on clinicopathologic features observed in a large group of patients. <i>Blood</i> , 2002 , 99, 800-5	2.2	205
53	<i>Borrelia burgdorferi</i> -associated lymphocytoma cutis simulating a primary cutaneous large B-cell lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2002 , 47, 530-4	4.5	61
52	Absence of <i>Borrelia burgdorferi</i> DNA in cutaneous B-cell lymphomas from the United States. <i>Journal of Cutaneous Pathology</i> , 2001 , 28, 502-7	1.7	107
51	Follicular mycosis fungoides. A histopathologic analysis of nine cases. <i>Journal of Cutaneous Pathology</i> , 2001 , 28, 525-30	1.7	66
50	Primary cutaneous follicle center cell lymphoma. <i>Leukemia and Lymphoma</i> , 2001 , 42, 891-900	1.9	19
49	Cutaneous immunocytoma presenting with multiple infiltrated macules and papules. <i>Journal of the American Academy of Dermatology</i> , 2001 , 44, 324-9	4.5	6
48	Cutaneous spindle-cell B-cell lymphoma: a morphologic variant of cutaneous large B-cell lymphoma. <i>American Journal of Dermatopathology</i> , 2000 , 22, 299-304	0.9	64
47	Monoclonality of intraepidermal T lymphocytes in early mycosis fungoides detected by molecular analysis after laser-beam-based microdissection. <i>Journal of Investigative Dermatology</i> , 2000 , 114, 1154-74 ³		27
46	Primary cutaneous follicle center cell lymphoma with follicular growth pattern. <i>Blood</i> , 2000 , 95, 3922-3928		188
45	Histopathologic Interobserver Agreement on the Diagnosis of Melanocytic Skin Lesions with Equivocal Dermoscopic Features: A Pilot Study. <i>Tumori</i> , 2000 , 86, 445-449	1.7	7
44	Teledermoscopy--results of a multicentre study on 43 pigmented skin lesions. <i>Journal of Telemedicine and Telecare</i> , 2000 , 6, 132-7	6.8	107
43	Primary or Primarily?. <i>American Journal of Dermatopathology</i> , 2000 , 22, 366-368	0.9	1
42	The Clinicopathologic Spectrum of Cytotoxic Lymphomas of the Skin. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2000 , 19, 118-123	1.4	13

41	CD56+ blastic transformation of chronic myeloid leukemia involving the skin. <i>Journal of Cutaneous Pathology</i> , 1999 , 26, 497-503	1.7	10
40	Cutaneous involvement in lymphoblastic lymphoma. <i>Journal of Cutaneous Pathology</i> , 1999 , 26, 379-85	1.7	63
39	Vulvar syringoma causing pruritus and carcinophobia: treatment by argon laser. <i>Journal of Cutaneous Laser Therapy</i> , 1999 , 1, 181-3		15
38	<i>Borrelia burgdorferi</i> -associated primary cutaneous B cell lymphoma: complete clearing of skin lesions after antibiotic pulse therapy or intralesional injection of interferon alfa-2a. <i>Journal of the American Academy of Dermatology</i> , 1997 , 36, 311-4	4.5	174
37	Leukemic cells within skin lesions of psoriasis in a patient with acute myelogenous leukemia. <i>Journal of Cutaneous Pathology</i> , 1997 , 24, 445-8	1.7	17
36	Infection by <i>Borrelia burgdorferi</i> and cutaneous B-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 1997 , 24, 457-61	1.7	297
35	Primary cutaneous marginal zone B-cell lymphoma: a recently described entity of low-grade malignant cutaneous B-cell lymphoma. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 1307-15	6.7	206
34	Prognostic evaluation of specific cutaneous infiltrates in B-chronic lymphocytic leukemia. <i>Journal of Cutaneous Pathology</i> , 1996 , 23, 487-94	1.7	21
33	Cutaneous Hodgkin's disease: an immunohistochemical analysis. <i>Journal of Cutaneous Pathology</i> , 1995 , 22, 229-35	1.7	50
32	Immunoreactivity for bcl-2 protein in cutaneous lymphomas and lymphoid hyperplasias. <i>Journal of Cutaneous Pathology</i> , 1995 , 22, 476-8	1.7	7
31	Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia arising at the site of herpes zoster and herpes simplex scars. <i>Cancer</i> , 1995 , 76, 26-31	6.4	84
30	Aberrant bcl-2 protein expression provides a possible mechanism of neoplastic cell growth in cutaneous basal-cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 1994 , 21, 398-403	1.7	50
29	bcl-2 protein expression and correlation with the interchromosomal 14;18 translocation in cutaneous lymphomas and pseudolymphomas. <i>Journal of Investigative Dermatology</i> , 1994 , 102, 231-5	4.3	141
28	Clinical and histopathologic spectrum of pilomatricomas in adults. <i>International Journal of Dermatology</i> , 1994 , 33, 705-8	1.7	56
27	Verrucous cysts: histopathologic characterization and molecular detection of human papillomavirus-specific DNA. <i>Journal of Cutaneous Pathology</i> , 1993 , 20, 411-7	1.7	40
26	Comparison of proliferative activity as assessed by proliferating cell nuclear antigen (PCNA) and Ki-67 monoclonal antibodies in melanocytic skin lesions. A quantitative immunohistochemical study. <i>Journal of Cutaneous Pathology</i> , 1993 , 20, 229-36	1.7	73
25	Immunophenotyping of cutaneous lymphoid infiltrates in frozen and paraffin-embedded tissue sections: a comparative study. <i>Journal of the American Academy of Dermatology</i> , 1990 , 22, 405-13	4.5	71
24	Large B-Cell Lymphoma, Leg Type 112-116		

23	Cutaneous Hodgkin Lymphoma141-143	1
22	CD30+ Cutaneous Lymphoproliferative Disorders45-58	2
21	Cutaneous T-Cell Lymphomas7-8	1
20	Blastic NK-Cell Lymphoma131-131	1
19	Pseudolymphomas of the Skin155-155	1
18	Marginal Zone Lymphoma and Cutaneous Immunocytoma100-108	
17	Plasmacytoma109-111	
16	B-Lymphoblastic Lymphoma117-119	
15	B-Cell Chronic Lymphocytic Leukaemia120-122	
14	Other Cutaneous B-Cell Lymphomas123-130	
13	Blastic NK-Cell Lymphoma133-137	
12	Cutaneous Myelogenous Leukaemia147-150	
11	Cutaneous Lymphomas in Immunosuppressed Individuals (Post-Transplant Lymphoproliferative Disorders, HIV-Associated Cutaneous Lymphomas)151-154	
10	Pseudolymphomas of the Skin157-176	
9	Sjögren Syndrome39-44	
8	Subcutaneous T-Cell Lymphoma59-65	
7	Other Cutaneous Cytotoxic Lymphomas66-79	
6	Small-medium Pleomorphic T-Cell Lymphoma80-82	

- 5 Other Cutaneous T-Cell Lymphomas83-88
- 4 Follicle Centre Cell Lymphoma91-99
- 3 Cutaneous B-Cell Lymphomas89-90
- 2 Cutaneous Hodgkin Lymphoma139-139
- 1 Other Cutaneous Lymphomas/Leukaemias145-145