

Ayrat A Nazarov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1072914/ayrat-a-nazarov-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

2,296
citations

23
h-index

45
g-index

103
ext. papers

2,451
ext. citations

2.1
avg, IF

4.79
L-index

#	Paper	IF	Citations
99	Ultrasonic Welding of Nickel with Coarse and Ultrafine Grained Structures. <i>Metals</i> , 2021 , 11, 1800	2.3	0
98	Ultrasonic spot welded CP Ti / AA2024 / CP Ti alloy joints. <i>Letters on Materials</i> , 2021 , 11, 508-513	0.9	0
97	Strength of copper joints obtained by ultrasonic welding using copper intermediate layers in different structure states. <i>Letters on Materials</i> , 2020 , 10, 322-327	0.9	1
96	Effect of ultrasonic treatment on the structure of coarse-grained nickel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 772, 138764	5.3	2
95	Relaxation of dislocation structures under ultrasonic influence. <i>International Journal of Solids and Structures</i> , 2019 , 156-157, 1-13	3.1	6
94	Field electron emission from a copper-based composite reinforced with carbon nanotubes. <i>Letters on Materials</i> , 2019 , 9, 566-570	0.9	2
93	A double-gaussian waveguide for ultrasonic treatment of metals. <i>Letters on Materials</i> , 2019 , 9, 414-418	0.9	1
92	Molecular Dynamics Study of Nonequilibrium [112] Tilt Grain Boundaries in Ni and their Relaxation under Cyclic Deformation. <i>Journal of Metastable and Nanocrystalline Materials</i> , 2018 , 30, 1-10	0.2	0
91	Microstructure changes in ultrafine-grained nickel processed by high pressure torsion under ultrasonic treatment. <i>Ultrasonics</i> , 2018 , 82, 313-321	3.5	23
90	Effect of Ultrasonic Treatment on the Characteristics of Superplasticity of Titanium Alloy Ti-6Al-4V. <i>Defect and Diffusion Forum</i> , 2018 , 385, 53-58	0.7	5
89	Molecular Dynamics Simulation of Nonequilibrium Grain Boundaries in Ultrafine-Grained Nickel and their Relaxation under Cyclic Loading. <i>Defect and Diffusion Forum</i> , 2018 , 385, 163-168	0.7	
88	Nonequilibrium grain boundaries and their relaxation under oscillating stresses in columnar nickel nanocrystals studied by molecular dynamics. <i>Computational Materials Science</i> , 2018 , 151, 204-213	3.2	14
87	Structure evolution in coarse-grained nickel under ultrasonic treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 731, 231-238	5.3	8
86	A method for the construction of initial structures for molecular dynamics simulations of nanocrystals with nonequilibrium grain boundaries containing extrinsic dislocations. <i>Letters on Materials</i> , 2018 , 8, 5-10	0.9	7
85	Nonequilibrium grain boundaries in bulk nanostructured metals and their recovery under the influences of heating and cyclic deformation. Review. <i>Letters on Materials</i> , 2018 , 8, 372-381	0.9	14
84	Current achievements on superplasticity and related phenomena at the Institute for Metals Superplasticity Problems. <i>Letters on Materials</i> , 2018 , 8, 510-516	0.9	7
83	Molecular dynamics simulation of the effect of cyclic stresses on nanocrystals with nonequilibrium grain boundaries: the role of the grain size. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 447, 012003	0.4	1

82	Annealing-Induced Grain Rotation In Ultrafine-Grained Aluminum Alloy. <i>Reviews on Advanced Materials Science</i> , 2018 , 55, 69-77	4.8	3
81	Simulation of the Effect of Ultrasound on the Dislocation Structure of Deformed Polycrystals. <i>Physics of Metals and Metallography</i> , 2018 , 119, 993-1003	1.2	7
80	Influence of ultrasound on the structure and properties of nickel processed by equal-channel angular pressing. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 447, 012017	0.4	1
79	Softening and hardening of ECAP nickel under ultrasonic treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 698, 136-142	5.3	15
78	Relaxation of the residual defect structure in deformed polycrystals under ultrasonic action. <i>Physics of Metals and Metallography</i> , 2017 , 118, 621-629	1.2	13
77	Ultrasonic influence on evolution of disordered dislocation structures. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2017 , 25, 085010	2	9
76	Effect of ultrasonic treatment on the structure and microhardness of ultrafine grained nickel processed by high pressure torsion. <i>Letters on Materials</i> , 2017 , 7, 85-90	0.9	11
75	Drift of dislocation tripoles under ultrasound influence. <i>Ultrasonics</i> , 2016 , 64, 77-82	3.5	16
74	Molecular dynamics simulation of the relaxation of a grain boundary disclination dipole under ultrasonic stresses. <i>Letters on Materials</i> , 2016 , 6, 179-182	0.9	10
73	Fabrication, microstructure, and microhardness of copper composites reinforced by carbon nanotubes. <i>Physics of the Solid State</i> , 2015 , 57, 1206-1212	0.8	6
72	The Values of Strain Components and Their Role in Formation of Ultrafine-Grained and Nanosized Structure in Materials by Means of Severe Plastic Deformation. <i>Russian Physics Journal</i> , 2015 , 58, 70-78	0.7	1
71	Interaction of dislocation tripoles with a standing sound wave. <i>Physics of Metals and Metallography</i> , 2015 , 116, 1057-1065	1.2	8
70	Technological features of a process and equipment for superplastic rolling of axially symmetric heat-resistant alloy components of rotors for modern aircraft engines. <i>Journal of Machinery Manufacture and Reliability</i> , 2014 , 43, 311-318	0.6	2
69	Changes in the microstructure and mechanical properties of nanomaterials under an ultrasonic wave effect. <i>Journal of Machinery Manufacture and Reliability</i> , 2014 , 43, 153-159	0.6	9
68	Effects of carbon nanotube content and annealing temperature on the hardness of CNT reinforced aluminum nanocomposites processed by the high pressure torsion technique. <i>Journal of Alloys and Compounds</i> , 2014 , 613, 68-73	5.7	49
67	Effect of Stone-Thrower-Wales defect on structural stability of graphene at zero and finite temperatures. <i>Europhysics Letters</i> , 2013 , 103, 46001	1.6	25
66	Disclinations in bulk nanostructured materials: their origin, relaxation and role in material properties. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2013 , 4, 033002	1.6	8
65	Scientific fundamentals of high-efficiency roll forming technology for axially symmetrical parts of a gas-turbine engine rotor of high-temperature alloy. <i>Journal of Machinery Manufacture and Reliability</i> , 2013 , 42, 419-426	0.6	6

64	Simulation of the effect of strengthening-phase particles on the plastic deformation of a two-dimensional polycrystal. <i>Physics of Metals and Metallography</i> , 2012 , 113, 302-311	1.2	4
63	Grain rotation by dislocation climb in a finite-size grain boundary. <i>Acta Materialia</i> , 2012 , 60, 7064-7077	8.4	14
62	Microstructure and mechanical behavior of UFG copper processed by ECAP following different processing regimes. <i>Philosophical Magazine</i> , 2012 , 92, 690-704	1.6	19
61	Morphology and in-plane thermal conductivity of hybrid graphene sheets. <i>Applied Physics Letters</i> , 2012 , 101, 211909	3.4	47
60	Current Status of Research and Development on Superplasticity at the Institute for Metals Superplasticity Problems. <i>Materials Science Forum</i> , 2012 , 735, 403-408	0.4	
59	Computer simulation of the effect of ultrasound and annealing on the structure of a two-dimensional severely deformed nanocrystalline material. <i>Physics of Metals and Metallography</i> , 2011 , 111, 513-519	1.2	17
58	Superplastic Roll Forming of Axial Symmetric Articles from Superalloys. <i>Advanced Materials Research</i> , 2011 , 278, 301-305	0.5	1
57	Principles of Fabrication of Bulk Ultrafine-Grained and Nanostructured Materials by Multiple Isothermal Forging. <i>Materials Science Forum</i> , 2010 , 638-642, 1702-1707	0.4	6
56	Effect of Ultrasonic Treatment on the Microstructure and Properties of Nanostructured Nickel Processed by High Pressure Torsion. <i>Materials Science Forum</i> , 2010 , 667-669, 605-609	0.4	6
55	The use of nanostructured materials and nanotechnologies for the elaboration of hollow structures. <i>Nanotechnologies in Russia</i> , 2010 , 5, 108-122	0.6	8
54	Dynamic long-period nanosized states in lattice structure. <i>Russian Physics Journal</i> , 2009 , 52, 132-137	0.7	8
53	Dynamics of edge dislocations in a two-dimensional crystal at finite temperatures. <i>Physics of the Solid State</i> , 2009 , 51, 1809-1813	0.8	7
52	Computer Simulation of the Interaction of Junction Disclinations in Nanomaterials with Grain Boundary Vacancies. <i>Solid State Phenomena</i> , 2008 , 137, 1-8	0.4	
51	Analysis of the Fundamental Mechanisms and Efficiency of the Deformation Methods of Nanostructuring. <i>Materials Science Forum</i> , 2008 , 584-586, 29-34	0.4	4
50	Atomistic simulations of the tensile strength of a disclinated bicrystalline nanofilm. <i>Philosophical Magazine</i> , 2008 , 88, 3181-3191	1.6	22
49	Production, properties and application prospects of bulk nanostructured materials. <i>Journal of Materials Science</i> , 2008 , 43, 7257-7263	4.3	28
48	Relaxation of a disclinated tricrystalline nanowire. <i>Acta Materialia</i> , 2008 , 56, 5828-5836	8.4	52
47	Computer simulation of crack formation in a nickel bicrystal nanowire containing a wedge disclination. <i>Physics of Metals and Metallography</i> , 2007 , 104, 274-280	1.2	5

46	Low-temperature plasticity in nanocrystalline titanium and copper. <i>Physics of the Solid State</i> , 2007 , 49, 678-683	0.8	6
45	Modelling grain refinement in fcc metals during equal-channel angular pressing by route $\epsilon\epsilon$ <i>International Journal of Materials Research</i> , 2007 , 98, 167-171	0.5	15
44	Competing relaxation mechanisms in a disclinated nanowire: temperature and size effects. <i>Physical Review Letters</i> , 2007 , 98, 035501	7.4	54
43	Crack nucleation at disclinated triple junctions. <i>Physical Review B</i> , 2007 , 76,	3.3	45
42	Continuum and atomistic studies of a disclinated crack in a bicrystalline nanowire. <i>Physical Review B</i> , 2006 , 73,	3.3	54
41	Stability and relaxation mechanisms of a wedge disclination in an HCP bicrystalline nanowire. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2006 , 14, 647-661	2	23
40	Analysis of substructure evolution during simple shear of polycrystals by means of a combined viscoplastic self-consistent and disclination modeling approach. <i>Acta Materialia</i> , 2006 , 54, 985-995	8.4	31
39	Activation energy for vacancy migration in [001] tilt boundaries in nickel. <i>Physics of Metals and Metallography</i> , 2006 , 101, 86-92	1.2	3
38	Energies of formation and activation for migration of grain-boundary vacancies in a nickel bicrystal containing a disclination. <i>Physics of Metals and Metallography</i> , 2006 , 102, 198-204	1.2	1
37	Specific features of structural defects in twisted nematic liquid crystals under conditions of electrohydrodynamic instability. <i>Physics of the Solid State</i> , 2005 , 47, 374	0.8	3
36	Grain size refinement due to relaxation of disclination junction configurations in the course of plastic deformation of polycrystals. <i>Physics of the Solid State</i> , 2005 , 47, 845	0.8	13
35	A mechanism of grain nucleation during relaxation of the latent energy of junction disclinations in the course of plastic deformation. <i>Technical Physics Letters</i> , 2005 , 31, 1015-1018	0.7	6
34	Misorientation dependence of the energy of symmetrical tilt boundaries in hcp metals: prediction by the disclination-structural unit model. <i>Philosophical Magazine</i> , 2004 , 84, 785-806	1.6	23
33	On the annealing of junction disclinations in deformed polycrystals. <i>Philosophical Magazine</i> , 2003 , 83, 2653-2667	1.6	6
32	On the Origin and Energy of Triple Junction Defects Due to the Finite Length of Grain Boundaries. <i>Journal of Materials Science</i> , 2003 , 11, 417-424		9
31	Diffusion-accomodated rigid-body translations along grain boundaries in nanostructured materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 359, 247-252	5.3	7
30	Grain-boundary diffusion in nanocrystals with a time-dependent diffusion coefficient. <i>Physics of the Solid State</i> , 2003 , 45, 1166-1169	0.8	18
29	Modelling of Grain Boundary Structures by Means of Dislocations. <i>Solid State Phenomena</i> , 2002 , 87, 193-204		2

28	Kinetics of Grain Boundary Recovery in Deformed Polycrystals. <i>Journal of Materials Science</i> , 2000 , 8, 315-322	35
27	A Revision of the Models for the Accommodation of Extrinsic Grain Boundary Dislocations. <i>Journal of Materials Science</i> , 2000 , 8, 71-76	7
26	Elastic models of symmetrical <001> and <011> tilt grain boundaries in diamond. <i>Physical Review B</i> , 2000 , 61, 928-936	3.3 17
25	Properties of Polycrystalline Diamond: Multiscale Modeling Approach. <i>Molecular Simulation</i> , 2000 , 24, 197-207	2 2
24	Internal stress effect on grain-boundary diffusion in submicrocrystalline metals. <i>Philosophical Magazine Letters</i> , 2000 , 80, 221-227	1 12
23	Multiscale modeling approach for calculating grain-boundary energies from first principles. <i>Physical Review B</i> , 1998 , 57, R3181-R3184	3.3 42
22	Ensembles of gliding grain boundary dislocations in ultrafine grained materials produced by severe plastic deformation. <i>Scripta Materialia</i> , 1997 , 37, 1155-1161	5.6 15
21	On the pile-up model of the grain size-yield stress relation for nanocrystals. <i>Scripta Materialia</i> , 1996 , 34, 697-701	5.6 24
20	Random disclination ensembles in ultrafine-grained materials produced by severe plastic deformation. <i>Scripta Materialia</i> , 1996 , 34, 729-734	5.6 66
19	High strength state in low carbon steel with submicron fibrous structure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996 , 206, 39-44	5.3 14
18	Extrinsic Grain Boundary Dislocations and the Micromechanisms of Superplastic Deformation. <i>Materials Science Forum</i> , 1996 , 243-245, 31-40	0.4 1
17	Stress fields of disordered dislocation arrays: A double wall consisting of dislocation dipoles. <i>Philosophical Magazine Letters</i> , 1995 , 72, 49-53	1 1
16	Structural Model of Ultrafine Grained Materials Produced by Severe Plastic Deformation. <i>Key Engineering Materials</i> , 1995 , 97-98, 59-64	0.4 3
15	Models of the defect structure and analysis of the mechanical behavior of nanocrystals. <i>Scripta Materialia</i> , 1995 , 6, 775-778	31
14	On the nature of high internal stresses in ultrafine grained materials. <i>Scripta Materialia</i> , 1994 , 4, 93-101	78
13	Deformation behaviour of ultra-fine-grained copper. <i>Acta Metallurgica Et Materialia</i> , 1994 , 42, 2467-2475	497
12	On the role of non-equilibrium grain-boundary structure in the yield and flow stress of polycrystals. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1994 , 69, 327-340	20
11	Microstructures and hardness of ultrafine-grained Ni ₃ Al. <i>Acta Metallurgica Et Materialia</i> , 1993 , 41, 2953-2962	84

10	On the structure, stress fields and energy of nonequilibrium grain boundaries. <i>Acta Metallurgica Et Materialia</i> , 1993 , 41, 1033-1040		239
9	Stress fields of disordered dislocation arrays: Finite walls. <i>Philosophical Magazine Letters</i> , 1993 , 68, 297-301		5
8	Long-range stress fields of disordered dislocation arrays: Two types of disorder, and two decay laws. <i>Philosophical Magazine Letters</i> , 1993 , 68, 303-307	1	11
7	Model for the prediction of the mechanical behaviour of nanocrystalline materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993 , 172, 23-29	5-3	93
6	On the Hierarchy of Dislocation Descriptions of Grain Boundary Structures. <i>Physica Status Solidi A</i> , 1990 , 122, 495-502		8
5	Incorporation model for the spreading of extrinsic grain boundary dislocations. <i>Scripta Metallurgica Et Materialia</i> , 1990 , 24, 1929-1934		45
4	Disclination-structural unit model of grain boundaries. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1989 , 59, 1113-1118		60
3	On the average misorientation angle of general tilt boundaries. <i>Philosophical Magazine Letters</i> , 1989 , 60, 187-193	1	21
2	Ultrasonic Treatment of Ti-5Al-0.5 V Alloy Subjected to Equal-Channel Angular Pressing. <i>Metals and Materials International</i> , 1	2-4	1
1	Bulk Nanostructured Materials by SPD Processing: Techniques, Microstructures and Properties 21-48		7