
Christian Schlechtriem

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1073114/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Highly unsaturated fatty acid synthesis in marine fish: Cloning, functional characterization, and nutritional regulation of fatty acyl Δ6 desaturase of Atlantic cod (Gadus morhua L.). Lipids, 2006, 41, 1003-1016.	1.7	192
2	Effect of temperature on the fatty acid composition and temporal trajectories of fatty acids in fasting Daphnia pulex (Crustacea, cladocera). Lipids, 2006, 41, 397-400.	1.7	113
3	Biotransformation Changes Bioaccumulation and Toxicity of Diclofenac in Aquatic Organisms. Environmental Science & Technology, 2020, 54, 4400-4408.	10.0	91
4	Effect of different lipid extraction methods on $\hat{l}'13C$ of lipid and lipid-free fractions of fish and different fish feeds. Isotopes in Environmental and Health Studies, 2003, 39, 135-140.	1.0	82
5	Biomagnification and tissue distribution of perfluoroalkyl substances (PFASs) in marketâ€size rainbow trout (<i>Oncorhynchus mykiss</i>). Environmental Toxicology and Chemistry, 2013, 32, 2078-2088.	4.3	69
6	Silver nanoparticles in sewage treatment plant effluents: chronic effects and accumulation of silver in the freshwater amphipod Hyalella azteca. Environmental Sciences Europe, 2018, 30, 7.	5.5	55
7	A comparison of the metabolic profile on intact tissue and extracts of muscle and liver of juvenile Atlantic salmon (Salmo salar L.) – Application to a short feeding study. Food Chemistry, 2011, 129, 1397-1405.	8.2	50
8	High-Resolution1H Magic Angle Spinning NMR Spectroscopy of Intact Arctic Char (Salvelinus Alpinus) Muscle. Quantitative Analysis ofnâ´'3 Fatty Acids, EPA and DHA. Journal of Agricultural and Food Chemistry, 2010, 58, 10799-10803.	5.2	49
9	Silver nanoparticles in sewage sludge: Bioavailability of sulfidized silver to the terrestrial isopod <i>Porcellio scaber</i> . Environmental Toxicology and Chemistry, 2018, 37, 1606-1613.	4.3	49
10	Bioaccumulation in aquatic systems: methodological approaches, monitoring and assessment. Environmental Sciences Europe, 2015, 27, 5.	5.5	48
11	Cross-Species Extrapolation of Uptake and Disposition of Neutral Organic Chemicals in Fish Using a Multispecies Physiologically-Based Toxicokinetic Model Framework. Environmental Science & Technology, 2016, 50, 1914-1923.	10.0	38
12	The suitability of the free-living nematode Panagrellus redivivus as live food for first-feeding fish larvae. Journal of Applied Ichthyology, 2004, 20, 161-168.	0.7	36
13	Reliability of In Vitro Methods Used to Measure Intrinsic Clearance of Hydrophobic Organic Chemicals by Rainbow Trout: Results of an International Ring Trial. Toxicological Sciences, 2018, 164, 563-575.	3.1	36
14	Determination of lipid content in fish samples from bioaccumulation studies: contributions to the revision of guideline OECD 305. Environmental Sciences Europe, 2012, 24, .	5.5	34
15	Chronic effects of wastewater-borne silver and titanium dioxide nanoparticles on the rainbow trout (Oncorhynchus mykiss). Science of the Total Environment, 2020, 723, 137974.	8.0	32
16	Comparative multi-generation study on long-term effects of pristine and wastewater-borne silver and titanium dioxide nanoparticles on key lifecycle parameters in Daphnia magna. NanoImpact, 2019, 14, 100163.	4.5	31
17	Stable Isotopes as a Tool for Nutrient Assimilation Studies in Larval Fish Feeding on Live Food. Aquatic Ecology, 2004, 38, 93-100.	1.5	30
18	Bioaccumulation assessment of nanomaterials using freshwater invertebrate species. Environmental Sciences Europe, 2021, 33, .	5.5	30

#	Article	IF	CITATIONS
19	Effect of Long-term Fasting on the Use of Fatty Acids as Trophic Markers in the Opossum Shrimp Mysis relicta—A Laboratory Study. Journal of Great Lakes Research, 2008, 34, 143-152.	1.9	28
20	Development of a low-cost technology for mass production of the free-living nematode Panagrellus redivivus as an alternative live food for first feeding fish larvae. Applied Microbiology and Biotechnology, 2003, 60, 556-559.	3.6	27
21	Mass produced nematodes Panagrellus redivivus as live food for rearing carp larvae: preliminary results. Aquaculture Research, 2004, 35, 547-551.	1.8	27
22	Sorption of Highly Hydrophobic Organic Chemicals to Organic Matter Relevant for Fish Bioconcentration Studies. Environmental Science & Technology, 2016, 50, 8316-8323.	10.0	27
23	Digestion and Assimilation of the Free-living Nematode Panagrellus redivivus Fed to First Feeding Coregonid Larvae: Evidence from Histological and Isotopic Studies. Journal of the World Aquaculture Society, 2007, 36, 24-31.	2.4	26
24	Bioconcentration studies with the freshwater amphipod Hyalella azteca: are the results predictive of bioconcentration in fish?. Environmental Science and Pollution Research, 2019, 26, 1628-1641.	5.3	26
25	Bioavailability of silver from wastewater and planktonic food borne silver nanoparticles in the rainbow trout Oncorhynchus mykiss. Science of the Total Environment, 2020, 706, 135695.	8.0	26
26	Impact of wastewater-borne nanoparticles of silver and titanium dioxide on the swimming behaviour and biochemical markers of Daphnia magna: An integrated approach. Aquatic Toxicology, 2020, 220, 105404.	4.0	26
27	Protective effects of dietary l-carnitine on tilapia hybrids (Oreochromis niloticus x Oreochromis) Tj ETQq1 1 0.78	4314 rgBT 2.7	Qyerlock 10
28	A critical assessment of different transmethylation procedures commonly employed in the fatty acid analysis of aquatic organisms. Limnology and Oceanography: Methods, 2008, 6, 523-531.	2.0	24
29	Inter-individual variation in total fatty acid compositions of flesh of Atlantic salmon smolts-fed diets containing fish oil or vegetable oil. Aquaculture Research, 2007, 38, 1045-1055.	1.8	23
30	Panagrellus redivivus mass produced on solid media as live food for Litopenaeus vannamei larvae. Aquaculture Research, 2006, 37, 1429-1436.	1.8	22
31	Testing the bioaccumulation of manufactured nanomaterials in the freshwater bivalve <i>Corbicula fluminea</i> using a new test method. Environmental Science: Nano, 2020, 7, 535-553.	4.3	19
32	Incorporation and metabolism of fatty acids by desaturation and elongation in the nematode, Panagrellus redivivus. Nematology, 2004, 6, 783-795.	0.6	18
33	Testing the bioaccumulation potential of manufactured nanomaterials in the freshwater amphipod Hyalella azteca. Chemosphere, 2021, 263, 127961.	8.2	18
34	Hepatocytes as in vitro test system to investigate metabolite patterns of pesticides in farmed rainbow trout and common carp: Comparison between in vivo and in vitro and across species. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2016, 187, 62-73.	2.6	16
35	Unravelling the uptake pathway and accumulation of silver from manufactured silver nanoparticles in the freshwater amphipod Hyalella azteca using correlative microscopy. NanoImpact, 2020, 19, 100239.	4.5	16
36	Comparison of Alternative Methods for Bioaccumulation Assessment: Scope and Limitations of In Vitro Depletion Assays with Rainbow Trout and Bioconcentration Tests in the Freshwater Amphipod <i>Hyalella azteca</i> . Environmental Toxicology and Chemistry, 2020, 39, 1813-1825.	4.3	16

#	Article	IF	CITATIONS
37	Sesamin as a potential modulator of fatty acid composition in common carp (Cyprinus carpio). Aquaculture Research, 2010, 41, e851-e861.	1.8	14
38	Invertebrate Species for the Bioavailability and Accumulation Assessment of Manufactured Polymerâ€Based Nano―and Microplastics. Environmental Toxicology and Chemistry, 2022, 41, 961-974.	4.3	14
39	Bioaccumulation of hexachlorobenzene in the terrestrial isopod <i>Porcellio scaber</i> . Environmental Toxicology and Chemistry, 2016, 35, 2867-2873.	4.3	12
40	Fish bioconcentration studies with columnâ€generated analyte concentrations of highly hydrophobic organic chemicals. Environmental Toxicology and Chemistry, 2017, 36, 906-916.	4.3	12
41	Effects of wastewater-spiked nanoparticles of silver and titanium dioxide on survival, growth, reproduction and biochemical markers of Daphnia magna. Science of the Total Environment, 2022, 839, 156079.	8.0	11
42	Are Fragrance Encapsulates Taken Up by Aquatic and Terrestrial Invertebrate Species?. Environmental Toxicology and Chemistry, 2022, 41, 931-943.	4.3	10
43	Effect of Fasting under Different Temperature Conditions on Nucleic Acid Ratios in the Opossum Shrimp Mysis relicta: a Calibration Approach. Journal of Great Lakes Research, 2008, 34, 461-471.	1.9	9
44	Can solidâ€phase microextraction replace solvent extraction for water analysis in fish bioconcentration studies with highly hydrophobic organic chemicals?. Environmental Toxicology and Chemistry, 2017, 36, 2887-2894.	4.3	9
45	Bioconcentration, Metabolism, and Spatial Distribution of 14 C‣abeled Laurate in the Freshwater Amphipod Hyalella azteca. Environmental Toxicology and Chemistry, 2020, 39, 310-322.	4.3	9
46	Food web on ice: a pragmatic approach to investigate the trophic magnification of chemicals of concern. Environmental Sciences Europe, 2021, 33, .	5.5	9
47	Development of a regulatory testing procedure to study the metabolism of pesticides in farmed fish. Pest Management Science, 2016, 72, 362-370.	3.4	8
48	Ingestion of bivalve droppings by benthic invertebrates may lead to the transfer of nanomaterials in the aquatic food chain. Environmental Sciences Europe, 2021, 33, .	5.5	8
49	Solid-phase microextraction for bioconcentration studies according to OECD TG 305. Environmental Sciences Europe, 2012, 24, .	5.5	7
50	The Dessau workshop on bioaccumulation: state of the art, challenges and regulatory implications. Environmental Sciences Europe, 2015, 27, 34.	5.5	7
51	Dietary burden calculations relating to fish metabolism studies. Journal of the Science of Food and Agriculture, 2016, 96, 1415-1419.	3.5	6
52	Revisiting elimination half live as an indicator for bioaccumulation in fish and terrestrial mammals. Chemosphere, 2018, 210, 341-346.	8.2	6
53	Investigation into feed preparation for regulatory fish metabolism studies. Journal of the Science of Food and Agriculture, 2014, 94, 438-444.	3.5	4
54	Biomagnification of ionizable organic compounds in rainbow trout Oncorhynchus mykiss. Environmental Sciences Europe, 2020, 32, .	5.5	3

#	Article	IF	CITATIONS
55	Determination of n-3 HUFA content in Atlantic salmon flesh based on the lipid content, morphometric measurements and blood fatty acid composition: A modeling approach. Journal of Applied Ichthyology, 2009, 25, 120-123.	0.7	2