

Jens Bäntzel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1073212/publications.pdf>

Version: 2024-02-01

35
papers

866
citations

516215

16
h-index

476904

29
g-index

42
all docs

42
docs citations

42
times ranked

1015
citing authors

#	ARTICLE	IF	CITATIONS
1	The log odds of positive neck lymph nodes is a superior lymph node predictor for overall survival in head and neck cancer: a population-based analysis in Germany. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 3587-3595.	0.8	3
2	Self-efficacy in relation to the use of complementary and alternative medicine, lifestyle choices and cancer aetiology. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2707-2715.	1.2	2
3	Early Mortality among Patients with Head and Neck Cancer Diagnosed in Thuringia, Germany, between 1996 and 2016—A Population-Based Study. <i>Cancers</i> , 2022, 14, 3099.	1.7	3
4	Role of Intraparotid and Neck Lymph Node Metastasis in Primary Parotid Cancer Surgery: A Population-Based Analysis. <i>Cancers</i> , 2022, 14, 2822.	1.7	7
5	How to transfer traditional knowledge about medicinal herbs? or TCM plants: a black box for modern oncologists. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 351-359.	1.2	4
6	Systemic therapy for recurrent and/or metastatic head and neck cancer: a population-based healthcare research study in Thuringia, Germany. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2625-2635.	1.2	0
7	Take care or “German Angst”? Lessons from cancer care during COVID-19 pandemic in spring 2020. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2093-2105.	1.2	16
8	Tumor patients’ fears and worries and perceived changes of specific attitudes, perceptions and behaviors due to the COVID-19 pandemic are still relevant. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1673-1683.	1.2	19
9	Long-Term Facial Nerve Outcome in Primary Parotid Cancer Surgery: A Population-Based Analysis. <i>Laryngoscope</i> , 2021, 131, 2694-2700.	1.1	6
10	Gender Disparities in Epidemiology, Treatment, and Outcome for Head and Neck Cancer in Germany: A Population-Based Long-Term Analysis from 1996 to 2016 of the Thuringian Cancer Registry. <i>Cancers</i> , 2020, 12, 3418.	1.7	27
11	Tumor Patients’ Perceived Changes of Specific Attitudes, Perceptions, and Behaviors Due to the COVID-19 Pandemic and Its Relation to Reduced Wellbeing. <i>Frontiers in Psychiatry</i> , 2020, 11, 574314.	1.3	37
12	Oncology services in corona times: a flash interview among German cancer patients and their physicians. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2713-2715.	1.2	42
13	How to bridge the gap? European medical plants used for treating oral mucositis: on the search for evidence. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 985-1001.	1.2	16
14	Patienten auf den Weg bringen – Ansatzpunkte für Spiritual Care in der Onkologie. <i>Spiritual Care</i> , 2020, 9, 69-74.	0.1	5
15	The use of complementary and alternative medicine by patients in routine care and the risk of interactions. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 551-557.	1.2	48
16	Quality of life during the first year after partial laryngectomy: Longitudinal study. <i>Head and Neck</i> , 2018, 40, 1185-1195.	0.9	18
17	Selenium in Radiation Oncology—15 Years of Experiences in Germany. <i>Nutrients</i> , 2018, 10, 483.	1.7	29
18	CAM usage, cardiovascular risk behavior, and treatment compliance of long-term head and neck cancer survivors. <i>Trace Elements and Electrolytes</i> , 2018, 35, 105-108.	0.1	3

#	ARTICLE	IF	CITATIONS
19	Cancer Patients's Knowledge and Acceptance of Physical Activities for Rehabilitation. <i>In Vivo</i> , 2017, 31, 1187-1192.	0.6	10
20	Role of comorbidity on outcome of head and neck cancer: a population-based study in Thuringia, Germany. <i>Cancer Medicine</i> , 2016, 5, 3260-3271.	1.3	37
21	Sport in the Rehabilitation of Patients After Total Laryngectomy. <i>Anticancer Research</i> , 2016, 36, 3191-4.	0.5	5
22	Magnesium in der Onkologie. <i>Perspectives in Science</i> , 2015, 3, 41-43.	0.6	0
23	Selenium supplementation in radiotherapy patients: do we need to measure selenium levels in serum or blood regularly prior radiotherapy?. <i>Radiation Oncology</i> , 2014, 9, 289.	1.2	6
24	Trends in epidemiology and treatment and outcome for head and neck cancer: A population-based long-term analysis from 1996 to 2011 of the Thuringian cancer registry. <i>Oral Oncology</i> , 2014, 50, 1157-1164.	0.8	29
25	Online Survey of Patients with Breast Cancer on Complementary and Alternative Medicine. <i>Breast Care</i> , 2014, 9, 60-63.	0.8	68
26	User rate of complementary and alternative medicine (CAM) of patients visiting a counseling facility for CAM of a German comprehensive cancer center. <i>Anticancer Research</i> , 2014, 34, 943-8.	0.5	90
27	Nutritional parameters for patients with head and neck cancer. <i>Anticancer Research</i> , 2012, 32, 2119-23.	0.5	19
28	Selenium substitution during radiotherapy of solid tumours - laboratory data from two observation studies in gynaecological and head and neck cancer patients. <i>Anticancer Research</i> , 2010, 30, 1783-6.	0.5	17
29	Predictive factors for the use of complementary and alternative medicine (CAM) in radiation oncology. <i>European Journal of Integrative Medicine</i> , 2009, 1, 19-25.	0.8	70
30	Second-line chemotherapy in head and neck cancer: what should we expect?. <i>Expert Review of Anticancer Therapy</i> , 2009, 9, 269-273.	1.1	5
31	Zinc concentrations in serum during head and neck cancer progression. <i>Anticancer Research</i> , 2007, 27, 1941-3.	0.5	22
32	Influence of amifostine on late radiation-toxicity in head and neck cancer--a follow-up study. <i>Anticancer Research</i> , 2007, 27, 1953-6.	0.5	44
33	Intravenous amifostine during chemoradiotherapy for head-and-neck cancer: A randomized placebo-controlled phase III study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 64, 684-691.	0.4	133
34	Tumor markers and lymphatic metastasis in head and neck cancer patients. <i>Anticancer Research</i> , 2005, 25, 1539-42.	0.5	9
35	Serum selenium in head and neck cancer patients--a new marker of tumor activity?. <i>Anticancer Research</i> , 2005, 25, 1711-2.	0.5	3