
Joel Raskin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10733184/publications.pdf Version: 2024-02-01



LOFI PASKIN

#	Article	IF	CITATIONS
1	A Double-Blind, Randomized Multicenter Trial Comparing Duloxetine with Placebo in the Management of Diabetic Peripheral Neuropathic Pain. Pain Medicine, 2005, 6, 346-356.	0.9	503
2	Drug development in Alzheimer's disease: the path to 2025. Alzheimer's Research and Therapy, 2016, 8, 39.	3.0	323
3	On the path to 2025: understanding the Alzheimer's disease continuum. Alzheimer's Research and Therapy, 2017, 9, 60.	3.0	316
4	Efficacy of Duloxetine on Cognition, Depression, and Pain in Elderly Patients With Major Depressive Disorder: An 8-Week, Double-Blind, Placebo-Controlled Trial. American Journal of Psychiatry, 2007, 164, 900-909.	4.0	275
5	Efficacy and safety of duloxetine in the treatment of generalized anxiety disorder: a flexible-dose, progressive-titration, placebo-controlled trial. Depression and Anxiety, 2008, 25, 182-189.	2.0	146
6	Neurobiology of Alzheimer's Disease: Integrated Molecular, Physiological, Anatomical, Biomarker, and Cognitive Dimensions. Current Alzheimer Research, 2015, 12, 712-722.	0.7	134
7	An Evaluation of the Cardiovascular Safety Profile of Duloxetine. Drug Safety, 2007, 30, 437-455.	1.4	116
8	Duloxetine versus Routine Care in the Long-Term Management of Diabetic Peripheral Neuropathic Pain. Journal of Palliative Medicine, 2006, 9, 29-40.	0.6	105
9	Duloxetine in the Long-Term Treatment of Major Depressive Disorder. Journal of Clinical Psychiatry, 2003, 64, 1237-1244.	1.1	94
10	Duloxetine for Patients with Diabetic Peripheral Neuropathic Pain: A 6-Month Open-Label Safety Study. Pain Medicine, 2006, 7, 373-385.	0.9	78
11	Efficacy of duloxetine in painful symptoms: an analgesic or antidepressant effect?. International Clinical Psychopharmacology, 2006, 21, 311-317.	0.9	76
12	Efficacy and Safety of Duloxetine 60 mg Once Daily in the Treatment of Pain in Patients With Major Depressive Disorder and At Least Moderate Pain of Unknown Etiology. Journal of Clinical Psychiatry, 2007, 68, 1707-1716.	1.1	75
13	Interim results of a prospective, randomized, open-label, Phase 3 study of the long-term safety and efficacy of lasmiditan for acute treatment of migraine (the GLADIATOR study). Cephalalgia, 2019, 39, 1343-1357.	1.8	66
14	A randomized, double-blind comparison of duloxetine and venlafaxine in the treatment of patients with major depressive disorder. Journal of Psychiatric Research, 2008, 42, 22-34.	1.5	63
15	Cognitive and Functional Decline and Their Relationship in Patients with Mild Alzheimer's Dementia. Journal of Alzheimer's Disease, 2014, 43, 949-955.	1.2	63
16	Incidence and duration of antidepressant-induced nausea: duloxetine compared with paroxetine and fluoxetine. Clinical Therapeutics, 2004, 26, 1446-1455.	1.1	59
17	Cognitive Impairment Precedes and Predicts Functional Impairment in Mild Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 47, 205-214.	1.2	57
18	The relationship between change in apathy and changes in cognition and functional outcomes in currently non-depressed SSRI-treated patients with major depressive disorder. Comprehensive Psychiatry, 2014, 55, 1-10.	1.5	55

JOEL RASKIN

#	Article	IF	CITATIONS
19	Duloxetine in the treatment of Major Depressive Disorder: A comparison of efficacy in patients with and without melancholic features. BMC Psychiatry, 2005, 5, 1.	1.1	54
20	Acute and Long-term Treatment of Late-Life Major Depressive Disorder: Duloxetine Versus Placebo. American Journal of Geriatric Psychiatry, 2014, 22, 34-45.	0.6	52
21	Efficacy and tolerability of duloxetine in elderly patients with generalized anxiety disorder: a pooled analysis of four randomized, doubleâ€blind, placeboâ€controlled studies. Human Psychopharmacology, 2008, 23, 519-526.	0.7	45
22	Safety and Tolerability of Duloxetine at 60 mg Once Daily in Elderly Patients With Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2008, 28, 32-38.	0.7	45
23	Once-daily duloxetine 60 mg in the treatment of major depressive disorder: Multicenter, double-blind, randomized, paroxetine-controlled, non-inferiority trial in China, Korea, Taiwan and Brazil. Psychiatry and Clinical Neurosciences, 2007, 61, 295-307.	1.0	44
24	An Open-Label 52-Week Clinical Extension Comparing Duloxetine with Routine Care in Patients with Diabetic Peripheral Neuropathic Pain. Pain Medicine, 2007, 8, 503-513.	0.9	43
25	Duloxetine Treatment for Role Functioning Improvement in Generalized Anxiety Disorder. Journal of Clinical Psychiatry, 2007, 68, 518-524.	1.1	36
26	Evidence for the efficacy of duloxetine in treating mild, moderate, and severe depression. International Clinical Psychopharmacology, 2007, 22, 348-355.	0.9	32
27	Safety and Efficacy of Duloxetine in the Treatment of Diabetic Peripheral Neuropathic Pain in Older Patients. Current Drug Safety, 2009, 4, 22-29.	0.3	32
28	Time to response for duloxetine 60 mg once daily versus placebo in elderly patients with major depressive disorder. International Psychogeriatrics, 2008, 20, 309-27.	0.6	25
29	Duloxetine for the Treatment of Recurrent Major Depressive Disorder in Elderly Patients: Treatment Outcomes in Patients With Comorbid Arthritis. Psychosomatics, 2009, 50, 402-412.	2.5	25
30	Duloxetine in the long-term management of diabetic peripheral neuropathic pain: An open-label, 52-week extension of a randomized controlled clinical trial. Current Therapeutic Research, 2006, 67, 283-304.	0.5	23
31	Apathy in currently nondepressed patients treated with a SSRI for a major depressive episode: Outcomes following randomized switch to either duloxetine or escitalopram. Journal of Psychiatric Research, 2012, 46, 667-674.	1.5	21
32	Safety and tolerability of duloxetine in elderly patients with major depressive disorder. International Clinical Psychopharmacology, 2013, 28, 1-11.	0.9	12
33	Association between Painful Physical Symptoms and Clinical Outcomes in Korean Patients with Major Depressive Disorder: A Three-Month Observational Study. Psychiatry Investigation, 2009, 6, 255.	0.7	12
34	Duloxetine in the treatment of major depressive disorder: an assessment of the relationship between outcomes and episode characteristics. International Clinical Psychopharmacology, 2006, 21, 285-295.	0.9	11
35	Clinical and functional outcomes in patients with major depressive disorder and painful physical symptoms switched to treatment with duloxetine. Human Psychopharmacology, 2011, 26, 242-251.	0.7	11
36	Long-term safety and efficacy of lasmiditan for acute treatment of migraine: Final results of the GLADIATOR study. Cephalalgia Reports, 2020, 3, 251581632095817.	0.2	8

Joel Raskin

#	Article	IF	CITATIONS
37	Efficacy and tolerability of duloxetine treatment in elderly patients with major depressive disorder and concurrent anxiety symptoms. Psychiatry, 2007, 4, 33-45.	0.3	5
38	The Effect of Initial Duloxetine Dosing Strategy on Nausea in Korean Patients with Major Depressive Disorder. Psychiatry Investigation, 2012, 9, 391.	0.7	4
39	Assessment of Falls in Older Patients Treated With Duloxetine. primary care companion for CNS disorders, The, 2013, 15, .	0.2	2
40	Meta-analyses and antidepressant prescribing. Journal of Psychopharmacology, 2010, 24, 629-630.	2.0	1