

# De-Maw Chuang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10734347/publications.pdf>

Version: 2024-02-01

142  
papers

12,037  
citations

23879

60  
h-index

31191

106  
g-index

142  
all docs

142  
docs citations

142  
times ranked

13405  
citing authors

#	ARTICLE	IF	CITATIONS
1	Transplantation of Mesenchymal Stem Cells Overexpressing Fibroblast Growth Factor 21 Facilitates Cognitive Recovery and Enhances Neurogenesis in a Mouse Model of Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 14-26.	1.7	42
2	Overexpression of fibroblast growth factor-21 (FGF-21) protects mesenchymal stem cells against caspase-dependent apoptosis induced by oxidative stress and inflammation. <i>Cell Biology International</i> , 2020, 44, 2163-2169.	1.4	12
3	GSK3 $\beta$ negatively regulates TRAX, a scaffold protein implicated in mental disorders, for NHEJ-mediated DNA repair in neurons. <i>Molecular Psychiatry</i> , 2018, 23, 2375-2390.	4.1	28
4	Genetic disruption of ankyrin-G in adult mouse forebrain causes cortical synapse alteration and behavior reminiscent of bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10479-10484.	3.3	52
5	Glutamate-Modulating Drugs as a Potential Therapeutic Strategy in Obsessive-Compulsive Disorder. <i>Current Neuropharmacology</i> , 2017, 15, 977-995.	1.4	59
6	Safety and efficacy of valproic acid treatment in SCA3/MJD patients. <i>Parkinsonism and Related Disorders</i> , 2016, 26, 55-61.	1.1	56
7	Preconditioning mesenchymal stem cells with the mood stabilizers lithium and valproic acid enhances therapeutic efficacy in a mouse model of Huntington's disease. <i>Experimental Neurology</i> , 2016, 281, 81-92.	2.0	57
8	Tubastatin A, an HDAC6 inhibitor, alleviates stroke-induced brain infarction and functional deficits: potential roles of $\beta$ -tubulin acetylation and FGF-21 up-regulation. <i>Scientific Reports</i> , 2016, 6, 19626.	1.6	84
9	Valproic Acid and Other HDAC Inhibitors Upregulate FGF21 Gene Expression and Promote Process Elongation in Glia by Inhibiting HDAC2 and 3. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw035.	1.0	33
10	Antidepressant mechanism of ketamine: perspective from preclinical studies. <i>Frontiers in Neuroscience</i> , 2015, 9, 249.	1.4	51
11	The Mood Stabilizer Lithium Potentiates the Antidepressant-Like Effects and Ameliorates Oxidative Stress Induced by Acute Ketamine in a Mouse Model of Stress. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, .	1.0	47
12	Preclinical and Clinical Investigations of Mood Stabilizers for Huntington's Disease: What Have We Learned?. <i>International Journal of Biological Sciences</i> , 2014, 10, 1024-1038.	2.6	41
13	A New Avenue for Lithium: Intervention in Traumatic Brain Injury. <i>ACS Chemical Neuroscience</i> , 2014, 5, 422-433.	1.7	88
14	Preventing the Sequelae of Concussions and Traumatic Brain Injury. <i>Journal of Neurology &amp; Stroke</i> , 2014, 2, .	0.0	0
15	HDAC inhibitors mitigate ischemia-induced oligodendrocyte damage: potential roles of oligodendrogenesis, VEGF, and anti-inflammation. <i>American Journal of Translational Research (discontinued)</i> , 2014, 6, 206-23.	0.0	49
16	Post-insult valproate treatment potentially improved functional recovery in patients with acute middle cerebral artery infarction. <i>American Journal of Translational Research (discontinued)</i> , 2014, 6, 820-30.	0.0	3
17	Therapeutic Potential of Mood Stabilizers Lithium and Valproic Acid: Beyond Bipolar Disorder. <i>Pharmacological Reviews</i> , 2013, 65, 105-142.	7.1	338
18	Neuroprotective effects of the mood stabilizer lamotrigine against glutamate excitotoxicity: roles of chromatin remodelling and Bcl-2 induction. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 607-620.	1.0	35

#	ARTICLE	IF	CITATIONS
19	Valproic acid attenuates microgliosis in injured spinal cord and purinergic P2X <sub>4</sub> receptor expression in activated microglia. <i>Journal of Neuroscience Research</i> , 2013, 91, 694-705.	1.3	40
20	Posttrauma cotreatment with lithium and valproate: reduction of lesion volume, attenuation of blood-brain barrier disruption, and improvement in motor coordination in mice with traumatic brain injury. <i>Journal of Neurosurgery</i> , 2013, 119, 766-773.	0.9	79
21	Potential Roles of HDAC Inhibitors in Mitigating Ischemia-induced Brain Damage and Facilitating Endogenous Regeneration and Recovery. <i>Current Pharmaceutical Design</i> , 2013, 19, 5105-5120.	0.9	76
22	Mood stabilizer-regulated miRNAs in neuropsychiatric and neurodegenerative diseases: identifying associations and functions. <i>American Journal of Translational Research (discontinued)</i> , 2013, 5, 450-64.	0.0	29
23	Chronic Valproate Treatment Enhances Postischemic Angiogenesis and Promotes Functional Recovery in a Rat Model of Ischemic Stroke. <i>Stroke</i> , 2012, 43, 2430-2436.	1.0	97
24	Lithium Ameliorates Neurodegeneration, Suppresses Neuroinflammation, and Improves Behavioral Performance in a Mouse Model of Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 362-374.	1.7	117
25	Lithium Reduces BACE1 Overexpression, Beta Amyloid Accumulation, and Spatial Learning Deficits in Mice with Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 2342-2351.	1.7	89
26	Roles of Glycogen Synthase Kinase-3 in Alzheimer's Disease: From Pathology to Treatment Target. <i>Journal of Experimental and Clinical Medicine</i> , 2012, 4, 135-139.	0.2	7
27	Post-insult valproic acid-regulated microRNAs: potential targets for cerebral ischemia. <i>American Journal of Translational Research (discontinued)</i> , 2012, 4, 316-32.	0.0	59
28	Lithium ameliorates phenotypic deficits in a mouse model of fragile X syndrome. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 618-630.	1.0	128
29	Lentivirally mediated GSK-3 $\beta$ silencing in the hippocampal dentate gyrus induces antidepressant-like effects in stressed mice. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 711-717.	1.0	44
30	Histone deacetylase inhibition alters histone methylation associated with heat shock protein 70 promoter modifications in astrocytes and neurons. <i>Neuropharmacology</i> , 2011, 60, 1109-1115.	2.0	81
31	Valproic Acid Attenuates Blood-Brain Barrier Disruption in a Rat Model of Transient Focal Cerebral Ischemia: The Roles of HDAC and MMP-9 Inhibition. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 52-57.	2.4	201
32	Bax inhibitor 1, a modulator of calcium homeostasis, confers affective resilience. <i>Brain Research</i> , 2011, 1403, 19-27.	1.1	27
33	Mesenchymal Stem Cells Primed With Valproate and Lithium Robustly Migrate to Infarcted Regions and Facilitate Recovery in a Stroke Model. <i>Stroke</i> , 2011, 42, 2932-2939.	1.0	121
34	Beneficial effects of mood stabilizers lithium, valproate and lamotrigine in experimental stroke models. <i>Acta Pharmacologica Sinica</i> , 2011, 32, 1433-1445.	2.8	45
35	GSK-3 as a Target for Lithium-Induced Neuroprotection Against Excitotoxicity in Neuronal Cultures and Animal Models of Ischemic Stroke. <i>Frontiers in Molecular Neuroscience</i> , 2011, 4, 15.	1.4	134
36	Angiotensin II AT1 Receptor Blockade Ameliorates Brain Inflammation. <i>Neuropsychopharmacology</i> , 2011, 36, 857-870.	2.8	201

#	ARTICLE	IF	CITATIONS
37	Combined Treatment with the Mood Stabilizers Lithium and Valproate Produces Multiple Beneficial Effects in Transgenic Mouse Models of Huntington's Disease. <i>Neuropsychopharmacology</i> , 2011, 36, 2406-2421.	2.8	126
38	Neuroprotective action of lithium in disorders of the central nervous system. <i>Journal of Central South University (Medical Sciences)</i> , 2011, 36, 461-76.	0.1	35
39	Molecular actions and therapeutic potential of lithium in preclinical and clinical studies of CNS disorders. , 2010, 128, 281-304.		196
40	The Mood Stabilizers Valproic Acid and Lithium Enhance Mesenchymal Stem Cell Migration via Distinct Mechanisms. <i>Neuropsychopharmacology</i> , 2010, 35, 2225-2237.	2.8	71
41	Potent neuroprotective effects of novel structural derivatives of valproic acid: Potential roles of HDAC inhibition and HSP70 induction. <i>Neuroscience Letters</i> , 2010, 476, 127-132.	1.0	35
42	Lithium Upregulates Vascular Endothelial Growth Factor in Brain Endothelial Cells and Astrocytes. <i>Stroke</i> , 2009, 40, 652-655.	1.0	73
43	The HDAC inhibitor, sodium butyrate, stimulates neurogenesis in the ischemic brain. <i>Journal of Neurochemistry</i> , 2009, 110, 1226-1240.	2.1	270
44	Valproic acid induces functional heat shock protein 70 via Class I histone deacetylase inhibition in cortical neurons: a potential role of Sp1 acetylation. <i>Journal of Neurochemistry</i> , 2009, 111, 976-987.	2.1	124
45	Multiple roles of HDAC inhibition in neurodegenerative conditions. <i>Trends in Neurosciences</i> , 2009, 32, 591-601.	4.2	555
46	Nuclear Translocation of Glyceraldehyde-3-Phosphate Dehydrogenase Isoforms During Neuronal Apoptosis. <i>Journal of Neurochemistry</i> , 2008, 72, 925-932.	2.1	112
47	Lithium inhibits Smad3/4 transactivation via increased CREB activity induced by enhanced PKA and AKT signaling. <i>Molecular and Cellular Neurosciences</i> , 2008, 37, 440-453.	1.0	74
48	Histone deacetylase inhibitors up-regulate astrocyte GDNF and BDNF gene transcription and protect dopaminergic neurons. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 1123.	1.0	254
49	Synergistic Neuroprotective Effects of Lithium and Valproic Acid or Other Histone Deacetylase Inhibitors in Neurons: Roles of Glycogen Synthase Kinase-3 Inhibition. <i>Journal of Neuroscience</i> , 2008, 28, 2576-2588.	1.7	199
50	Functional MRI of Delayed Chronic Lithium Treatment in Rat Focal Cerebral Ischemia. <i>Stroke</i> , 2008, 39, 439-447.	1.0	37
51	Regulation and Function of Glycogen Synthase Kinase-3 Isoforms in Neuronal Survival. <i>Journal of Biological Chemistry</i> , 2007, 282, 3904-3917.	1.6	122
52	PET imaging with [11C]PBR28 can localize and quantify upregulated peripheral benzodiazepine receptors associated with cerebral ischemia in rat. <i>Neuroscience Letters</i> , 2007, 411, 200-205.	1.0	158
53	Histone Deacetylase Inhibitors Exhibit Anti-Inflammatory and Neuroprotective Effects in a Rat Permanent Ischemic Model of Stroke: Multiple Mechanisms of Action. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 321, 892-901.	1.3	511
54	In Search of the Holy Grail for the Treatment of Neurodegenerative Disorders: Has a Simple Cation Been Overlooked?. <i>Biological Psychiatry</i> , 2007, 62, 4-6.	0.7	62

#	ARTICLE	IF	CITATIONS
55	Nuclear factor- $\kappa$ B-dependent cyclin D1 induction and DNA replication associated with N-methyl-D-aspartate receptor-mediated apoptosis in rat striatum. <i>Journal of Neuroscience Research</i> , 2007, 85, 1295-1309.	1.3	28
56	GSK-3 is a viable potential target for therapeutic intervention in bipolar disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 920-931.	2.9	134
57	Lithium reduces ischemia-induced hippocampal CA1 damage and behavioral deficits in gerbils. <i>Brain Research</i> , 2007, 1184, 270-276.	1.1	71
58	Endogenous $\hat{\text{A}}$ -Synuclein Is Induced by Valproic Acid through Histone Deacetylase Inhibition and Participates in Neuroprotection against Glutamate-Induced Excitotoxicity. <i>Journal of Neuroscience</i> , 2006, 26, 7502-7512.	1.7	176
59	Differential Roles of Glycogen Synthase Kinase-3 Isoforms in the Regulation of Transcriptional Activation. <i>Journal of Biological Chemistry</i> , 2006, 281, 30479-30484.	1.6	115
60	Susceptibility of striatal neurons to excitotoxic injury correlates with basal levels of Bcl-2 and the induction of P53 and c-Myc immunoreactivity. <i>Neurobiology of Disease</i> , 2005, 20, 562-573.	2.1	27
61	Valproate pretreatment protects dopaminergic neurons from LPS-induced neurotoxicity in rat primary midbrain cultures: role of microglia. <i>Molecular Brain Research</i> , 2005, 134, 162-169.	2.5	155
62	GLYCERALDEHYDE-3-PHOSPHATE DEHYDROGENASE, APOPTOSIS, AND NEURODEGENERATIVE DISEASES. <i>Annual Review of Pharmacology and Toxicology</i> , 2005, 45, 269-290.	4.2	271
63	The Antiapoptotic Actions of Mood Stabilizers. <i>Annals of the New York Academy of Sciences</i> , 2005, 1053, 195-204.	1.8	6
64	The Antiapoptotic Actions of Mood Stabilizers: Molecular Mechanisms and Therapeutic Potentials. <i>Annals of the New York Academy of Sciences</i> , 2005, 1053, 195-204.	1.8	171
65	Lithium neuroprotection: molecular mechanisms and clinical implications. <i>Expert Reviews in Molecular Medicine</i> , 2004, 6, 1-18.	1.6	169
66	Valproic acid reduces brain damage induced by transient focal cerebral ischemia in rats: potential roles of histone deacetylase inhibition and heat shock protein induction. <i>Journal of Neurochemistry</i> , 2004, 89, 1358-1367.	2.1	353
67	Lithium protection from glutamate excitotoxicity: therapeutic implications. <i>Clinical Neuroscience Research</i> , 2004, 4, 243-252.	0.8	11
68	Neuroprotective and Neurotrophic Actions of the Mood Stabilizer Lithium: Can It Be Used to Treat Neurodegenerative Diseases?. <i>Critical Reviews in Neurobiology</i> , 2004, 16, 83-90.	3.3	164
69	Regulation of c-Jun N-terminal kinase, p38 kinase and AP-1 DNA binding in cultured brain neurons: roles in glutamate excitotoxicity and lithium neuroprotection. <i>Journal of Neurochemistry</i> , 2003, 84, 566-575.	2.1	138
70	Lithium-induced inhibition of Src tyrosine kinase in rat cerebral cortical neurons: a role in neuroprotection against N -methyl-D -aspartate receptor-mediated excitotoxicity. <i>FEBS Letters</i> , 2003, 538, 145-148.	1.3	64
71	Valproic acid, a mood stabilizer and anticonvulsant, protects rat cerebral cortical neurons from spontaneous cell death: a role of histone deacetylase inhibition. <i>FEBS Letters</i> , 2003, 542, 74-78.	1.3	111
72	Overexpression and nuclear accumulation of glyceraldehyde-3-phosphate dehydrogenase in a transgenic mouse model of Huntington's disease. <i>Molecular and Cellular Neurosciences</i> , 2003, 22, 285-297.	1.0	62

#	ARTICLE	IF	CITATIONS
73	Postinsult treatment with lithium reduces brain damage and facilitates neurological recovery in a rat ischemia/reperfusion model. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 6210-6215.	3.3	194
74	Neuroprotection against Apoptosis. , 2003, , 145-154.		1
75	Lithium induces brain-derived neurotrophic factor and activates TrkB in rodent cortical neurons: An essential step for neuroprotection against glutamate excitotoxicity. Neuropharmacology, 2002, 43, 1173-1179.	2.0	230
76	Neuroprotective effects of lithium in cultured cells and animal models of diseases. Bipolar Disorders, 2002, 4, 129-136.	1.1	218
77	Lithium protection against glutamate excitotoxicity in rat cerebral cortical neurons: involvement of NMDA receptor inhibition possibly by decreasing NR2B tyrosine phosphorylation. Journal of Neurochemistry, 2002, 80, 589-597.	2.1	299
78	Tryptamine Induces Phosphoinositide Turnover and Modulates Adrenergic and Muscarinic Cholinergic Receptor Function in Cultured Cerebellar Granule Cells. Journal of Neurochemistry, 2002, 63, 2080-2085.	2.1	8
79	Inhibition of Excitatory Amino Acid-Induced Phosphoinositide Hydrolysis as a Possible Mechanism of Nitroprusside Neurotoxicity. Journal of Neurochemistry, 2002, 66, 346-354.	2.1	11
80	Neuronal Apoptosis Induced by Pharmacological Concentrations of 3-Hydroxykynurenine. Journal of Neurochemistry, 2001, 75, 81-90.	2.1	89
81	Inhibition of Excessive Neuronal Apoptosis by the Calcium Antagonist Amlodipine and Antioxidants in Cerebellar Granule Cells. Journal of Neurochemistry, 2001, 72, 1448-1456.	2.1	93
82	The mitochondrial hypothesis of bipolar disorder. Bipolar Disorders, 2000, 2, 145-147.	1.1	9
83	$\beta$ -Amyloid peptide-induced death of PC 12 cells and cerebellar granule cell neurons is inhibited by long-term lithium treatment. European Journal of Pharmacology, 2000, 392, 117-123.	1.7	117
84	Nuclear Factor $\kappa$ B Nuclear Translocation Upregulates c-Myc and p53 Expression during NMDA Receptor-Mediated Apoptosis in Rat Striatum. Journal of Neuroscience, 1999, 19, 4023-4033.	1.7	232
85	Long Term Lithium Treatment Suppresses p53 and Bax Expression but Increases Bcl-2 Expression. Journal of Biological Chemistry, 1999, 274, 6039-6042.	1.6	426
86	Elevated basal and thapsigargin-stimulated intracellular calcium of platelets and lymphocytes from bipolar affective disorder patients measured by a fluorometric microassay. Biological Psychiatry, 1999, 46, 247-255.	0.7	77
87	Involvement of Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH) and p53 in Neuronal Apoptosis: Evidence That GAPDH Is Upregulated by p53. Journal of Neuroscience, 1999, 19, 9654-9662.	1.7	115
88	Neuroprotective effects of chronic lithium on focal cerebral ischemia in rats. NeuroReport, 1998, 9, 2081-2084.	0.6	252
89	Nuclear Localization of Overexpressed Glyceraldehyde-3-Phosphate Dehydrogenase in Cultured Cerebellar Neurons Undergoing Apoptosis. Molecular Pharmacology, 1998, 53, 701-707.	1.0	144
90	ETHANOL INDUCES SUBTYPE-SPECIFIC UP-REGULATION OF MUSCARINIC ACETYLCHOLINE RECEPTOR mRNA IN NEUROHYBRID CELL LINES. Life Sciences, 1997, 62, 389-396.	2.0	1

#	ARTICLE	IF	CITATIONS
91	Overexpression of Glyceraldehyde-3-Phosphate Dehydrogenase Is Involved in Low K <sup>+</sup> -Induced Apoptosis but Not Necrosis of Cultured Cerebellar Granule Cells. <i>Molecular Pharmacology</i> , 1997, 51, 542-550.	1.0	71
92	Neurotrophin Protection Against Toxicity Induced by Low Potassium and Nitroprusside in Cultured Cerebellar Granule Neurons. <i>Journal of Neurochemistry</i> , 1997, 68, 68-77.	2.1	18
93	Effects of Depolarization and NMDA Antagonists on the Survival of Cerebellar Granule Cells: A Pivotal Role for Protein Kinase C Isoforms. <i>Journal of Neurochemistry</i> , 1997, 68, 2577-2586.	2.1	40
94	Lithium Increases Transcription Factor Binding to AP-1 and Cyclic AMP-Responsive Element in Cultured Neurons and Rat Brain. <i>Journal of Neurochemistry</i> , 1997, 69, 2336-2344.	2.1	157
95	Differential effects of butyrate and dibutyryl cAMP on mRNA levels of muscarinic acetylcholine receptor subtypes expressed in neurohybrid cell lines. <i>Neuroscience Letters</i> , 1996, 212, 49-52.	1.0	3
96	ONO-1603, a potential antidementia drug, shows neuroprotective effects and increases m3-muscarinic receptor mRNA levels in differentiating rat cerebellar granule neurons. <i>Neuroscience Letters</i> , 1996, 214, 151-154.	1.0	17
97	Antagonists have a greater selectivity for muscarinic receptor subtypes in intact cerebellar granule cells than in membranes. <i>Brain Research</i> , 1996, 713, 29-35.	1.1	2
98	A role for GAPDH in apoptosis and neurodegeneration. <i>Nature Medicine</i> , 1996, 2, 609-610.	15.2	45
99	Evidence that Glyceraldehyde-3-Phosphate Dehydrogenase Is Involved in Age-Induced Apoptosis in Mature Cerebellar Neurons in Culture. <i>Journal of Neurochemistry</i> , 1996, 66, 928-935.	2.1	181
100	Carbamazepine induction of apoptosis in cultured cerebellar neurons: effects of N-methyl-D-aspartate, aurointricarboxylic acid and cycloheximide. <i>Brain Research</i> , 1995, 703, 63-71.	1.1	35
101	Glyceraldehyde-3-phosphate dehydrogenase is over-expressed during apoptotic death of neuronal cultures and is recognized by a monoclonal antibody against amyloid plaques from Alzheimer's brain. <i>Neuroscience Letters</i> , 1995, 200, 133-136.	1.0	91
102	Effect of chronic haloperidol treatment on dopamine-induced inositol phosphate formation in rat brain slices. <i>Neurochemical Research</i> , 1994, 19, 673-678.	1.6	5
103	Programmed cell death: Implications for neuropsychiatric disorders. <i>Biological Psychiatry</i> , 1994, 35, 946-956.	0.7	134
104	Endothelin-1 increases the levels of mRNA and protein of muscarinic acetylcholine receptors and c-fos mRNA in cerebellar granule cells. <i>FEBS Letters</i> , 1994, 348, 263-267.	1.3	8
105	Regulation of $\beta$ -Adrenergic Receptor mRNA in Rat C <sub>6</sub> Glioma Cells Is Sensitive to the State of Microtubule Assembly. <i>Journal of Neurochemistry</i> , 1994, 62, 421-430.	2.1	15
106	Extracellular ATP stimulates inositol phospholipid turnover and calcium influx in C6 glioma cells. <i>Neurochemical Research</i> , 1993, 18, 681-687.	1.6	23
107	Effect of cocaine, lidocaine kindling and carbamazepine on batrachotoxin-induced phosphoinositide hydrolysis in rat brain slices. <i>Brain Research</i> , 1993, 614, 185-190.	1.1	4
108	Long-term biphasic effects of lithium treatment on phospholipase C-coupled m3-muscarinic acetylcholine receptors in cultured cerebellar granule cells. <i>Neurochemistry International</i> , 1993, 22, 395-403.	1.9	28

#	ARTICLE	IF	CITATIONS
109	Autoradiographic demonstration of an increase in muscarinic cholinergic receptors in cerebellar granule cells treated with tetrahydroaminoacridine. <i>Neuroscience Letters</i> , 1993, 151, 45-47.	1.0	6
110	Tetrahydroaminoacridine increases m <sub>3</sub> -, but not m <sub>2</sub> -, muscarinic acetylcholine receptor mRNA levels in differentiating cerebellar granule cells. <i>Neuroscience Letters</i> , 1993, 163, 27-30.	1.0	7
111	Long-Term GABA Treatment Elicits Supersensitivity of Quisqualate-Preferring Metabotropic Glutamate Receptor in Cultured Rat Cerebellar Neurons. <i>Journal of Neurochemistry</i> , 1993, 61, 430-435.	2.1	2
112	Potentialiation by Ca <sup>2+</sup> ionophores and inhibition by extracellular KCl of endothelin-induced phosphoinositide turnover in C6 glioma cells. <i>Neurochemistry International</i> , 1992, 21, 293-301.	1.9	4
113	Regulation of bradykinin-induced phosphoinositide turnover in cultured cerebellar astrocytes: possible role of protein kinase C. <i>Neurochemistry International</i> , 1992, 21, 573-579.	1.9	17
114	Carbamazepine-induced neurotoxicity and its prevention by NMDA in cultured cerebellar granule cells. <i>Neuroscience Letters</i> , 1992, 135, 159-162.	1.0	19
115	Effects of chronic nicotine and haloperidol administration on muscarinic receptor-mediated phosphoinositide turnover in rat brain slices. <i>Psychopharmacology</i> , 1992, 109, 248-250.	1.5	9
116	Role of microtubule structure in the maintenance of m <sub>3</sub> -muscarinic acetylcholine receptor mRNA levels. <i>Molecular and Cellular Neurosciences</i> , 1991, 2, 123-129.	1.0	5
117	m <sub>2</sub> - and m <sub>3</sub> -muscarinic acetylcholine receptor mRNAs have different responses to microtubule-affecting drugs. <i>Molecular and Cellular Neurosciences</i> , 1991, 2, 315-319.	1.0	8
118	Chronic haloperidol treatment attenuates receptor-mediated phosphoinositide turnover in rat brain slices. <i>Neuroscience Letters</i> , 1991, 129, 81-85.	1.0	9
119	Expression and Agonist-Induced Down-Regulation of mRNAs of m <sub>2</sub> - and m <sub>3</sub> -Muscarinic Acetylcholine Receptors in Cultured Cerebellar Granule Cells. <i>Journal of Neurochemistry</i> , 1991, 56, 716-719.	2.1	56
120	Maitotoxin Induces Phosphoinositide Turnover and Modulates Glutamatergic and Muscarinic Cholinergic Receptor Function in Cultured Cerebellar Neurons. <i>Journal of Neurochemistry</i> , 1990, 55, 1563-1568.	2.1	8
121	Regulation by batrachotoxin, veratridine, and monensin of basal and carbachol-induced phosphoinositide hydrolysis in neurohybrid NCB-20 cells. <i>Neurochemical Research</i> , 1990, 15, 695-704.	1.6	4
122	Characterization of two distinct 5-HT receptors coupled to adenylate cyclase activation and ion current generation in NCB-20 cells. <i>Neuroscience Letters</i> , 1990, 108, 149-154.	1.0	9
123	Differential down-regulation of $\beta$ <sup>1</sup> - and $\beta$ <sup>2</sup> -adrenergic receptor mRNA in C6 glioma cells. <i>Biochemical and Biophysical Research Communications</i> , 1990, 170, 46-52.	1.0	53
124	Endothelin-1 stimulates the release of preloaded [ <sup>3</sup> H]D-aspartate from cultured cerebellar granule cells. <i>Biochemical and Biophysical Research Communications</i> , 1990, 167, 593-599.	1.0	23
125	Comparative studies of phosphoinositide hydrolysis induced by endothelin-related peptides in cultured cerebellar astrocytes, C6-glioma and cerebellar granule cells. <i>Biochemical and Biophysical Research Communications</i> , 1990, 168, 512-519.	1.0	51
126	Homologous Desensitization of Muscarinic Cholinergic, Histaminergic, Adrenergic, and Serotonergic Receptors Coupled to Phospholipase C in Cerebellar Granule Cells. <i>Journal of Neurochemistry</i> , 1989, 52, 598-603.	2.1	66

#	ARTICLE	IF	CITATIONS
127	Rebound increase of basal cAMP level in NG108-15 cells during chronic morphine treatment: Effects of naloxone and chloramphenicol. <i>Life Sciences</i> , 1989, 44, 1107-1116.	2.0	12
128	Characterization of Bradykinin-Induced Phosphoinositide Turnover in Neurohybrid NCB-20 Cells. <i>Journal of Neurochemistry</i> , 1988, 51, 505-513.	2.1	35
129	Differential Regulation by Butyrate and Dibutyl Cyclic AMP of $\alpha$ -Opioid, $\alpha$ 2-Adrenergic, and Muscarinic Cholinergic Receptors in NCB-20 Cells. <i>Journal of Neurochemistry</i> , 1988, 50, 17-26.	2.1	17
130	GABA pretreatment enhances glutamate mediated phosphoinositide hydrolysis in neurons. <i>European Journal of Pharmacology</i> , 1988, 158, 179-180.	1.7	10
131	Changes in immunohistochemical properties of beta-adrenergic receptors in frog erythrocytes by isoproterenol-induced desensitization. <i>Life Sciences</i> , 1988, 42, 321-328.	2.0	3
132	Modulation of calcium uptake and D-aspartate release by GABAB receptors in cultured cerebellar granule cells. <i>European Journal of Pharmacology</i> , 1987, 141, 401-408.	1.7	34
133	Serotonergic, adrenergic and histaminergic receptors coupled to phospholipase C in cultured cerebellar granule cells of rats. <i>Biochemical Pharmacology</i> , 1987, 36, 2353-2358.	2.0	46
134	Multiple mechanisms of serotonergic signal transduction. <i>Life Sciences</i> , 1987, 41, 1051-1064.	2.0	120
135	Comparison of the butyrate effects on neurotransmitter receptors in neurohybrids NG 108-15 and NCB-20 cells. <i>Life Sciences</i> , 1987, 41, 1133-1139.	2.0	6
136	Carbachol-induced accumulation of inositol-1-phosphate in neurohybridoma NCB-20 cells: Effects of lithium and phorbol esters. <i>Biochemical and Biophysical Research Communications</i> , 1986, 136, 622-629.	1.0	35
137	5-Hydroxytryptamine Uptake and Imipramine Binding Sites in Neurotumor NCB-20 Cells. <i>Journal of Neurochemistry</i> , 1985, 45, 920-925.	2.1	9
138	$\alpha$ -adrenergic receptor internalization and processing: role of transglutaminase and lysosomes. <i>Molecular and Cellular Biochemistry</i> , 1984, 58, 79-89.	1.4	15
139	Recognition Sites for Antidepressant Drugs. , 1984, , 307-330.		3
140	$\alpha$ 2-adrenergic receptor internalization and processing: role of transglutaminase and lysosomes. , 1984, , 79-89.		0
141	Differences in the regulatory adaptation of the 5HT2 recognition sites labelled by 3H-mianserin or 3H-ketanserin. <i>Neuropharmacology</i> , 1983, 22, 123-126.	2.0	34
142	Internalization of $\alpha$ 2-adrenergic receptor binding sites: Involvements of lysosomal enzymes. <i>Biochemical and Biophysical Research Communications</i> , 1982, 105, 1466-1472.	1.0	19