

# Francesca Gotsch

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/10736490/francesca-gotsch-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55  
papers

5,469  
citations

39  
h-index

58  
g-index

58  
ext. papers

6,160  
ext. citations

2.8  
avg, IF

4.69  
L-index

#	Paper	IF	Citations
55	The etiology of preeclampsia.. <i>American Journal of Obstetrics and Gynecology</i> , <b>2022</b> , 226, S844-S866	6.4	9
54	Preeclampsia and eclampsia: the conceptual evolution of a syndrome.. <i>American Journal of Obstetrics and Gynecology</i> , <b>2022</b> , 226, S786-S803	6.4	7
53	Characterization of amniotic fluid sludge in preterm and term gestations.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2022</b> , 1-10	2	0
52	Clinical chorioamnionitis at term I: microbiology of the amniotic cavity using cultivation and molecular techniques. <i>Journal of Perinatal Medicine</i> , <b>2015</b> , 43, 19-36	2.7	142
51	Sterile intra-amniotic inflammation in asymptomatic patients with a sonographic short cervix: prevalence and clinical significance. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2015</b> , 28, 1343-1359	2.7	114
50	The diagnostic performance of the Mass Restricted (MR) score in the identification of microbial invasion of the amniotic cavity or intra-amniotic inflammation is not superior to amniotic fluid interleukin-6. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2014</b> , 27, 757-69	2	40
49	A novel molecular microbiologic technique for the rapid diagnosis of microbial invasion of the amniotic cavity and intra-amniotic infection in preterm labor with intact membranes. <i>American Journal of Reproductive Immunology</i> , <b>2014</b> , 71, 330-58	3.8	137
48	Prevalence and clinical significance of sterile intra-amniotic inflammation in patients with preterm labor and intact membranes. <i>American Journal of Reproductive Immunology</i> , <b>2014</b> , 72, 458-74	3.8	281
47	Chronic chorioamnionitis displays distinct alterations of the amniotic fluid proteome. <i>Journal of Pathology</i> , <b>2011</b> , 223, 553-65	9.4	46
46	Intrauterine Infection, Preterm Parturition, and the Fetal Inflammatory Response Syndrome <b>2011</b> , 457-468.e6	1	
45	Prevalence and diversity of microbes in the amniotic fluid, the fetal inflammatory response, and pregnancy outcome in women with preterm pre-labor rupture of membranes. <i>American Journal of Reproductive Immunology</i> , <b>2010</b> , 64, 38-57	3.8	209
44	The frequency, clinical significance, and pathological features of chronic chorioamnionitis: a lesion associated with spontaneous preterm birth. <i>Modern Pathology</i> , <b>2010</b> , 23, 1000-11	9.8	166
43	Microbial invasion of the amniotic cavity in pregnancies with small-for-gestational-age fetuses. <i>Journal of Perinatal Medicine</i> , <b>2010</b> , 38, 495-502	2.7	58
42	Microbial invasion of the amniotic cavity in preeclampsia as assessed by cultivation and sequence-based methods. <i>Journal of Perinatal Medicine</i> , <b>2010</b> , 38, 503-13	2.7	59
41	The prognosis of pregnancy conceived despite the presence of an intrauterine device (IUD). <i>Journal of Perinatal Medicine</i> , <b>2010</b> , 38, 45-53	2.7	43
40	Pentraxin 3 in amniotic fluid: a novel association with intra-amniotic infection and inflammation. <i>Journal of Perinatal Medicine</i> , <b>2010</b> , 38, 161-71	2.7	41
39	Retinol binding protein 4--a novel association with early-onset preeclampsia. <i>Journal of Perinatal Medicine</i> , <b>2010</b> , 38, 129-39	2.7	44

38	Leukocytes of pregnant women with small-for-gestational age neonates have a different phenotypic and metabolic activity from those of women with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2010</b> , 23, 476-87	2	36
37	Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: a novel association with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2010</b> , 23, 120-30	2	31
36	Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2010</b> , 23, 857-68	2	29
35	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2010</b> , 23, 167-78	2	21
34	Isobaric labeling and tandem mass spectrometry: a novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2010</b> , 23, 261-80	2	69
33	Should bilateral uterine artery notching be used in the risk assessment for preeclampsia, small-for-gestational-age, and gestational hypertension?. <i>Journal of Ultrasound in Medicine</i> , <b>2010</b> , 29, 1103-15	2.9	39
32	A decrease in maternal plasma concentrations of sVEGFR-2 precedes the clinical diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 202, 550.e1-10	6.4	24
31	Maternal serum adiponectin multimers in preeclampsia. <i>Journal of Perinatal Medicine</i> , <b>2009</b> , 37, 349-63	2.7	54
30	Maternal serum adiponectin multimers in patients with a small-for-gestational-age newborn. <i>Journal of Perinatal Medicine</i> , <b>2009</b> , 37, 623-35	2.7	23
29	Villitis of unknown etiology is associated with a distinct pattern of chemokine up-regulation in the feto-maternal and placental compartments: implications for conjoint maternal allograft rejection and maternal anti-fetal graft-versus-host disease. <i>Journal of Immunology</i> , <b>2009</b> , 182, 3919-27	5.3	143
28	Fragment Bb in amniotic fluid: evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2009</b> , 22, 905-16	2	31
27	Dysregulation of maternal serum adiponectin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2009</b> , 22, 887-904	2	27
26	A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2009</b> , 22, 1122-39	2	59
25	Maternal plasma visfatin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2009</b> , 22, 693-704	2	28
24	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2009</b> , 22, 1021-38	2	209
23	The maternal plasma soluble vascular endothelial growth factor receptor-1 concentration is elevated in SGA and the magnitude of the increase relates to Doppler abnormalities in the maternal and fetal circulation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 25-40	2	87
22	Severe preeclampsia is characterized by increased placental expression of galectin-1. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 429-42	2	54
21	Amniotic fluid heat shock protein 70 concentration in histologic chorioamnionitis, term and preterm parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 449-61	2	80

20	Proteomic profiling of amniotic fluid in preterm labor using two-dimensional liquid separation and mass spectrometry. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 697-713	2	55
19	A longitudinal study of angiogenic (placental growth factor) and anti-angiogenic (soluble endoglin and soluble vascular endothelial growth factor receptor-1) factors in normal pregnancy and patients destined to develop preeclampsia and deliver a small for gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 279-87	2	493
18	The change in concentrations of angiogenic and anti-angiogenic factors in maternal plasma between the first and second trimesters in risk assessment for the subsequent development of preeclampsia and small-for-gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 279-87	2	221
17	Soluble receptor for advanced glycation end products (sRAGE) and endogenous secretory RAGE (esRAGE) in amniotic fluid: modulation by infection and inflammation. <i>Journal of Perinatal Medicine</i> , <b>2008</b> , 36, 388-98	2.7	49
16	Region-specific gene expression profiling: novel evidence for biological heterogeneity of the human amnion. <i>Biology of Reproduction</i> , <b>2008</b> , 79, 954-61	3.9	48
15	Evidence of the involvement of caspase-1 under physiologic and pathologic cellular stress during human pregnancy: a link between the inflammasome and parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 605-16	2	87
14	Preeclampsia and small-for-gestational age are associated with decreased concentrations of a factor involved in angiogenesis: soluble Tie-2. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 389-402	2	48
13	Low maternal concentrations of soluble vascular endothelial growth factor receptor-2 in preeclampsia and small for gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 41-52	2	57
12	Microbial prevalence, diversity and abundance in amniotic fluid during preterm labor: a molecular and culture-based investigation. <i>PLoS ONE</i> , <b>2008</b> , 3, e3056	3.7	543
11	Angiogenesis gene expression in mouse uterus during the common pathway of parturition. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 539.e1-8	6.4	13
10	Detection of a microbial biofilm in intraamniotic infection. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 135.e1-5	6.4	130
9	First-trimester maternal serum PP13 in the risk assessment for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 199, 122.e1-122.e11	6.4	111
8	Twin-to-twin transfusion syndrome: an antiangiogenic state?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 382.e1-8	6.4	45
7	CXCL6 (granulocyte chemotactic protein-2): a novel chemokine involved in the innate immune response of the amniotic cavity. <i>American Journal of Reproductive Immunology</i> , <b>2008</b> , 60, 246-57	3.8	55
6	Inflammation in pregnancy: its roles in reproductive physiology, obstetrical complications, and fetal injury. <i>Nutrition Reviews</i> , <b>2007</b> , 65, S194-202	6.4	190
5	CXCL10/IP-10: a missing link between inflammation and anti-angiogenesis in preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2007</b> , 20, 777-92	2	85
4	The fetal inflammatory response syndrome. <i>Clinical Obstetrics and Gynecology</i> , <b>2007</b> , 50, 652-83	1.7	407
3	Inflammation in Pregnancy: Its Roles in Reproductive Physiology, Obstetrical Complications, and Fetal Injury. <i>Nutrition Reviews</i> , <b>2007</b> , 65, 194-202	6.4	273

2	Normal and abnormal transformation of the spiral arteries during pregnancy. <i>Journal of Perinatal Medicine</i> , <b>2006</b> , 34, 447-58	2.7	116
1	Fetal sepsis: a cause of stillbirth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 1-5	2	1