Ashley M Groves

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10739541/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Evolution of ¹⁸ F-FDG PET/CT Findings in Patients After COVID-19: An Initial Investigation. Journal of Nuclear Medicine, 2022, 63, 270-273. | 2.8 | 9 |
| 2 | Response to Bellaye et al. Measurement of hypoxia in the lung in idiopathic pulmonary fibrosis: a matter of control. European Respiratory Journal, 2022, , 2103124. | 3.1 | 0 |
| 3 | Comparative accuracy and cost-effectiveness of dynamic contrast-enhanced CT and positron emission tomography in the characterisation of solitary pulmonary nodules. Thorax, 2022, 77, 988-996. | 2.7 | 4 |
| 4 | Filtration-histogram based texture analysis and CALIPER based pattern analysis as quantitative CT techniques in idiopathic pulmonary fibrosis: head-to-head comparison. British Journal of Radiology, 2022, 95, 20210957. | 1.0 | 3 |
| 5 | Dynamic contrast-enhanced CT compared with positron emission tomography CT to characterise solitary pulmonary nodules: the SPUtNIk diagnostic accuracy study and economic modelling. Health Technology Assessment, 2022, 26, 1-180. | 1.3 | 0 |
| 6 | CT texture-based radiomics analysis of carotid arteries identifies vulnerable patients: a preliminary outcome study. Neuroradiology, 2021, 63, 1043-1052. | 1.1 | 16 |
| 7 | The Challenge of Staging Breast Cancer With PET/CT in the Era of COVID Vaccination. Clinical Nuclear Medicine, 2021, 46, 1006-1010. | 0.7 | 29 |
| 8 | FDG-PET/CT in colorectal cancer: potential for vascular-metabolic imaging to provide markers of prognosis. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 49, 371-384. | 3.3 | 10 |
| 9 | Measurement of hypoxia in the lung in IPF: an F-MISO PET CT study. European Respiratory Journal, 2021, 58, 2004584. | 3.1 | 6 |
| 10 | Radiomics-Based Texture Analysis of 68Ga-DOTATATE Positron Emission Tomography and Computed Tomography Images as a Prognostic Biomarker in Adults With Neuroendocrine Cancers Treated With 177Lu-DOTATATE. Frontiers in Oncology, 2021, 11, 686235. | 1.3 | 22 |
| 11 | Validation of a combined image derived input function and venous sampling approach for the quantification of [18F]GE-179 PET binding in the brain. NeuroImage, 2021, 237, 118194. | 2.1 | 17 |
| 12 | The role of PET in imaging of the tumour microenvironment and response to immunotherapy. Clinical Radiology, 2021, 76, 784.e1-784.e15. | 0.5 | 4 |
| 13 | Consensus Recommendations on the Use of 18F-FDG PET/CT in Lung Disease. Journal of Nuclear Medicine, 2020, 61, 1701-1707. | 2.8 | 8 |
| 14 | Cerebrospinal Fluid Biomarkers in Cerebral Amyloid Angiopathy. Journal of Alzheimer's Disease, 2020, 74, 1189-1201. | 1.2 | 38 |
| 15 | Synergistic application of pulmonary 18F-FDG PET/HRCT and computer-based CT analysis with conventional severity measures to refine current risk stratification in idiopathic pulmonary fibrosis (IPF). European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 2023-2031. | 3.3 | 19 |
| 16 | Magnetic Resonance Texture Analysis in Identifying Complete Pathological Response to Neoadjuvant Treatment in Locally Advanced Rectal Cancer. Diseases of the Colon and Rectum, 2019, 62, 163-170. | 0.7 | 48 |
| 17 | Diagnostic accuracy of whole-body MRI versus standard imaging pathways for metastatic disease in newly diagnosed non-small-cell lung cancer: the prospective Streamline L trial. Lancet Respiratory Medicine,the, 2019, 7, 523-532. | 5.2 | 50 |
| 18 | Diagnostic accuracy of whole-body MRI versus standard imaging pathways for metastatic disease in newly diagnosed colorectal cancer: the prospective Streamline C trial. The Lancet Gastroenterology and Hepatology, 2019, 4, 529-537. | 3.7 | 51 |

ASHLEY M GROVES

| # | Article | IF | CITATIONS |
|----|--|---------------------|----------------|
| 19 | A randomised, placebo-controlled study of omipalisib (PI3K/mTOR) in idiopathic pulmonary fibrosis. European Respiratory Journal, 2019, 53, 1801992. | 3.1 | 101 |
| 20 | Mass Preservation for Respiratory Motion Registration in both PET and CT. , 2019, , . | | 1 |
| 21 | Development of PET/CT and PET/MRI Patient-Information Videos in Collaboration with Patients Previously Treated for Cancer. Journal of Nuclear Medicine Technology, 2018, 46, 26-28. | 0.4 | 1 |
| 22 | Pulmonary 18F-FDG uptake helps refine current risk stratification in idiopathic pulmonary fibrosis (IPF). European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 806-815. | 3.3 | 60 |
| 23 | Diagnostic accuracy and prognostic value of simultaneous hybrid 18F-fluorodeoxyglucose positron emission tomography/magnetic resonance imaging in cardiac sarcoidosis. European Heart Journal Cardiovascular Imaging, 2018, 19, 757-767. | 0.5 | 126 |
| 24 | Additional Clinical Value for PET/MRI in Oncology: Moving Beyond Simple Diagnosis. Journal of Nuclear Medicine, 2018, 59, 1028-1032. | 2.8 | 20 |
| 25 | Improved quantitation and reproducibility in multi-PET/CT lung studies by combining CT information. EJNMMI Physics, 2018, 5, 14. | 1.3 | 3 |
| 26 | Quantification of Lung PET Images: Challenges and Opportunities. Journal of Nuclear Medicine, 2017, 58, 201-207. | 2.8 | 55 |
| 27 | Streamlining staging of lung and colorectal cancer with whole body MRI; study protocols for two multicentre, non-randomised, single-arm, prospective diagnostic accuracy studies (Streamline C and) Tj ETQq1 | 1 0. 7.8 431 | 4 rgAT /Overic |
| 28 | Detection of Atherosclerotic Inflammation by 68 Ga-DOTATATE PET Compared to [18 F]FDG PET Imaging. Journal of the American College of Cardiology, 2017, 69, 1774-1791. | 1.2 | 321 |
| 29 | The effect of respiratory induced density variations on non-TOF PET quantitation in the lung. Physics in Medicine and Biology, 2016, 61, 3148-3163. | 1.6 | 25 |
| 30 | Cerebral metabolism and perfusion in MR-negative individuals with refractory focal epilepsy assessed by simultaneous acquisition of 18 F-FDG PET and arterial spin labeling. NeuroImage: Clinical, 2016, 11, 648-657. | 1.4 | 67 |
| 31 | Improved correction for the tissue fraction effect in lung PET/CT imaging. Physics in Medicine and Biology, 2015, 60, 7387-7402. | 1.6 | 48 |
| 32 | Multicenter Reproducibility of 18F-Fluciclatide PET Imaging in Subjects with Solid Tumors. Journal of Nuclear Medicine, 2015, 56, 1855-1861. | 2.8 | 21 |
| 33 | Predicting Aortic Aneurysm Expansion by PET. Journal of Nuclear Medicine, 2015, 56, 971-973. | 2.8 | 4 |
| 34 | Areas of normal pulmonary parenchyma on HRCT exhibit increased FDG PET signal in IPF patients. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 337-342. | 3.3 | 65 |
| 35 | CT signal heterogeneity of abdominal aortic aneurysm as a possible predictive biomarker for expansion. Atherosclerosis, 2014, 233, 510-517. | 0.4 | 40 |
| 36 | Correlation of Intra-Tumor 18F-FDG Uptake Heterogeneity Indices with Perfusion CT Derived Parameters in Colorectal Cancer. PLoS ONE, 2014, 9, e99567. | 1.1 | 30 |

ASHLEY M GROVES

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Tumor Heterogeneity and Permeability as Measured on the CT Component of PET/CT Predict Survival in Patients with Non–Small Cell Lung Cancer. Clinical Cancer Research, 2013, 19, 3591-3599. | 3.2 | 182 |
| 38 | Novel Positron Emission Tomography/Computed Tomography of Diffuse Parenchymal Lung Disease Combining a Labeled Somatostatin Receptor Analogue and 2-Deoxy-2 [¹⁸ F] Fluoro-D-Glucose. Molecular Imaging, 2012, 11, 7290.2011.00030. | 0.7 | 19 |
| 39 | Defining the Role of PET–CT in Staging Early Breast Cancer. Oncologist, 2012, 17, 613-619. | 1.9 | 34 |
| 40 | Integrated 18 F-Fluorodeoxyglucose–Positron Emission Tomography/Dynamic Contrast-Enhanced Computed Tomography to Phenotype Non–Small Cell Lung Carcinoma. Molecular Imaging, 2012, 11, 7290.2011.00052. | 0.7 | 7 |
| 41 | 18F-Fluorodeoxyglucose positron emission tomography pulmonary imaging in idiopathic pulmonary fibrosis is reproducible: implications for future clinical trials. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 521-528. | 3.3 | 46 |
| 42 | Integrated 18F-fluorodeoxyglucose-positron emission tomography/dynamic contrast-enhanced computed tomography to phenotype non-small cell lung carcinoma. Molecular Imaging, 2012, 11, 353-60. | 0.7 | 6 |
| 43 | 18F-FDG PET and biomarkers for tumour angiogenesis in early breast cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 46-52. | 3.3 | 52 |
| 44 | The importance of correction for tissue fraction effects in lung PET: preliminary findings. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 2238-2246. | 3.3 | 58 |
| 45 | A Comparison of ⁶⁸ Ga-DOTATATE and ¹⁸ F-FDG PET/CT in Pulmonary Neuroendocrine Tumors. Journal of Nuclear Medicine, 2009, 50, 1927-1932. | 2.8 | 228 |
| 46 | Idiopathic Pulmonary Fibrosis and Diffuse Parenchymal Lung Disease: Implications from Initial Experience with ¹⁸ F-FDG PET/CT. Journal of Nuclear Medicine, 2009, 50, 538-545. | 2.8 | 138 |
| 47 | Metabolic–flow relationships in primary breast cancer: feasibility of combined PET/dynamic contrast-enhanced CT. European Journal of Nuclear Medicine and Molecular Imaging, 2009, 36, 416-421. | 3.3 | 43 |
| 48 | First experience of combined cardiac PET/64-detector CT angiography with invasive angiographic validation. European Journal of Nuclear Medicine and Molecular Imaging, 2009, 36, 2027-2033. | 3.3 | 43 |
| 49 | Advantages and Limitations of Imaging the Musculoskeletal System by Conventional Radiological, Radionuclide, and Hybrid Modalities. Seminars in Nuclear Medicine, 2009, 39, 357-368. | 2.5 | 33 |
| 50 | CT coronary angiography: Quantitative assessment of myocardial perfusion using test bolus data–initial experience. European Radiology, 2008, 18, 2155-2163. | 2.3 | 20 |
| 51 | How Do Patients Perceive the Benefits and Risks of Peripheral Angioplasty? Implications for Informed Consent. Journal of Vascular and Interventional Radiology, 2008, 19, 177-181. | 0.2 | 17 |
| 52 | Perfusion Scintigraphy Still has Important Role in Evaluation of Majority of Pregnant Patients with Suspicion of Pulmonary Embolism. Radiology, 2007, 244, 623-625. | 3.6 | 8 |
| 53 | Non-[18F]FDG PET in clinical oncology. Lancet Oncology, The, 2007, 8, 822-830. | 5.1 | 117 |
| 54 | Cardiac 82rubidium PET/CT: initial European experience. European Journal of Nuclear Medicine and Molecular Imaging, 2007, 34, 1965-1972. | 3.3 | 21 |

ASHLEY M GROVES

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The effect of lung resection on pulmonary function and exercise capacity in lung cancer patients. Respiratory Care, 2007, 52, 720-6. | 0.8 | 60 |
| 56 | 18F-fluorodeoxyglucose PET/CT in cancer imaging. Clinical Medicine, 2006, 6, 240-244. | 0.8 | 23 |
| 57 | CT Pulmonary Angiography versus Ventilation-Perfusion Scintigraphy in Pregnancy: Implications from a UK Survey of Doctors' Knowledge of Radiation Exposure. Radiology, 2006, 240, 765-770. | 3.6 | 72 |
| 58 | Ventilation-Perfusion Scintigraphy to Predict Postoperative Pulmonary Function in Lung Cancer Patients Undergoing Pneumonectomy. American Journal of Roentgenology, 2006, 187, 1260-1265. | 1.0 | 55 |
| 59 | An International Survey of Hospital Practice in the Imaging of Acute Scaphoid Trauma. American Journal of Roentgenology, 2006, 187, 1453-1456. | 1.0 | 65 |
| 60 | How often do patients undergo repeat PET or PET/CT examinations? Experience from a UK institution. Nuclear Medicine Communications, 2005, 26, 137-139. | 0.5 | 3 |
| 61 | Oral contrast medium in PET/CT: should you or shouldn't you?. European Journal of Nuclear Medicine and Molecular Imaging, 2005, 32, 1160-1166. | 3.3 | 39 |
| 62 | Positron Emission Tomography with FDG to Show Thymic Carcinoid. American Journal of Roentgenology, 2004, 182, 511-513. | 1.0 | 23 |
| 63 | Myocardial perfusion scintigraphy: patients' perception of benefit and risk. Nuclear Medicine Communications, 2004, 25, 1219-1222. | 0.5 | 8 |