

Joan Heller Brown

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10740001/joan-heller-brown-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

15,065
citations

67
h-index

121
g-index

178
ext. papers

16,309
ext. citations

7.6
avg, IF

6.27
L-index

#	Paper	IF	Citations
170	Effects of mango and mint pod-based e-cigarette aerosol inhalation on inflammatory states of the brain, lung, heart, and colon in mice.. <i>ELife</i> , 2022 , 11,	8.9	2
169	Co-occurrence of BAP1 and SF3B1 mutations in uveal melanoma induces cellular senescence. <i>Molecular Oncology</i> , 2021 ,	7.9	1
168	ATPase Inhibitory Factor-1 Disrupts Mitochondrial Ca Handling and Promotes Pathological Cardiac Hypertrophy through CaMKIIβ <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
167	The contribution of the cardiomyocyte to tissue inflammation in cardiomyopathies.. <i>Current Opinion in Physiology</i> , 2021 , 19, 129-134	2.6	1
166	Spatiotemporal restriction of endothelial cell calcium signaling is required during leukocyte transmigration. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	4
165	SiglecF(HI) Marks Late-Stage Neutrophils of the Infarcted Heart: A Single-Cell Transcriptomic Analysis of Neutrophil Diversification. <i>Journal of the American Heart Association</i> , 2021 , 10, e019019	6	8
164	Hyperglycemia Acutely Increases Cytosolic Reactive Oxygen Species via α -linked GlcNAcylation and CaMKII Activation in Mouse Ventricular Myocytes. <i>Circulation Research</i> , 2020 , 126, e80-e96	15.7	36
163	Histamine-induced biphasic activation of RhoA allows for persistent RhoA signaling. <i>PLoS Biology</i> , 2020 , 18, e3000866	9.7	1
162	CaMKIIβ Drives Early Adaptive Ca Change and Late Eccentric Cardiac Hypertrophy. <i>Circulation Research</i> , 2020 , 127, 1159-1178	15.7	15
161	Inflammation in nonischemic heart disease: initiation by cardiomyocyte CaMKII and NLRP3 inflammasome signaling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 317, H877-H890	5.2	22
160	Chronic inhalation of e-cigarette vapor containing nicotine disrupts airway barrier function and induces systemic inflammation and multiorgan fibrosis in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 314, R834-R847	3.2	97
159	YAP and MRTF-A, transcriptional co-activators of RhoA-mediated gene expression, are critical for glioblastoma tumorigenicity. <i>Oncogene</i> , 2018 , 37, 5492-5507	9.2	35
158	A secretory pathway kinase regulates sarcoplasmic reticulum Ca homeostasis and protects against heart failure. <i>ELife</i> , 2018 , 7,	8.9	16
157	RhoA mediated transcriptional pathways in tumor cell growth. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, SY84-1	0	
156	Calcium/Calmodulin-dependent Protein Kinase II (CaMKII) Signaling in Cardiomyocytes Initiates Inflammatory Responses Required for Adverse Cardiac Remodeling in Response to Pressure Overload.. <i>FASEB Journal</i> , 2018 , 32, 698.4	0.9	
155	CaMKIIβ-mediated inflammatory gene expression and inflammasome activation in cardiomyocytes initiate inflammation and induce fibrosis. <i>JCI Insight</i> , 2018 , 3,	9.9	56
154	Inflammation and NLRP3 Inflammasome Activation Initiated in Response to Pressure Overload by Ca/Calmodulin-Dependent Protein Kinase II β Signaling in Cardiomyocytes Are Essential for Adverse Cardiac Remodeling. <i>Circulation</i> , 2018 , 138, 2530-2544	16.7	109

153	RhoA regulates Drp1 mediated mitochondrial fission through ROCK to protect cardiomyocytes. <i>Cellular Signalling</i> , 2018 , 50, 48-57	4.9	28
152	CaMKII β subtypes differentially regulate infarct formation following ex vivo myocardial ischemia/reperfusion through NF- κ B and TNF- α . <i>Journal of Molecular and Cellular Cardiology</i> , 2017 , 103, 48-55	5.8	40
151	Sphingosine 1-phosphate receptor 3 and RhoA signaling mediate inflammatory gene expression in astrocytes. <i>Journal of Neuroinflammation</i> , 2017 , 14, 111	10.1	57
150	Selective coupling of the S1P receptor subtype to S1P-mediated RhoA activation and cardioprotection. <i>Journal of Molecular and Cellular Cardiology</i> , 2017 , 103, 1-10	5.8	22
149	Decline in cellular function of aged mouse c-kit cardiac progenitor cells. <i>Journal of Physiology</i> , 2017 , 595, 6249-6262	3.9	21
148	Sphingosine 1-phosphate elicits RhoA-dependent proliferation and MRTF-A mediated gene induction in CPCs. <i>Cellular Signalling</i> , 2016 , 28, 871-9	4.9	15
147	Myocardin-Related Transcription Factor A and Yes-Associated Protein Exert Dual Control in G Protein-Coupled Receptor- and RhoA-Mediated Transcriptional Regulation and Cell Proliferation. <i>Molecular and Cellular Biology</i> , 2016 , 36, 39-49	4.8	59
146	Reductions in the Cardiac Transient Outward K ⁺ Current I _{to} Caused by Chronic β Adrenergic Receptor Stimulation Are Partly Rescued by Inhibition of Nuclear Factor κ B. <i>Journal of Biological Chemistry</i> , 2016 , 291, 4156-65	5.4	14
145	Bitopic Sphingosine 1-Phosphate Receptor 3 (S1P3) Antagonist Rescue from Complete Heart Block: Pharmacological and Genetic Evidence for Direct S1P3 Regulation of Mouse Cardiac Conduction. <i>Molecular Pharmacology</i> , 2016 , 89, 176-86	4.3	27
144	Exercise training reverses myocardial dysfunction induced by CaMKII α overexpression by restoring Ca ²⁺ homeostasis. <i>Journal of Applied Physiology</i> , 2016 , 121, 212-20	3.7	8
143	Mitochondrial reprogramming induced by CaMKII δ mediates hypertrophy decompensation. <i>Circulation Research</i> , 2015 , 116, e28-39	15.7	36
142	CaMKII δ mediates β adrenergic effects on RyR2 phosphorylation and SR Ca(2+) leak and the pathophysiological response to chronic β adrenergic stimulation. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 85, 282-91	5.8	53
141	G Protein-Coupled Receptor and RhoA-Stimulated Transcriptional Responses: Links to Inflammation, Differentiation, and Cell Proliferation. <i>Molecular Pharmacology</i> , 2015 , 88, 171-80	4.3	67
140	PLC γ mediated sustained signaling pathways. <i>Advances in Biological Regulation</i> , 2015 , 57, 17-23	6.2	18
139	Thrombin promotes sustained signaling and inflammatory gene expression through the CDC25 and Ras-associating domains of phospholipase C γ . <i>Journal of Biological Chemistry</i> , 2015 , 290, 26776-83	5.4	9
138	The First 50 Years of Molecular Pharmacology. <i>Molecular Pharmacology</i> , 2015 , 88, 139-40	4.3	2
137	Intracellular signalling mechanism responsible for modulation of sarcolemmal ATP-sensitive potassium channels by nitric oxide in ventricular cardiomyocytes. <i>Journal of Physiology</i> , 2014 , 592, 971-90	3.9	40
136	CaMKII-dependent phosphorylation of cardiac ryanodine receptors regulates cell death in cardiac ischemia/reperfusion injury. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 74, 274-83	5.8	51

135	Induction of the matricellular protein CCN1 through RhoA and MRTF-A contributes to ischemic cardioprotection. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 75, 152-61	5.8	26
134	CaMKII δ subtypes: localization and function. <i>Frontiers in Pharmacology</i> , 2014 , 5, 15	5.6	52
133	In vivo selective expression of thyroid hormone receptor β in endothelial cells attenuates myocardial injury in experimental myocardial infarction in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014 , 307, R340-6	3.2	21
132	Nonequilibrium reactivation of Na ⁺ current drives early afterdepolarizations in mouse ventricle. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 1205-13	6.4	35
131	The Ras-related protein, Rap1A, mediates thrombin-stimulated, integrin-dependent glioblastoma cell proliferation and tumor growth. <i>Journal of Biological Chemistry</i> , 2014 , 289, 17689-98	5.4	40
130	PLC β PKD1, and SSH1L transduce RhoA signaling to protect mitochondria from oxidative stress in the heart. <i>Science Signaling</i> , 2013 , 6, ra108	8.8	48
129	Ca ²⁺ /Calmodulin-dependent protein kinase II β mediates myocardial ischemia/reperfusion injury through nuclear factor- κ B. <i>Circulation Research</i> , 2013 , 112, 935-44	15.7	120
128	Mechanisms and Models for Elucidating the Cardiac Effects of Sphingosine 1-Phosphate (S1P) 2013 , 373-397		
127	Lysophospholipid receptor activation of RhoA and lipid signaling pathways. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013 , 1831, 213-22	5	57
126	Epac2 mediates cardiac β -adrenergic-dependent sarcoplasmic reticulum Ca ²⁺ leak and arrhythmia. <i>Circulation</i> , 2013 , 127, 913-22	16.7	117
125	The promise of CaMKII inhibition for heart disease: preventing heart failure and arrhythmias. <i>Expert Opinion on Therapeutic Targets</i> , 2013 , 17, 889-903	6.4	17
124	Phospholipase C epsilon links G protein-coupled receptor activation to inflammatory astrocytic responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 3609-14	11.5	56
123	RhoA and Rap1 mediate GPCR crosstalk to integrins and cell growth. <i>FASEB Journal</i> , 2013 , 27, 338.1	0.9	
122	APJ acts as a dual receptor in cardiac hypertrophy. <i>Nature</i> , 2012 , 488, 394-8	50.4	166
121	CaMKII δ slows [Ca] ⁱ decline in cardiac myocytes by promoting Ca sparks. <i>Biophysical Journal</i> , 2012 , 102, 2461-70	2.9	25
120	Identification of potential small molecule binding pockets on Rho family GTPases. <i>PLoS ONE</i> , 2012 , 7, e40809	3.7	14
119	Role of phospholipase C β in physiological phosphoinositide signaling networks. <i>Cellular Signalling</i> , 2012 , 24, 1333-43	4.9	103
118	Regulation of the Hippo-YAP pathway by protease-activated receptors (PARs). <i>Genes and Development</i> , 2012 , 26, 2138-43	12.6	210

117	Thrombin stimulated glioblastoma cell adhesion is mediated by Rap1 and integrin activation. <i>FASEB Journal</i> , 2012 , 26, 664-8	0.9	
116	S1P induces CCN1 expression through RhoA/MRTF-a activation and protects cardiomyocytes against cell death. <i>FASEB Journal</i> , 2012 , 26, 1060.4	0.9	
115	Crossing signals: relationships between β -adrenergic stimulation and CaMKII activation. <i>Heart Rhythm</i> , 2011 , 8, 1296-8	6.7	13
114	Overexpression of CaMKII β in RyR2R4496C+/- knock-in mice leads to altered intracellular Ca ²⁺ handling and increased mortality. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 469-79	15.1	28
113	CaMKII in myocardial hypertrophy and heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 51, 468-73	5.8	306
112	RhoA protects the mouse heart against ischemia/reperfusion injury. <i>Journal of Clinical Investigation</i> , 2011 , 121, 3269-76	15.9	67
111	Location matters: clarifying the concept of nuclear and cytosolic CaMKII subtypes. <i>Circulation Research</i> , 2011 , 109, 1354-62	15.7	61
110	Mitochondrial translocation of Nur77 mediates cardiomyocyte apoptosis. <i>European Heart Journal</i> , 2011 , 32, 2179-88	9.5	75
109	A critical function for Ser-282 in cardiac Myosin binding protein-C phosphorylation and cardiac function. <i>Circulation Research</i> , 2011 , 109, 141-50	15.7	95
108	Novel allosteric sites on Ras for lead generation. <i>PLoS ONE</i> , 2011 , 6, e25711	3.7	125
107	RhoA activates protein kinase D leading to cardioprotection against ischemia/reperfusion. <i>FASEB Journal</i> , 2011 , 25, 1085.11	0.9	
106	Phospholamban ablation rescues sarcoplasmic reticulum Ca(2+) handling but exacerbates cardiac dysfunction in CaMKII δ (C) transgenic mice. <i>Circulation Research</i> , 2010 , 106, 354-62	15.7	89
105	PHLPP-1 negatively regulates Akt activity and survival in the heart. <i>Circulation Research</i> , 2010 , 107, 476-84	15.7	85
104	Beta-adrenergic receptor signaling in the heart: role of CaMKII. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 322-30	5.8	171
103	beta-Adrenergic receptor stimulated Ncx1 upregulation is mediated via a CaMKII/AP-1 signaling pathway in adult cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 342-51	5.8	30
102	Cardiac hypertrophy and heart failure development through Gq and CaM kinase II signaling. <i>Journal of Cardiovascular Pharmacology</i> , 2010 , 56, 598-603	3.1	42
101	Revisited and revised: is RhoA always a villain in cardiac pathophysiology?. <i>Journal of Cardiovascular Translational Research</i> , 2010 , 3, 330-43	3.3	42
100	MTORC1 regulates cardiac function and myocyte survival through 4E-BP1 inhibition in mice. <i>Journal of Clinical Investigation</i> , 2010 , 120, 2805-16	15.9	242

99	Cyclophilin D controls mitochondrial pore-dependent Ca(2+) exchange, metabolic flexibility, and propensity for heart failure in mice. <i>Journal of Clinical Investigation</i> , 2010 , 120, 3680-7	15.9	286
98	Inducible cardiac-specific RhoA-expression protects against ischemia/reperfusion injury in mouse hearts. <i>FASEB Journal</i> , 2010 , 24, 573.11	0.9	
97	Thrombin mediated PAR1 stimulation results in sustained activation of Rap1 and downstream responses in human 1321N1 astrogloma cells. <i>FASEB Journal</i> , 2010 , 24, 769.16	0.9	
96	Akt increases sarcoplasmic reticulum Ca2+ cycling by direct phosphorylation of phospholamban at Thr17. <i>Journal of Biological Chemistry</i> , 2009 , 284, 28180-28187	5.4	50
95	Calcium/calmodulin-dependent protein kinase II contributes to cardiac arrhythmogenesis in heart failure. <i>Circulation: Heart Failure</i> , 2009 , 2, 664-75	7.6	135
94	Akt regulates L-type Ca2+ channel activity by modulating Cavalpha1 protein stability. <i>Journal of Cell Biology</i> , 2009 , 184, 923-33	7.3	85
93	Cardioprotective stimuli mediate phosphoinositide 3-kinase and phosphoinositide dependent kinase 1 nuclear accumulation in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2009 , 47, 96-103	5.8	14
92	Akt mediated mitochondrial protection in the heart: metabolic and survival pathways to the rescue. <i>Journal of Bioenergetics and Biomembranes</i> , 2009 , 41, 169-80	3.7	85
91	Sphingosine-1-phosphate receptor signalling in the heart. <i>Cardiovascular Research</i> , 2009 , 82, 193-200	9.9	165
90	Endoplasmic reticulum-mitochondria crosstalk in NIX-mediated murine cell death. <i>Journal of Clinical Investigation</i> , 2009 , 119, 203-12	15.9	104
89	Requirement for Ca2+/calmodulin-dependent kinase II in the transition from pressure overload-induced cardiac hypertrophy to heart failure in mice. <i>Journal of Clinical Investigation</i> , 2009 , 119, 1230-40	15.9	291
88	Akt regulates L-type Ca2+channel activity by modulating Cav β protein stability. <i>Journal of General Physiology</i> , 2009 , 133, i4-i4	3.4	0
87	Pulsatile equibiaxial stretch inhibits thrombin-induced RhoA and NF-kappaB activation. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 372, 216-20	3.4	3
86	S1P1 receptor localization confers selectivity for Gi-mediated cAMP and contractile responses. <i>Journal of Biological Chemistry</i> , 2008 , 283, 11954-63	5.4	65
85	Focal adhesion kinase as a RhoA-activable signaling scaffold mediating Akt activation and cardiomyocyte protection. <i>Journal of Biological Chemistry</i> , 2008 , 283, 35622-9	5.4	82
84	Thrombin receptor and RhoA mediate cell proliferation through integrins and cysteine-rich protein 61. <i>FASEB Journal</i> , 2008 , 22, 4011-21	0.9	37
83	G protein-coupled receptors go extracellular: RhoA integrates the integrins. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2008 , 8, 165-73		31
82	An FHL1-containing complex within the cardiomyocyte sarcomere mediates hypertrophic biomechanical stress responses in mice. <i>Journal of Clinical Investigation</i> , 2008 , 118, 3870-80	15.9	184

81	S1P receptor localization confers selectivity for Gi mediated signaling pathways. <i>FASEB Journal</i> , 2008 , 22, 727.6	0.9	
80	Impact of CaMKII Localization on Function. <i>FASEB Journal</i> , 2008 , 22, 911.2	0.9	
79	Thrombin mediated regulation of CCN1 regulates cell proliferation in an integrin dependent manner. <i>FASEB Journal</i> , 2008 , 22, 1044.13	0.9	
78	Role of calmodulin kinase II in inotropic effect of β -adrenergic stimulation in the heart. <i>FASEB Journal</i> , 2008 , 22, 970.18	0.9	
77	Tumor necrosis factor-alpha-stimulated cell proliferation is mediated through sphingosine kinase-dependent Akt activation and cyclin D expression. <i>Journal of Biological Chemistry</i> , 2007 , 282, 863-70	5.4	56
76	RhoA/Rho kinase up-regulate Bax to activate a mitochondrial death pathway and induce cardiomyocyte apoptosis. <i>Journal of Biological Chemistry</i> , 2007 , 282, 8069-78	5.4	110
75	Sphingosine 1-phosphate S1P2 and S1P3 receptor-mediated Akt activation protects against in vivo myocardial ischemia-reperfusion injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H2944-51	5.2	177
74	Phospholipase Cepsilon is a nexus for Rho and Rap-mediated G protein-coupled receptor-induced astrocyte proliferation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 15543-8	11.5	63
73	CaMKIIdelta isoforms differentially affect calcium handling but similarly regulate HDAC/MEF2 transcriptional responses. <i>Journal of Biological Chemistry</i> , 2007 , 282, 35078-87	5.4	164
72	Increased sarcoplasmic reticulum calcium leak but unaltered contractility by acute CaMKII overexpression in isolated rabbit cardiac myocytes. <i>Circulation Research</i> , 2006 , 98, 235-44	15.7	162
71	The Rac and Rho hall of fame: a decade of hypertrophic signaling hits. <i>Circulation Research</i> , 2006 , 98, 730-42	15.7	277
70	Local InsP3-dependent perinuclear Ca ²⁺ signaling in cardiac myocyte excitation-transcription coupling. <i>Journal of Clinical Investigation</i> , 2006 , 116, 675-82	15.9	374
69	Rho kinase polymorphism influences blood pressure and systemic vascular resistance in human twins: role of heredity. <i>Hypertension</i> , 2006 , 47, 937-47	8.5	66
68	Galphaq expression activates EGFR and induces Akt mediated cardiomyocyte survival: dissociation from Galphaq mediated hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2006 , 40, 597-604	5.8	32
67	Ca ²⁺ /calmodulin-dependent protein kinase II regulates cardiac Na ⁺ channels. <i>Journal of Clinical Investigation</i> , 2006 , 116, 3127-38	15.9	397
66	Phospholamban Ablation Rescues SR Ca ²⁺ Loading But Not Cardiac Function In CaMKII δ Transgenic Mice. <i>FASEB Journal</i> , 2006 , 20, A1124	0.9	
65	Activated RhoA Induces Cardiomyocyte Apoptosis via a Mitochondrial Death Pathway. <i>FASEB Journal</i> , 2006 , 20, A234	0.9	
64	Role of S1P signaling in TNF-mediated 1321N1 cell proliferation. <i>FASEB Journal</i> , 2006 , 20, A697	0.9	

63	Ca ²⁺ dysregulation induces mitochondrial depolarization and apoptosis: role of Na ⁺ /Ca ²⁺ exchanger and AKT. <i>Journal of Biological Chemistry</i> , 2005 , 280, 38505-12	5.4	50
62	Role of Ca ²⁺ /calmodulin-dependent protein kinase II in cardiac hypertrophy and heart failure. <i>Cardiovascular Research</i> , 2004 , 63, 476-86	9.9	213
61	Rho-mediated cytoskeletal rearrangement in response to LPA is functionally antagonized by Rac1 and PIP2. <i>Journal of Neurochemistry</i> , 2004 , 91, 501-12	6	29
60	G protein mediated signaling pathways in lysophospholipid induced cell proliferation and survival. <i>Journal of Cellular Biochemistry</i> , 2004 , 92, 949-66	4.7	171
59	Cardiovascular Signaling Pathways 2004 , 123-174		
58	Lysophosphatidic acid induces hypertrophy of neonatal cardiac myocytes via activation of Gi and Rho. <i>Journal of Molecular and Cellular Cardiology</i> , 2004 , 36, 481-93	5.8	58
57	RHO SIGNALING in vascular diseases. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2004 , 4, 348-57		61
56	Cardiomyocyte calcium and calcium/calmodulin-dependent protein kinase II: friends or foes?. <i>Endocrine Reviews</i> , 2004 , 59, 141-68		54
55	Akt-mediated cardiomyocyte survival pathways are compromised by G alpha q-induced phosphoinositide 4,5-bisphosphate depletion. <i>Journal of Biological Chemistry</i> , 2003 , 278, 40343-51	5.4	57
54	The deltaC isoform of CaMKII is activated in cardiac hypertrophy and induces dilated cardiomyopathy and heart failure. <i>Circulation Research</i> , 2003 , 92, 912-9	15.7	456
53	RGS16 inhibits signalling through the G alpha 13-Rho axis. <i>Nature Cell Biology</i> , 2003 , 5, 1095-103	23.4	30
52	UTP but not ATP causes hypertrophic growth in neonatal rat cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2003 , 35, 287-92	5.8	19
51	Upregulation of GLUT1 expression is necessary for hypertrophy and survival of neonatal rat cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2003 , 35, 1217-27	5.8	43
50	Protein kinase C epsilon-dependent activation of proline-rich tyrosine kinase 2 in neonatal rat ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2003 , 35, 1121-33	5.8	28
49	Inhibition of cardiac myocyte apoptosis improves cardiac function and abolishes mortality in the peripartum cardiomyopathy of Galpha(q) transgenic mice. <i>Circulation</i> , 2003 , 108, 3036-41	16.7	187
48	Transgenic CaMKIIdeltaC overexpression uniquely alters cardiac myocyte Ca ²⁺ handling: reduced SR Ca ²⁺ load and activated SR Ca ²⁺ release. <i>Circulation Research</i> , 2003 , 92, 904-11	15.7	374
47	Initiation and transduction of stretch-induced RhoA and Rac1 activation through caveolae: cytoskeletal regulation of ERK translocation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 31111-7	5.4	156
46	Linkage of beta1-adrenergic stimulation to apoptotic heart cell death through protein kinase A-independent activation of Ca ²⁺ /calmodulin kinase II. <i>Journal of Clinical Investigation</i> , 2003 , 111, 617-25	15.9	166

45	Linkage of β -adrenergic stimulation to apoptotic heart cell death through protein kinase A-independent activation of Ca ²⁺ /calmodulin kinase II. <i>Journal of Clinical Investigation</i> , 2003 , 111, 617-625	15.9	310
44	The cardiac-specific nuclear delta(B) isoform of Ca ²⁺ /calmodulin-dependent protein kinase II induces hypertrophy and dilated cardiomyopathy associated with increased protein phosphatase 2A activity. <i>Journal of Biological Chemistry</i> , 2002 , 277, 1261-7	5.4	191
43	c-Jun N-terminal kinase activation mediates downregulation of connexin43 in cardiomyocytes. <i>Circulation Research</i> , 2002 , 91, 640-7	15.7	127
42	Marked perinatal lethality and cellular signaling deficits in mice null for the two sphingosine 1-phosphate (S1P) receptors, S1P(2)/LP(B2)/EDG-5 and S1P(3)/LP(B3)/EDG-3. <i>Journal of Biological Chemistry</i> , 2002 , 277, 25152-9	5.4	204
41	Inositol polyphosphate 1-phosphatase is a novel antihypertrophic factor. <i>Journal of Biological Chemistry</i> , 2002 , 277, 22734-42	5.4	28
40	Characterization of lpa(2) (Edg4) and lpa(1)/lpa(2) (Edg2/Edg4) lysophosphatidic acid receptor knockout mice: signaling deficits without obvious phenotypic abnormality attributable to lpa(2). <i>Molecular and Cellular Biology</i> , 2002 , 22, 6921-9	4.8	276
39	G-proteins in growth and apoptosis: lessons from the heart. <i>Oncogene</i> , 2001 , 20, 1626-34	9.2	102
38	Selective loss of sphingosine 1-phosphate signaling with no obvious phenotypic abnormality in mice lacking its G protein-coupled receptor, LP(B3)/EDG-3. <i>Journal of Biological Chemistry</i> , 2001 , 276, 33697-704	5.4	218
37	Physical and functional interactions of G α q with Rho and its exchange factors. <i>Journal of Biological Chemistry</i> , 2001 , 276, 15445-52	5.4	78
36	Increased expression and activity of RhoA are associated with increased DNA synthesis and reduced p27(Kip1) expression in the vasculature of hypertensive rats. <i>Circulation Research</i> , 2001 , 89, 488-95	15.7	119
35	The Rho effector, PKN, regulates ANF gene transcription in cardiomyocytes through a serum response element. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 278, H1769-74	5.2	37
34	Cardiomyocyte apoptosis induced by G α q signaling is mediated by permeability transition pore formation and activation of the mitochondrial death pathway. <i>Circulation Research</i> , 2000 , 87, 1180-7	15.7	99
33	The role of Rho in G protein-coupled receptor signal transduction. <i>Annual Review of Pharmacology and Toxicology</i> , 2000 , 40, 459-89	17.9	298
32	Pertussis toxin-sensitive and -insensitive thrombin stimulation of Shc phosphorylation and mitogenesis are mediated through distinct pathways. <i>Molecular Endocrinology</i> , 1999 , 13, 1988-2001		12
31	Rho and Rho kinase mediate thrombin-stimulated vascular smooth muscle cell DNA synthesis and migration. <i>Circulation Research</i> , 1999 , 84, 1186-93	15.7	235
30	A rho exchange factor mediates thrombin and G α (12)-induced cytoskeletal responses. <i>Journal of Biological Chemistry</i> , 1999 , 274, 26815-21	5.4	87
29	Gq signaling in cardiac adaptation and maladaptation. <i>Trends in Cardiovascular Medicine</i> , 1999 , 9, 26-34	6.9	135
28	Rho as a mediator of G protein-coupled receptor signaling. <i>Molecular Pharmacology</i> , 1999 , 55, 949-56	4.3	207

27	Cardiac-specific overexpression of RhoA results in sinus and atrioventricular nodal dysfunction and contractile failure. <i>Journal of Clinical Investigation</i> , 1999 , 103, 1627-34	15.9	192
26	Tyrosine kinase and c-Jun NH2-terminal kinase mediate hypertrophic responses to prostaglandin F2alpha in cultured neonatal rat ventricular myocytes. <i>Circulation Research</i> , 1998 , 83, 167-78	15.7	61
25	Requirement for Rho-mediated myosin light chain phosphorylation in thrombin-stimulated cell rounding and its dissociation from mitogenesis. <i>Journal of Biological Chemistry</i> , 1998 , 273, 10099-106	5.4	64
24	Cardiac muscle cell hypertrophy and apoptosis induced by distinct members of the p38 mitogen-activated protein kinase family. <i>Journal of Biological Chemistry</i> , 1998 , 273, 2161-8	5.4	666
23	The low molecular weight GTPase Rho regulates myofibril formation and organization in neonatal rat ventricular myocytes. Involvement of Rho kinase. <i>Journal of Biological Chemistry</i> , 1998 , 273, 7725-30	5.4	154
22	Cardiac hypertrophy induced by mitogen-activated protein kinase kinase 7, a specific activator for c-Jun NH2-terminal kinase in ventricular muscle cells. <i>Journal of Biological Chemistry</i> , 1998 , 273, 5423-6	5.4	267
21	The nuclear deltaB isoform of Ca2+/calmodulin-dependent protein kinase II regulates atrial natriuretic factor gene expression in ventricular myocytes. <i>Journal of Biological Chemistry</i> , 1997 , 272, 31203-8	5.4	164
20	The MEKK-JNK pathway is stimulated by alpha1-adrenergic receptor and ras activation and is associated with in vitro and in vivo cardiac hypertrophy. <i>Journal of Biological Chemistry</i> , 1997 , 272, 14057-61	5.4	180
19	Cardiotrophin 1 (CT-1) inhibition of cardiac myocyte apoptosis via a mitogen-activated protein kinase-dependent pathway. Divergence from downstream CT-1 signals for myocardial cell hypertrophy. <i>Journal of Biological Chemistry</i> , 1997 , 272, 5783-91	5.4	314
18	Pathways and roadblocks in muscarinic receptor-mediated growth regulation. <i>Life Sciences</i> , 1997 , 60, 1077-1084	6.8	14
17	The G12 coupled thrombin receptor stimulates mitogenesis through the Shc SH2 domain. <i>Oncogene</i> , 1997 , 15, 595-600	9.2	30
16	Rho is required for Galphaq and alpha1-adrenergic receptor signaling in cardiomyocytes. Dissociation of Ras and Rho pathways. <i>Journal of Biological Chemistry</i> , 1996 , 271, 31185-90	5.4	172
15	G protein-coupled receptors and signaling pathways regulating growth responses. <i>FASEB Journal</i> , 1996 , 10, 741-9	0.9	202
14	Galpha12 stimulates c-Jun NH2-terminal kinase through the small G proteins Ras and Rac. <i>Journal of Biological Chemistry</i> , 1996 , 271, 17349-53	5.4	124
13	Dissociation of p44 and p42 mitogen-activated protein kinase activation from receptor-induced hypertrophy in neonatal rat ventricular myocytes. <i>Journal of Biological Chemistry</i> , 1996 , 271, 8452-7	5.4	134
12	M1 muscarinic receptors heterologously expressed in cardiac myocytes mediate Ras-dependent changes in gene expression. <i>Journal of Biological Chemistry</i> , 1995 , 270, 8446-51	5.4	23
11	G12 requirement for thrombin-stimulated gene expression and DNA synthesis in 1321N1 astrocytoma cells. <i>Journal of Biological Chemistry</i> , 1995 , 270, 20073-7	5.4	80
10	Phosphoinositide-generated second messengers in cardiac signal transduction. <i>Trends in Cardiovascular Medicine</i> , 1992 , 2, 209-14	6.9	26

9	Muscarinic Cholinergic Receptor Regulation of Inositol Phospholipid Metabolism and Calcium Mobilization 1989 , 259-307		3
8	A 22 kDa ras-related G-protein is the substrate for an ADP-ribosyltransferase from Clostridium botulinum. <i>FEBS Letters</i> , 1988 , 238, 22-6	3.8	9
7	Differences and similarities in muscarinic receptors of rat heart and retina: effects of agonists, guanine nucleotides, and N-ethylmaleimide. <i>Journal of Neurochemistry</i> , 1984 , 43, 214-20	6	22
6	Does phosphoinositide hydrolysis mediate inhibitory as well as excitatory muscarinic responses?. <i>Trends in Pharmacological Sciences</i> , 1984 , 5, 417-419	13.2	25
5	Muscarinic-dopaminergic synergism on retinal cyclic AMP formation. <i>Brain Research</i> , 1981 , 215, 388-92	3.7	30
4	Dephosphorylation and activation of exogenous glycogen synthase by adipose-tissue phosphatase. <i>Biochemical Journal</i> , 1980 , 188, 221-8	3.8	7
3	INFLUENCE OF ERGOT DERIVATIVES ON THE DIFFERENT TYPES OF DOPAMINE RECEPTORS AND ON OTHER AMINE RECEPTORS IN PRIMATE BRAIN 1979 , 101-114		
2	Influence of neuroleptic drugs and apomorphine on dopamine-sensitive adenylate cyclase of retina. <i>Journal of Neurochemistry</i> , 1973 , 21, 477-9	6	100
1	Pertussis Toxin-Sensitive and -Insensitive Thrombin Stimulation of Shc Phosphorylation and Mitogenesis Are Mediated through Distinct Pathways		6