Patrick C Walsh

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10741758/patrick-c-walsh-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108 45,213 203 415 h-index g-index citations papers 49,278 7.03 449 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
415	Association of prostate cancer polygenic risk score with number and laterality of tumor cores in active surveillance patients. <i>Prostate</i> , 2021 , 81, 703-709	4.2	2
414	A Germline Variant at 8q24 Contributes to Familial Clustering of Prostate Cancer in Men of African Ancestry. <i>European Urology</i> , 2020 , 78, 316-320	10.2	13
413	Rare Germline Pathogenic Mutations of DNA Repair Genes Are Most Strongly Associated with Grade Group 5 Prostate Cancer. <i>European Urology Oncology</i> , 2020 , 3, 224-230	6.7	17
412	Radiation Therapy in the Definitive Management of Oligometastatic Prostate Cancer: The Johns Hopkins Experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, 948-956	4	21
411	PSA Doubling Time and Absolute PSA Predict Metastasis-free Survival in Men With Biochemically Recurrent Prostate Cancer After Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 470-475	5. 2 3	9
410	Re: Association of Treatment with 5EReductase inhibitors with Time to Diagnosis and Mortality in Prostate Cancer. <i>European Urology</i> , 2019 , 76, 704	10.2	
409	Stereotactic ablative radiation therapy for oligometastatic prostate cancer delays time-to-next systemic treatment. <i>World Journal of Urology</i> , 2019 , 37, 2623-2629	4	15
408	RE: Risk of Prostate Cancer in Men Treated With 5EReductase Inhibitors-A Large Population-Based Prospective Study. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 747	9.7	
407	Prostate Specific Antigen Testing after Radical Prostatectomy-Can We Stop at 20 Years?. <i>Journal of Urology</i> , 2018 , 199, 114-119	2.5	3
406	Differences in inherited risk among relatives of hereditary prostate cancer patients using genetic risk score. <i>Prostate</i> , 2018 , 78, 1063	4.2	1
405	Germline mutations in PPFIBP2 are associated with lethal prostate cancer. <i>Prostate</i> , 2018 , 78, 1222-122	84.2	5
404	Role of Genetic Testing for Inherited Prostate Cancer Risk: Philadelphia Prostate Cancer Consensus Conference 2017. <i>Journal of Clinical Oncology</i> , 2018 , 36, 414-424	2.2	107
403	Prostate Cancer Screening. New England Journal of Medicine, 2017, 376, 2401-2	59.2	1
402	Impotence Following Radical Prostatectomy: Insight into Etiology and Prevention. <i>Journal of Urology</i> , 2017 , 197, S165-S170	2.5	16
401	Germline Mutations in ATM and BRCA1/2 Distinguish Risk for Lethal and Indolent Prostate Cancer and are Associated with Early Age at Death. <i>European Urology</i> , 2017 , 71, 740-747	10.2	171
400	A genetic variant near GATA3 implicated in inherited susceptibility and etiology of benign prostatic hyperplasia (BPH) and lower urinary tract symptoms (LUTS). <i>Prostate</i> , 2017 , 77, 1213-1220	4.2	15
399	Pathological analysis of the prostatic anterior fat pad at radical prostatectomy: insights from a prospective series. <i>BJU International</i> , 2017 , 119, 444-448	5.6	7

398	Stereotactic ablative radiation therapy for the treatment of oligometastatic prostate cancer Journal of Clinical Oncology, 2017 , 35, 5020-5020	2.2	2
397	Do Ultrasensitive Prostate Specific Antigen Measurements Have a Role in Predicting Long-Term Biochemical Recurrence-Free Survival in Men after Radical Prostatectomy?. <i>Journal of Urology</i> , 2016 , 195, 330-6	2.5	10
396	Reply to Filippo Alongi, Rosario Mazzola, Sergio Fersino's Letter to the Editor re: Patrick C. Walsh, Nathan Lawrentschuk. Immediate Adjuvant Radiation Therapy Following Radical Prostatectomy Should Not Be Advised for Men with Extraprostatic Extension Who Have Negative Surgical Margins.	10.2	
395	Technique and outcomes of bladder neck intussusception during robot-assisted laparoscopic prostatectomy: A parallel comparative trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 529.e1-529.e7	2.8	5
394	Genome-wide association of familial prostate cancer cases identifies evidence for a rare segregating haplotype at 8q24.21. <i>Human Genetics</i> , 2016 , 135, 923-38	6.3	27
393	Utility of Risk Models in Decision Making After Radical Prostatectomy: Lessons from a Natural History Cohort of Intermediate- and High-Risk Men. <i>European Urology</i> , 2016 , 69, 496-504	10.2	21
392	Immediate Adjuvant Radiation Therapy Following Radical Prostatectomy Should Not Be Advised for Men with Extraprostatic Extension Who Have Negative Surgical Margins. <i>European Urology</i> , 2016 , 69, 191-2	10.2	4
391	Infectious mononucleosis, other infections and prostate-specific antigen concentration as a marker of prostate involvement during infection. <i>International Journal of Cancer</i> , 2016 , 138, 2221-30	7.5	9
390	Joseph J. Kaufman: renaissance man. <i>Urology</i> , 2015 , 85, 487-90	1.6	2
389	The relationship between the extent of extraprostatic extension and survival following radical prostatectomy. <i>European Urology</i> , 2015 , 67, 342-6	10.2	32
388	Association analysis of 9,560 prostate cancer cases from the International Consortium of Prostate Cancer Genetics confirms the role of reported prostate cancer associated SNPs for familial disease. <i>Human Genetics</i> , 2014 , 133, 347-56	6.3	23
387	Prevalence of the HOXB13 G84E prostate cancer risk allele in men treated with radical prostatectomy. <i>BJU International</i> , 2014 , 113, 830-5	5.6	20
386	The Melbourne Consensus Statement on the early detection of prostate cancer. <i>BJU International</i> , 2014 , 113, 186-8	5.6	50
385	Re: detailed analysis of patients with metastasis to the prostatic anterior fat pad lymph nodes: a multi-institutional study: I. Y. Kim, P. K. Modi, E. Sadimin, YS. Ha, J. H. Kim, D. Skarecky, D. Y. Cha, C. O. Wambi, YC. Ou, B. Yuh, S. Park, E. Llukani, D. M. Albala, T. Wilson, T. Ahlering, K. Badani, H. Ahn,	2.5	
384	Obesity and long-term survival after radical prostatectomy. <i>Journal of Urology</i> , 2014 , 192, 1100-4	2.5	37
383	Re: Prostate-specific antigen screening trials and prostate cancer deaths: the androgen deprivation connection. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt432	9.7	1
382	The natural history of progression to PSA recurrence and metastasis among at risk men following radical prostatectomy <i>Journal of Clinical Oncology</i> , 2014 , 32, 5036-5036	2.2	
381	An updated prostate cancer staging nomogram (Partin tables) based on cases from 2006 to 2011. <i>BJU International</i> , 2013 , 111, 22-9	5.6	257

380	Re: Lih-Ming Wong, Neil Fleshner, Antonio Finelli. Impact of 5-alpha reductase inhibitors on men followed by active surveillance for prostate cancer: a Time-dependent covariate reanalysis. Eur Urol 2013;64:343. <i>European Urology</i> , 2013 , 64, e67	10.2	
379	Pathological outcomes in men with low risk and very low risk prostate cancer: implications on the practice of active surveillance. <i>Journal of Urology</i> , 2013 , 190, 1218-22	2.5	80
378	The Gleason Grading System: A Complete Guide for Pathologists and CliniciansEpsteinJ.l.: The Gleason Grading System: A Complete Guide for Pathologists and Clinicians. In: . Philadelphia: Lippincott Williams & Wilkins2013. 224 pages <i>Journal of Urology</i> , 2013 , 189, 1173-1173	2.5	1
377	Pathological and oncologic outcomes for men with positive lymph nodes at radical prostatectomy: The Johns Hopkins Hospital 30-year experience. <i>Prostate</i> , 2013 , 73, 1673-80	4.2	34
376	HOXB13 is a susceptibility gene for prostate cancer: results from the International Consortium for Prostate Cancer Genetics (ICPCG). <i>Human Genetics</i> , 2013 , 132, 5-14	6.3	134
375	Re: Early detection of prostate cancer: AUA guideline: H. B. Carter, P. C. Albertsen, M. J. Barry, R. Etzioni, S. J. Freedland, K. L. Greene, L. Holmberg, P. Kantoff, B. R. Konety, M. H. Murad, D. F. Penson and A. L. Zietman J Urol 2013; 190: 419-426. <i>Journal of Urology</i> , 2013 , 190, 1134-7	2.5	14
374	Anatomic extent of pelvic lymph node dissection: impact on long-term cancer-specific outcomes in men with positive lymph nodes at time of radical prostatectomy. <i>Urology</i> , 2013 , 82, 653-8	1.6	37
373	Prognostic Gleason grade grouping: data based on the modified Gleason scoring system. <i>BJU International</i> , 2013 , 111, 753-60	5.6	427
372	How surgical innovation reduced death and suffering from prostate cancer. <i>Journal of Craniofacial Surgery</i> , 2013 , 24, 49-50	1.2	2
371	Multiple cores of Gleason score 6 correlate with favourable findings at radical prostatectomy. <i>BJU International</i> , 2013 , 111, E306-9	5.6	7
370	Effect of treatment with 5-Treductase inhibitors on progression in monitored men with favourable-risk prostate cancer. <i>BJU International</i> , 2012 , 110, 651-7	5.6	27
369	Preoperative characteristics of high-Gleason disease predictive of favourable pathological and clinical outcomes at radical prostatectomy. <i>BJU International</i> , 2012 , 110, 1122-8	5.6	33
368	Impact of surgical margin status on prostate-cancer-specific mortality. BJU International, 2012, 110, 16	84 5. Ø	65
367	What the U.S. Preventive Services Task Force missed in its prostate cancer screening recommendation. <i>Annals of Internal Medicine</i> , 2012 , 157, 137-8	8	54
366	Re: perineural invasion predicts increased recurrence, metastasis, and death from prostate cancer following treatment with dose-escalated radiation therapy. <i>Journal of Urology</i> , 2012 , 187, 911	2.5	1
365	Re: Screening for prostate cancer: a review of the evidence for the U.S. Preventive Services Task Force. <i>Journal of Urology</i> , 2012 , 187, 1267-8	2.5	7
364	The impact of anatomical radical retropubic prostatectomy on cancer control: the 30-year anniversary. <i>Journal of Urology</i> , 2012 , 188, 2219-24	2.5	105
363	Analysis of Xq27-28 linkage in the international consortium for prostate cancer genetics (ICPCG) families. <i>BMC Medical Genetics</i> , 2012 , 13, 46	2.1	5

(2011-2012)

362	Germline mutations in HOXB13 and prostate-cancer risk. <i>New England Journal of Medicine</i> , 2012 , 366, 141-9	59.2	424
361	Re: Dutasteride in localised prostate cancer management: the REDEEM randomised, double-blind, placebo-controlled trial. <i>Journal of Urology</i> , 2012 , 188, 110-1	2.5	6
360	Re: Screening for prostate cancer: U.S. Preventive Services Task Force recommendation statement. Journal of Urology, 2012 , 188, 1181	2.5	6
359	Re: A population-based assessment of germline HOXB13 G84E mutation and prostate cancer risk. <i>Journal of Urology</i> , 2012 , 188, 2227-8	2.5	
358	Chromosomes 4 and 8 implicated in a genome wide SNP linkage scan of 762 prostate cancer families collected by the ICPCG. <i>Prostate</i> , 2012 , 72, 410-26	4.2	14
357	How Charles Huggins made his Nobel prize winning discoveryin his own words: an historic audio recording. Interviewed by Willard Goodwin and Elmer Bell. <i>Prostate</i> , 2012 , 72, 1718	4.2	3
356	Validation of prostate cancer risk-related loci identified from genome-wide association studies using family-based association analysis: evidence from the International Consortium for Prostate Cancer Genetics (ICPCG). <i>Human Genetics</i> , 2012 , 131, 1095-103	6.3	18
355	The natural history of metastatic progression in men with prostate-specific antigen recurrence after radical prostatectomy: long-term follow-up. <i>BJU International</i> , 2012 , 109, 32-9	5.6	177
354	Gleason score 6 adenocarcinoma: should it be labeled as cancer?. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4294-6	2.2	123
353	Radical Retropubic and Perineal Prostatectomy 2012 , 2801-2829.e4		5
352	Association of statin use with pathological tumor characteristics and prostate cancer recurrence after surgery. <i>Journal of Urology</i> , 2011 , 185, 1268-73	2.5	40
351	A contemporary analysis of outcomes of adenocarcinoma of the prostate with seminal vesicle invasion (pT3b) after radical prostatectomy. <i>Journal of Urology</i> , 2011 , 185, 1691-7	2.5	57
350	Predicting 15-year prostate cancer specific mortality after radical prostatectomy. <i>Journal of Urology</i> , 2011 , 185, 869-75	2.5	463
349	Can we stop prostate specific antigen testing 10 years after radical prostatectomy?. <i>Journal of Urology</i> , 2011 , 186, 500-5	2.5	40
348	Re: Physical Activity and Survival After Prostate Cancer Diagnosis in the Health Professionals Follow-Up Study. <i>Journal of Urology</i> , 2011 , 186, 903-903	2.5	1
348 347		2.5	1
	Follow-Up Study. <i>Journal of Urology</i> , 2011 , 186, 903-903 Re: Salvage radiation in men after prostate-specific antigen failure and the risk of death. <i>Journal of</i>		1

344	Weight gain is associated with an increased risk of prostate cancer recurrence after prostatectomy in the PSA era. <i>Cancer Prevention Research</i> , 2011 , 4, 544-51	3.2	65
343	Cigarette smoking and prostate cancer recurrence after prostatectomy. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 835-8	9.7	63
342	Increased gene copy number of ERG on chromosome 21 but not TMPRSS2-ERG fusion predicts outcome in prostatic adenocarcinomas. <i>Modern Pathology</i> , 2011 , 24, 1511-20	9.8	50
341	Active surveillance program for prostate cancer: an update of the Johns Hopkins experience. Journal of Clinical Oncology, 2011 , 29, 2185-90	2.2	471
340	IL2 The impact of surgical innovation on reducing death and suffering from prostate cancer. Japanese Journal of Urology, 2011 , 102, 64		
339	Does perineural invasion on prostate biopsy predict adverse prostatectomy outcomes?. <i>BJU International</i> , 2010 , 105, 1510-3	5.6	47
338	The impact of preoperative erectile dysfunction on survival after radical prostatectomy. <i>BJU International</i> , 2010 , 106, 1612-7	5.6	12
337	Prostate-specific antigen kinetics during follow-up are an unreliable trigger for intervention in a prostate cancer surveillance program. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2810-6	2.2	192
336	Inherited genetic variant predisposes to aggressive but not indolent prostate cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 2136-40	11.5	90
335	Chemoprevention of prostate cancer. New England Journal of Medicine, 2010, 362, 1237-8	59.2	64
334	Urological oncology: prostate cancer. <i>Journal of Urology</i> , 2010 , 184, 1982-5	2.5	3
333	The case for open radical prostatectomy. <i>Urologic Clinics of North America</i> , 2010 , 37, 49-55, Table of Cor	nbegnts	11
332	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2010 , 184, 174-177	2.5	2
331	The significance of a positive bladder neck margin after radical prostatectomy: the American Joint Committee on Cancer Pathological Stage T4 designation is not warranted. <i>Journal of Urology</i> , 2010 , 183, 151-7	2.5	21
330	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2010 , 183, 552-555	2.5	
329	Prostate specific antigen at the initial diagnosis of metastasis to bone in patients after radical prostatectomy. <i>Journal of Urology</i> , 2010 , 184, 157-61	2.5	12
328	What are the outcomes of radical prostatectomy for high-risk prostate cancer?. <i>Urology</i> , 2010 , 76, 710-2	1.6	106
327	Long-term survival after radical prostatectomy for men with high Gleason sum in pathologic specimen. <i>Urology</i> , 2010 , 76, 715-21	1.6	48

326	Critical appraisal of management of rectal injury during radical prostatectomy. <i>Urology</i> , 2010 , 76, 1088	- 91 .6	28
325	Re: Radiation therapy after radical prostatectomy: impact on metastasis and survival S. A. Boorjian, R. J. Karnes, P. L. Crispen, L. J. Rangel, E. J. Bergstralh and M. L. Blute J Urol 2009; 182: 2708-2715. Journal of Urology, 2010 , 183, 2466-7; author reply 2467	2.5	2
324	NCCN clinical practice guidelines in oncology: prostate cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2010 , 8, 162-200	7.3	555
323	Genome-wide linkage analysis of 1,233 prostate cancer pedigrees from the International Consortium for Prostate Cancer Genetics using novel sumLINK and sumLOD analyses. <i>Prostate</i> , 2010 , 70, 735-44	4.2	22
322	Fine-mapping and family-based association analyses of prostate cancer risk variants at Xp11. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2132-6	4	5
321	Prostate cancer risk associated loci in African Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2145-9	4	53
320	A novel prostate cancer susceptibility locus at 19q13. Cancer Research, 2009, 69, 2720-3	10.1	48
319	Individual and cumulative effect of prostate cancer risk-associated variants on clinicopathologic variables in 5,895 prostate cancer patients. <i>Prostate</i> , 2009 , 69, 1195-205	4.2	86
318	2008 Whitmore Lecture: Radical prostatectomywhere we were and where we are going. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2009 , 27, 246-50	2.8	11
317	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2009 , 182, 1385-1387	2.5	1
316	Prostate volume changes over time: results from the Baltimore Longitudinal Study of Aging. <i>Journal of Urology</i> , 2009 , 182, 1458-62	2.5	76
315	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2009 , 182, 2728-2730	2.5	3
314	Evidence for two independent prostate cancer risk-associated loci in the HNF1B gene at 17q12. <i>Nature Genetics</i> , 2008 , 40, 1153-5	36.3	139
313	Common sequence variants on 2p15 and Xp11.22 confer susceptibility to prostate cancer. <i>Nature Genetics</i> , 2008 , 40, 281-3	36.3	327
312	Progression after radical prostatectomy for men in their thirties compared to older men. <i>BJU International</i> , 2008 , 101, 1503-6	5.6	33
311	Prognostic significance of Gleason score discrepancies between needle biopsy and radical prostatectomy. <i>European Urology</i> , 2008 , 53, 767-75; discussion 775-6	10.2	62
310	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2008 , 180, 1360-1364	2.5	
309	Is it possible to compare PSA recurrence-free survival after surgery and radiotherapy using revised ASTRO criterion"nadir + 2"?. <i>Urology</i> , 2008 , 72, 389-93; discussion 394-5	1.6	44

308	Natural history of pathologically organ-confined (pT2), Gleason score 6 or less, prostate cancer after radical prostatectomy. <i>Urology</i> , 2008 , 72, 172-6	1.6	63
307	The natural history of men treated with deferred androgen deprivation therapy in whom metastatic prostate cancer developed following radical prostatectomy. <i>Journal of Urology</i> , 2008 , 179, 156-61; discussion 161-2	2.5	43
306	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2008 , 179, 941-945	2.5	
305	High anterior release of the levator fascia improves sexual function following open radical retropubic prostatectomy. <i>Journal of Urology</i> , 2008 , 180, 2557-64; discussion 2564	2.5	93
304	Association of prostate cancer risk variants with clinicopathologic characteristics of the disease. <i>Clinical Cancer Research</i> , 2008 , 14, 5819-24	12.9	55
303	Prostate cancer-specific survival following salvage radiotherapy vs observation in men with biochemical recurrence after radical prostatectomy. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 299, 2760-9	27.4	491
302	Chromosome 8q24 risk variants in hereditary and non-hereditary prostate cancer patients. <i>Prostate</i> , 2008 , 68, 489-97	4.2	35
301	Association between sequence variants at 17q12 and 17q24.3 and prostate cancer risk in European and African Americans. <i>Prostate</i> , 2008 , 68, 691-7	4.2	39
300	Cumulative effect of five genetic variants on prostate cancer risk in multiple study populations. <i>Prostate</i> , 2008 , 68, 1257-62	4.2	44
299	Perfecting nerve-sparing radical prostatectomy: sailing in uncharted waters. <i>Canadian Journal of Urology</i> , 2008 , 15, 4230-2	0.8	5
298	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2007 , 177, 550-551	2.5	
297	Importance of tumor location in patients with high preoperative prostate specific antigen levels (greater than 20 ng/ml) treated with radical prostatectomy. <i>Journal of Urology</i> , 2007 , 178, 1311-5	2.5	12
296	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2007 , 178, 1986-1990	2.5	1
295	The significance of positive surgical margin in areas of capsular incision in otherwise organ confined disease at radical prostatectomy. <i>Journal of Urology</i> , 2007 , 178, 1306-10	2.5	86
294	Expectant management of prostate cancer with curative intent: an update of the Johns Hopkins experience. <i>Journal of Urology</i> , 2007 , 178, 2359-64; discussion 2364-5	2.5	278
293	Clinical practice. Localized prostate cancer. <i>New England Journal of Medicine</i> , 2007 , 357, 2696-705	59.2	126
292	Radical prostatectomy for clinical stage T3a disease. <i>Cancer</i> , 2007 , 109, 1273-8	6.4	119
291	Genome-wide association study identifies a second prostate cancer susceptibility variant at 8q24. <i>Nature Genetics</i> , 2007 , 39, 631-7	36.3	739

(2005-2007)

	120 140 30 356 3
	30 356 3
	356 3
	3
	-
.1	40
	•
	55
	30
	26
	3
	29
	32
	19
	15
	129
5 5 5 5 5 5	3 5 5 6 1

272	Radical retropubic prostatectomy. How often do experienced surgeons have positive surgical margins when there is extraprostatic extension in the region of the neurovascular bundle?. <i>Journal of Urology</i> , 2005 , 173, 446-9	2.5	40
271	The prostatic specific antigen era is alive and well: prostatic specific antigen and biochemical progression following radical prostatectomy. <i>Journal of Urology</i> , 2005 , 174, 1276-81; discussion 1281; author reply 1281	2.5	59
270	Prediction of extraprostatic extension in the neurovascular bundle based on prostate needle biopsy pathology, serum prostate specific antigen and digital rectal examination. <i>Journal of Urology</i> , 2005 , 173, 450-3	2.5	69
269	Obesity and the Risk of Prostate Cancer. <i>Journal of Urology</i> , 2005 , 174, 146-146	2.5	
268	Evidence for a general cancer susceptibility locus at 3p24 in families with hereditary prostate cancer. <i>Cancer Letters</i> , 2005 , 219, 177-82	9.9	1
267	Systematic detection and repair of subclinical inguinal hernias at radical retropubic prostatectomy. <i>Urology</i> , 2005 , 66, 1034-7	1.6	66
266	Anatomical studies of the neurovascular bundle and cavernosal nerves. <i>Journal of Urology</i> , 2005 , 174, 566	2.5	13
265	Genome-wide screen for prostate cancer susceptibility genes in men with clinically significant disease. <i>Prostate</i> , 2005 , 64, 356-61	4.2	42
264	Stronger association between obesity and biochemical progression after radical prostatectomy among men treated in the last 10 years. <i>Clinical Cancer Research</i> , 2005 , 11, 2883-8	12.9	54
263	A germline DNA polymorphism enhances alternative splicing of the KLF6 tumor suppressor gene and is associated with increased prostate cancer risk. <i>Cancer Research</i> , 2005 , 65, 1213-22	10.1	182
262	Risk of prostate cancer-specific mortality following biochemical recurrence after radical prostatectomy. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 433-9	27.4	979
261	Combined genome-wide scan for prostate cancer susceptibility genes. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 1240-7	9.7	65
260	Identification of a prostate cancer susceptibility locus on chromosome 7q11-21 in Jewish families. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 1939-44	11.5	20
259	Ability to predict metastasis based on pathology findings and alterations in nuclear structure of normal-appearing and cancer peripheral zone epithelium in the prostate. <i>Clinical Cancer Research</i> , 2004 , 10, 3465-73	12.9	44
258	Prostate-specific antigen and all-cause mortality: results from the Baltimore Longitudinal Study On Aging. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 557-8	9.7	6
257	A polymorphism in the CDKN1B gene is associated with increased risk of hereditary prostate cancer. <i>Cancer Research</i> , 2004 , 64, 1997-9	10.1	70
256	Mutational analysis of PINX1 in hereditary prostate cancer. <i>Prostate</i> , 2004 , 60, 298-302	4.2	22
255	Biochemical failure after radical prostatectomy in men with pathologic organ-confined disease: pT2a versus pT2b. <i>Cancer</i> , 2004 , 100, 1646-9	6.4	53

254	Hypermethylation of CpG islands in primary and metastatic human prostate cancer. <i>Cancer Research</i> , 2004 , 64, 1975-86	10.1	416
253	ANATOMICAL RADICAL RETROPUBIC PROSTATECTOMY: DETAILED DESCRIPTION OF THE SURGICAL TECHNIQUE. <i>Journal of Urology</i> , 2004 , 171, 2114-2114	2.5	5
252	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2004 , 171, 506-517	2.5	12
251	Prostate specific antigen progression in men with lymph node metastases following radical prostatectomy: results of long-term followup. <i>Journal of Urology</i> , 2004 , 172, 1860-4	2.5	109
250	Impact of surgical delay on long-term cancer control for clinically localized prostate cancer. <i>Journal of Urology</i> , 2004 , 172, 1835-9	2.5	71
249	Anatomical extent of lymph node dissection: impact on men with clinically localized prostate cancer. <i>Journal of Urology</i> , 2004 , 172, 1840-4	2.5	262
248	UROLOGICAL ONCOLOGY: PROSTATE CANCER. Journal of Urology, 2004, 171, 1728-1735	2.5	
247	An evaluation of the decreasing incidence of positive surgical margins in a large retropubic prostatectomy series. <i>Journal of Urology</i> , 2004 , 171, 23-6	2.5	117
246	Interaction effect of PTEN and CDKN1B chromosomal regions on prostate cancer linkage. <i>Human Genetics</i> , 2004 , 115, 255-62	6.3	14
245	Preservation of accessory pudendal arteries during radical retropubic prostatectomy: surgical technique and results. <i>Urology</i> , 2004 , 64, 148-51	1.6	104
244	Positive proximal (bladder neck) margin at radical prostatectomy confers greater risk of biochemical progression. <i>Urology</i> , 2004 , 64, 551-5	1.6	68
243	Effect of methylprednisolone on return of sexual function after nerve-sparing radical retropubic prostatectomy. <i>Urology</i> , 2004 , 64, 987-90	1.6	36
242	Evaluation of DLC1 as a prostate cancer susceptibility gene: mutation screen and association study. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2003 , 528, 45-53	3.3	16
241	Quantitative alterations in nuclear structure predict prostate carcinoma distant metastasis and death in men with biochemical recurrence after radical prostatectomy. <i>Cancer</i> , 2003 , 98, 2583-91	6.4	34
240	Polymorphisms in the CYP1A1 gene are associated with prostate cancer risk. <i>International Journal of Cancer</i> , 2003 , 106, 375-8	7.5	49
239	Family history of prostate cancer and obesity in relation to high-grade disease and extraprostatic extension in young men with prostate cancer. <i>Prostate</i> , 2003 , 55, 140-6	4.2	68
238	Evaluation of SRD5A2 sequence variants in susceptibility to hereditary and sporadic prostate cancer. <i>Prostate</i> , 2003 , 56, 37-44	4.2	19
237	Decreased gene expression of steroid 5 alpha-reductase 2 in human prostate cancer: implications for finasteride therapy of prostate carcinoma. <i>Prostate</i> , 2003 , 57, 134-9	4.2	98

236	Genome-wide scan for prostate cancer susceptibility genes in the Johns Hopkins hereditary prostate cancer families. <i>Prostate</i> , 2003 , 57, 320-5	4.2	74
235	Association of Cigarette Smoking with Extraprostatic Prostate Cancer in Young Men. <i>Journal of Urology</i> , 2003 , 169, 512-516	2.5	44
234	Biochemical (Prostate Specific Antigen) Recurrence Probability Following Radical Prostatectomy for Clinically Localized Prostate Cancer. <i>Journal of Urology</i> , 2003 , 169, 517-523	2.5	619
233	Urological Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2003 , 169, 398-404	2.5	10
232	Prostate-specific antigen doubling time in the identification of patients at risk for progression after treatment and biochemical recurrence for prostate cancer. <i>Urology</i> , 2003 , 62 Suppl 1, 2-8	1.6	22
231	Familial aggregation of bothersome benign prostatic hyperplasia symptoms. <i>Urology</i> , 2003 , 61, 781-5	1.6	21
230	Long-term 6-year experience with finasteride in patients with benign prostatic hyperplasia. <i>Urology</i> , 2003 , 61, 791-6	1.6	86
229	Long-term cancer control of radical prostatectomy in men younger than 50 years of age: update 2003. <i>Urology</i> , 2003 , 62, 86-91; discussion 91-2	1.6	101
228	Probability of biochemical recurrence by analysis of pathologic stage, Gleason score, and margin status for localized prostate cancer. <i>Urology</i> , 2003 , 62, 866-71	1.6	64
227	Common sequence variants of the macrophage scavenger receptor 1 gene are associated with prostate cancer risk. <i>American Journal of Human Genetics</i> , 2003 , 72, 208-12	11	81
226	Urologic Oncology: Prostate Cancer. <i>Journal of Urology</i> , 2003 , 170, 1448-1453	2.5	1
225	Biochemical (prostate specific antigen) recurrence probability following radical prostatectomy for clinically localized prostate cancer. <i>Journal of Urology</i> , 2003 , 169, 517-23	2.5	241
224	Polymorphic GGC repeats in the androgen receptor gene are associated with hereditary and sporadic prostate cancer risk. <i>Human Genetics</i> , 2002 , 110, 122-9	6.3	64
223	Sequence variants in the human 25-hydroxyvitamin D3 1-alpha-hydroxylase (CYP27B1) gene are not associated with prostate cancer risk. <i>Prostate</i> , 2002 , 53, 175-8	4.2	19
222	Germline mutations and sequence variants of the macrophage scavenger receptor 1 gene are associated with prostate cancer risk. <i>Nature Genetics</i> , 2002 , 32, 321-5	36.3	283
221	Surgery and the reduction of mortality from prostate cancer. <i>New England Journal of Medicine</i> , 2002 , 347, 839-40	59.2	56
220	The effect of finasteride in men with benign prostatic hyperplasia. 1992. <i>Journal of Urology</i> , 2002 , 167, 1102-7; discussion 1108	2.5	35
219	Influence of biopsy perineural invasion on long-term biochemical disease-free survival after radical prostatectomy. <i>Urology</i> , 2002 , 59, 85-90	1.6	47

(2001-2002)

218	Intussusception of the reconstructed bladder neck leads to earlier continence after radical prostatectomy. <i>Urology</i> , 2002 , 59, 934-8	1.6	105
217	Substratification of stage T1C prostate cancer based on the probability of biochemical recurrence. <i>Urology</i> , 2002 , 60, 1034-9	1.6	23
216	Bilateral Nerve Grafting During Radical Retropubic Prostatectomy: Extended Follow-up. <i>Journal of Urology</i> , 2002 , 168, 376-377	2.5	
215	A Critical Analysis of the Interpretation of Biochemical Failure in Surgically Treated Patients Using the American Society for Therapeutic Radiation and Oncology Criteria. <i>Journal of Urology</i> , 2002 , 168, 1419-1422	2.5	61
214	EXPECTANT MANAGEMENT OF NONPALPABLE PROSTATE CANCER WITH CURATIVE INTENT: PRELIMINARY RESULTS. <i>Journal of Urology</i> , 2002 , 167, 1231-1234	2.5	180
213	EXPECTANT MANAGEMENT OF NONPALPABLE PROSTATE CANCER WITH CURATIVE INTENT:. Journal of Urology, 2002 , 1231-1234	2.5	6
212	Linkage of prostate cancer susceptibility loci to chromosome 1. <i>Human Genetics</i> , 2001 , 108, 335-45	6.3	79
211	Linkage and association of CYP17 gene in hereditary and sporadic prostate cancer. <i>International Journal of Cancer</i> , 2001 , 95, 354-9	7.5	42
210	Evidence for a prostate cancer linkage to chromosome 20 in 159 hereditary prostate cancer families. <i>Human Genetics</i> , 2001 , 108, 430-5	6.3	46
209	Editorial Comment: Minimally Invasive Treatment of Prostate Cancer. <i>Journal of Endourology</i> , 2001 , 15, 447-448	2.7	25
208	A structured debate: immediate versus deferred androgen suppression in prostate cancer-evidence for deferred treatment. <i>Journal of Urology</i> , 2001 , 166, 508-15; discussion 515-6	2.5	84
207	Evaluation of linkage and association of HPC2/ELAC2 in patients with familial or sporadic prostate cancer. <i>American Journal of Human Genetics</i> , 2001 , 68, 901-11	11	87
206	Linkage and association studies of prostate cancer susceptibility: evidence for linkage at 8p22-23. American Journal of Human Genetics, 2001 , 69, 341-50	11	127
205	Efficacy of first-generation Cavermap to verify location and function of cavernous nerves during radical prostatectomy: a multi-institutional evaluation by experienced surgeons. <i>Urology</i> , 2001 , 57, 491-	4 ^{1.6}	72
204	Serum acid phosphatase level and biochemical recurrence following radical prostatectomy for men with clinically localized prostate cancer. <i>Urology</i> , 2001 , 57, 707-11	1.6	25
203	Contemporary identification of patients at high risk of early prostate cancer recurrence after radical retropubic prostatectomy. <i>Urology</i> , 2001 , 57, 1033-7	1.6	69
202	Importance of posterolateral needle biopsies in the detection of prostate cancer. <i>Urology</i> , 2001 , 57, 111	2.6	73
201	Does capsular incision at radical retropubic prostatectomy affect disease-free survival in otherwise organ-confined prostate cancer?. <i>Urology</i> , 2001 , 58, 746-51	1.6	64

200	Contemporary update of prostate cancer staging nomograms (Partin Tables) for the new millennium. <i>Urology</i> , 2001 , 58, 843-8	1.6	825
199	The role of external beam radiotherapy with I-125/Pd-103 brachytherapy for prostate carcinoma. <i>Journal of Urology</i> , 2001 , 166, 1581-2	2.5	
198	ERA SPECIFIC BIOCHEMICAL RECURRENCE-FREE SURVIVAL FOLLOWING RADICAL PROSTATECTOMY FOR CLINICALLY LOCALIZED PROSTATE CANCER. <i>Journal of Urology</i> , 2001 , 166, 416	5-415	234
197	Long-term biochemical disease-free and cancer-specific survival following anatomic radical retropubic prostatectomy. The 15-year Johns Hopkins experience. <i>Urologic Clinics of North America</i> , 2001 , 28, 555-65	2.9	815
196	RE: HIGH DOSE RADIATION DELIVERED BY INTENSITY MODULATED CONFORMAL RADIOTHERAPY IMPROVES THE OUTCOME OF LOCALIZED CANCER. <i>Journal of Urology</i> , 2001 , 166, 2321-2322	2.5	4
195	RE: RADICAL PROSTATECTOMY: THE VALUE OF PREOPERATIVE, INDIVIDUALLY LABELED APICAL BIOPSIES. <i>Journal of Urology</i> , 2001 , 165, 915-915	2.5	4
194	ISOLATED LOCAL RECURRENCE IS RARE AFTER RADICAL PROSTATECTOMY IN MEN WITH GLEASON 7 PROSTATE CANCER AND POSITIVE SURGICAL MARGINS: THERAPEUTIC IMPLICATIONS. <i>Journal of Urology</i> , 2001 , 165, 864-866	2.5	26
193	DEDIFFERENTIATION OF PROSTATE CANCER GRADE WITH TIME IN MEN FOLLOWED EXPECTANTLY FOR STAGE T1C DISEASE. <i>Journal of Urology</i> , 2001 , 166, 1688-1691	2.5	75
192	ISOLATED LOCAL RECURRENCE IS RARE AFTER RADICAL PROSTATECTOMY IN MEN WITH GLEASON 7 PROSTATE CANCER AND POSITIVE SURGICAL MARGINS: THERAPEUTIC IMPLICATIONS. <i>Journal of Urology</i> , 2001 , 864-866	2.5	1
191	Molecular and immunohistochemical staging of men with seminal vesicle invasion and negative pelvic lymph nodes at radical prostatectomy. <i>Cancer</i> , 2000 , 89, 2577-2586	6.4	31
190	Comparison of percent free PSA, PSA density, and age-specific PSA cutoffs for prostate cancer detection and staging. <i>Urology</i> , 2000 , 56, 255-60	1.6	235
189	Adenocarcinoma of the prostate invading the seminal vesicle: prognostic stratification based on pathologic parameters. <i>Urology</i> , 2000 , 56, 283-8	1.6	132
188	Today men with prostate cancer have larger prostates. <i>Urology</i> , 2000 , 56, 839-42	1.6	22
187	Prognostic significance of Gleason score 3+4 versus Gleason score 4+3 tumor at radical prostatectomy. <i>Urology</i> , 2000 , 56, 823-7	1.6	251
186	A neural network predicts progression for men with gleason score 3+4 versus 4+3 tumors after radical prostatectomy. <i>Urology</i> , 2000 , 56, 994-9	1.6	59
185	Use of intraoperative video documentation to improve sexual function after radical retropubic prostatectomy. <i>Urology</i> , 2000 , 55, 62-7	1.6	73
184	Patient-reported urinary continence and sexual function after anatomic radical prostatectomy. <i>Urology</i> , 2000 , 55, 58-61	1.6	485
183	Percentage of free PSA in black versus white men for detection and staging of prostate cancer: a prospective multicenter clinical trial. <i>Urology</i> , 2000 , 55, 372-6	1.6	37

182	BENIGN AND MALIGNANT NEOPLASMS OF PROSTATE. <i>Journal of Urology</i> , 2000 , 164, 238-248	2.5	23
181	RE: RADIOTHERAPY FOR ISOLATED SERUM PROSTATE SPECIFIC ANTIGEN ELEVATION AFTER PROSTATECTOMY FOR PROSTATE CANCER. <i>Journal of Urology</i> , 2000 , 164, 1322-1323	2.5	
180	TROUSSEAUS SYNDROME IN A PATIENT WITH METASTATIC PROSTATE CANCER. <i>Journal of Urology</i> , 2000 , 163, 1877-1877	2.5	1
179	ABILITY OF THE 1992 AND 1997 AMERICAN JOINT COMMITTEE ON CANCER STAGING SYSTEMS FOR PROSTATE CANCER TO PREDICT PROGRESSION-FREE SURVIVAL AFTER RADICAL PROSTATECTOMY FOR STAGE T2 DISEASE. <i>Journal of Urology</i> , 2000 , 164, 89-92	2.5	51
178	RADICAL PROSTATECTOMY FOR LOCALIZED PROSTATE CANCER PROVIDES DURABLE CANCER CONTROL WITH EXCELLENT QUALITY OF LIFE: A STRUCTURED DEBATE. <i>Journal of Urology</i> , 2000 , 163, 1802-1807	2.5	201
177	VALIDATION OF PARTIN TABLES FOR PREDICTING PATHOLOGICAL STAGE OF CLINICALLY LOCALIZED PROSTATE CANCER. <i>Journal of Urology</i> , 2000 , 164, 1591-1595	2.5	136
176	RADICAL PROSTATECTOMY FOR LOCALIZED PROSTATE CANCER PROVIDES DURABLE CANCER CONTROL WITH EXCELLENT QUALITY OF LIFE:. <i>Journal of Urology</i> , 2000 , 1802-1807	2.5	15
175	ABILITY OF THE 1992 AND 1997 AMERICAN JOINT COMMITTEE ON CANCER STAGING SYSTEMS FOR PROSTATE CANCER TO PREDICT PROGRESSION-FREE SURVIVAL AFTER RADICAL PROSTATECTOMY FOR STAGE T2 DISEASE. <i>Journal of Urology</i> , 2000 , 89-92	2.5	1
174	VALIDATION OF PARTIN TABLES FOR PREDICTING PATHOLOGICAL STAGE OF CLINICALLY LOCALIZED PROSTATE CANCER. <i>Journal of Urology</i> , 2000 , 1591-1595	2.5	3
173	Molecular and immunohistochemical staging of men with seminal vesicle invasion and negative pelvic lymph nodes at radical prostatectomy 2000 , 89, 2577		1
172	Early androgen deprivation for prostate cancer?. New England Journal of Medicine, 1999, 341, 1837-8	59.2	61
172	Early androgen deprivation for prostate cancer?. <i>New England Journal of Medicine</i> , 1999 , 341, 1837-8 No evidence for a role of BRCA1 or BRCA2 mutations in Ashkenazi Jewish families with hereditary prostate cancer. <i>Prostate</i> , 1999 , 39, 280-4	59.2 4.2	42
·	No evidence for a role of BRCA1 or BRCA2 mutations in Ashkenazi Jewish families with hereditary		
171	No evidence for a role of BRCA1 or BRCA2 mutations in Ashkenazi Jewish families with hereditary prostate cancer. <i>Prostate</i> , 1999 , 39, 280-4	4.2	42
171 170	No evidence for a role of BRCA1 or BRCA2 mutations in Ashkenazi Jewish families with hereditary prostate cancer. <i>Prostate</i> , 1999 , 39, 280-4 Incontinence after radical prostatectomy. <i>Lancet, The</i> , 1999 , 353, 2091-2 Excision of the neurovascular bundle at radical prostatectomy in cases with perineural invasion on	4.2	42 15
171 170 169	No evidence for a role of BRCA1 or BRCA2 mutations in Ashkenazi Jewish families with hereditary prostate cancer. <i>Prostate</i> , 1999 , 39, 280-4 Incontinence after radical prostatectomy. <i>Lancet, The</i> , 1999 , 353, 2091-2 Excision of the neurovascular bundle at radical prostatectomy in cases with perineural invasion on needle biopsy. <i>Urology</i> , 1999 , 53, 752-6 DIGITAL RECTAL EXAMINATION AND IMAGING STUDIES ARE UNNECESSARY IN MEN WITH UNDETECTABLE PROSTATE SPECIFIC ANTIGEN FOLLOWING RADICAL PROSTATECTOMY. <i>Journal</i>	4.2	42 15 52
171 170 169 168	No evidence for a role of BRCA1 or BRCA2 mutations in Ashkenazi Jewish families with hereditary prostate cancer. <i>Prostate</i> , 1999 , 39, 280-4 Incontinence after radical prostatectomy. <i>Lancet, The</i> , 1999 , 353, 2091-2 Excision of the neurovascular bundle at radical prostatectomy in cases with perineural invasion on needle biopsy. <i>Urology</i> , 1999 , 53, 752-6 DIGITAL RECTAL EXAMINATION AND IMAGING STUDIES ARE UNNECESSARY IN MEN WITH UNDETECTABLE PROSTATE SPECIFIC ANTIGEN FOLLOWING RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 1999 , 162, 1337-1340 THE SIGNIFICANCE OF PRIOR BENIGN NEEDLE BIOPSIES IN MEN SUBSEQUENTLY DIAGNOSED	4.2 40 1.6 2.5	42 15 52 42

164	MOLECULAR STAGING OF MEN WITH SEMINAL VESICLE INVASION AND NEGATIVE LYMPH NODES AT RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 1999 , 235	2.5	2
163	POTENCY AND CONTINENCE FOLLOWING ANATOMIC RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 1999 , 387	2.5	6
162	PREDICTION OF POST-RADICAL PROSTATECTOMY PATHOLOGICAL OUTCOME FOR STAGE T1c PROSTATE CANCER WITH PERCENT FREE PROSTATE SPECIFIC ANTIGEN: A PROSPECTIVE MULTICENTER CLINICAL TRIAL. <i>Journal of Urology</i> , 1999 , 1346-1351	2.5	3
161	INFLUENCE OF RADICAL PROSTATECTOMY ON SERUM HORMONE LEVELS. <i>Journal of Urology</i> , 1998 , 160, 449-453	2.5	143
160	Long-term results of radiation therapy for prostate cancer recurrence following radical prostatectomy. <i>Journal of Urology</i> , 1998 , 159, 173-7; discussion 177-8	2.5	175
159	BIOLOGICAL AGGRESSIVENESS OF HEREDITARY PROSTATE CANCER: LONG-TERM EVALUATION FOLLOWING RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 1998 , 160, 660-663	2.5	59
158	THE EPIDEMIOLOGY OF PROSTATE CANCER IN JAMAICA. Journal of Urology, 1998, 159, 1984-1987	2.5	112
157	DISEASE PROGRESSION FOLLOWING RADICAL PROSTATECTOMY IN MEN WITH GLEASON SCORE 7 TUMOR. <i>Journal of Urology</i> , 1998 , 160, 97-101	2.5	80
156	NONPALPABLE STAGE T1C PROSTATE CANCER: PREDICTION OF INSIGNIFICANT DISEASE USING FREE/TOTAL PROSTATE SPECIFIC ANTIGEN LEVELS AND NEEDLE BIOPSY FINDINGS. <i>Journal of Urology</i> , 1998 , 160, 2407-2411	2.5	219
155	THE USE OF PERCENT FREE PROSTATE SPECIFIC ANTIGEN FOR STAGING CLINICALLY LOCALIZED PROSTATE CANCER. <i>Journal of Urology</i> , 1998 , 159, 1238-1242	2.5	89
154	Comparison of Radical Prostatectomy and Iodine 125 Interstitial Radiotherapy for the Treatment of Clinically Localized Prostate Cancer: A 7-Year Biochemical (PSA) Progression Analysis. <i>Urology</i> , 1998 , 51, 884-890	1.6	76
153	Familial study of prostate cancer in Jamaica. <i>Urology</i> , 1998 , 52, 441-3	1.6	38
152	ANALYSIS OF THE PROSTATIC CENTRAL ZONE IN PATIENTS WITH UNILATERAL ABSENCE OF WOLFFIAN DUCT STRUCTURES: FURTHER EVIDENCE OF THE MESODERMAL ORIGIN OF THE PROSTATIC CENTRAL ZONE. <i>Journal of Urology</i> , 1998 , 160, 2126-2129	2.5	14
151	Use of the percentage of free prostate-specific antigen to enhance differentiation of prostate cancer from benign prostatic disease: a prospective multicenter clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 1542-7	27.4	810
150	DISEASE PROGRESSION FOLLOWING RADICAL PROSTATECTOMY IN MEN WITH GLEASON SCORE 7 TUMOR. <i>Journal of Urology</i> , 1998 , 97-100	2.5	1
149	INFLUENCE OF RADICAL PROSTATECTOMY ON SERUM HORMONE LEVELS. <i>Journal of Urology</i> , 1998 , 449-453	2.5	5
148	BIOLOGICAL AGGRESSIVENESS OF HEREDITARY PROSTATE CANCER. Journal of Urology, 1998, 660-663	2.5	4
147	Clinical and Biological Characteristics of Familial Benign Prostatic Hyperplasia. <i>Journal of Urology</i> , 1997 , 157, 876-879	2.5	29

146	Prospective Evaluation of Men With Stage T1C Adenocarcinoma of the Prostate. <i>Journal of Urology</i> , 1997 , 157, 2206-2209	2.5	151
145	Re: Randomized, prospective, controlled study comparing radical prostatectomy alone and neoadjuvant androgen withdrawal in the treatment of localized prostate cancer. <i>Journal of Urology</i> , 1997 , 157, 965	2.5	
144	Use of repeat sextant and transition zone biopsies for assessing extent of prostate cancer. <i>Journal of Urology</i> , 1997 , 158, 1886-90	2.5	157
143	Role of prostate-specific antigen velocity in prediction of final pathologic stage in men with localized prostate cancer. <i>Urology</i> , 1997 , 49, 716-20	1.6	25
142	Stage D1 (T1-3, N1-3, M0) prostate cancer: a case-controlled comparison of conservative treatment versus radical prostatectomy. <i>Urology</i> , 1997 , 50, 251-5	1.6	82
141	Localized prostate cancer-mortality and morbidity. <i>Journal of Urology</i> , 1997 , 157, 1773	2.5	2
140	Prostate-specific antigen after anatomic radical retropubic prostatectomy. Patterns of recurrence and cancer control. <i>Urologic Clinics of North America</i> , 1997 , 24, 395-406	2.9	456
139	Radical prostatectomy as treatment for prostate-specific antigen-detected stage T1c prostate cancer. <i>World Journal of Urology</i> , 1997 , 15, 373-7	4	22
138	Family history facilitates the early diagnosis of prostate carcinoma. <i>Cancer</i> , 1997 , 80, 1871-4	6.4	35
137	Clinical and Biological Characteristics of Familial Benign Prostatic Hyperplasia. <i>Journal of Urology</i> , 1997 , 876-879	2.5	2
136	Re: Potency-sparing radical retropubic prostatectomy: a simplified anatomical approach. <i>Journal of Urology</i> , 1996 , 155, 294	2.5	6
135	RE: Prostate specific antigen after gonadal androgen withdrawal and deferred flutamide treatment. <i>Journal of Urology</i> , 1996 , 155, 1705	2.5	
134	Re: Quality of life: radical prostatectomy versus radiation therapy for prostate cancer. <i>Journal of Urology</i> , 1996 , 155, 2038-9	2.5	1
133	Histopathologic characterization of hereditary benign prostatic hyperplasia. <i>Urology</i> , 1996 , 48, 650-3	1.6	20
132	Standard Versus Age-Specific Prostate Specific Antigen Reference Ranges Among Men With Clinically Localized Prostate Cancer: A Pathological Analysis. <i>Journal of Urology</i> , 1996 , 155, 1336-1339	2.5	63
131	Treatment of benign prostatic hyperplasia. New England Journal of Medicine, 1996, 335, 586-7	59.2	58
130	Prediction of progression following radical prostatectomy. A multivariate analysis of 721 men with long-term follow-up. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 286-92	6.7	472
129	Clinical and cost impact of second-opinion pathology. Review of prostate biopsies prior to radical prostatectomy. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 851-7	6.7	148

128	Longitudinal evaluation of serum androgen levels in men with and without prostate cancer. <i>Prostate</i> , 1995 , 27, 25-31	4.2	107
127	Risk of cancer in relatives of prostate cancer probands. <i>Journal of the National Cancer Institute</i> , 1995 , 87, 991-6	9.7	123
126	Radical prostatectomy in men less than 50 years old. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1995 , 1, 80-3	2.8	16
125	Prostate-specific antigen variability in men without prostate cancer: effect of sampling interval on prostate-specific antigen velocity. <i>Urology</i> , 1995 , 45, 591-6	1.6	127
124	Selection of men at high risk for disease recurrence for experimental adjuvant therapy following radical prostatectomy. <i>Urology</i> , 1995 , 45, 831-8	1.6	161
123	Can aggressive prostatic carcinomas be identified and can their natural history be altered by treatment?. <i>Urology</i> , 1995 , 46, 77-82	1.6	24
122	Original Articles: Prostate Cancer: Deoxyribonucleic Acid Ploidy Analysis as a Predictor of Recurrence Following Radical Prostatectomy for Stage T2 Disease. <i>Journal of Urology</i> , 1995 , 153, 1015-	1679	43
121	Original Articles: Prostate Cancer: Pathological Features of Hereditary Prostate Cancer. <i>Journal of Urology</i> , 1995 , 153, 987-992	2.5	113
120	Radical retropubic prostatectomy: the influence of accessory pudendal arteries on the recovery of sexual function. <i>Journal of Urology</i> , 1995 , 154, 150-2	2.5	67
119	Original Articles. <i>Journal of Urology</i> , 1995 , 987-992	2.5	4
118	Radical Retropubic Prostatectomy. <i>Journal of Urology</i> , 1995 , 150-152	2.5	2
117	Evaluation of serum prostate-specific antigen velocity after radical prostatectomy to distinguish local recurrence from distant metastases. <i>Urology</i> , 1994 , 43, 649-59	1.6	325
116	Prostate cancer kills: strategy to reduce deaths. <i>Urology</i> , 1994 , 44, 463-6	1.6	47
115	Concordance rates for benign prostatic disease among twins suggest hereditary influence. <i>Urology</i> , 1994 , 44, 646-50	1.6	52
114	The status of radical prostatectomy in the United States in 1993: where do we go from here?. <i>Journal of Urology</i> , 1994 , 152, 1816	2.5	23
113	Small high grade adenocarcinoma of the prostate in radical prostatectomy specimens performed for nonpalpable disease: pathogenetic and clinical implications. <i>Journal of Urology</i> , 1994 , 151, 1587-92	2.5	75
112	Re: The use of prostate specific antigen, clinical stage and Gleason score to predict pathological stage in men with localized prostate cancer. <i>Journal of Urology</i> , 1994 , 152, 172-3	2.5	22
111	Radical prostatectomy for high grade disease: a reevaluation 1994. <i>Journal of Urology</i> , 1994 , 151, 1583-	- 6 2.5	77

110	Cancer control and quality of life following anatomical radical retropubic prostatectomy: results at 10 years. <i>Journal of Urology</i> , 1994 , 152, 1831-6	2.5	587
109	Prognostic factors in men with stage D1 prostate cancer: identification of patients less likely to have prolonged survival after radical prostatectomy. <i>Journal of Urology</i> , 1994 , 152, 1077-81	2.5	80
108	Radical prostatectomy for impalpable prostate cancer: the Johns Hopkins experience with tumors found on transurethral resection (stages T1A and T1B) and on needle biopsy (stage T1C). <i>Journal of Urology</i> , 1994 , 152, 1721-9	2.5	112
107	Genetic susceptibility of benign prostatic hyperplasia. <i>Journal of Urology</i> , 1994 , 152, 115-9	2.5	86
106	Unilateral nerve-sparing radical prostatectomy and hemicystectomy in management of prostate sarcoma. <i>Urology</i> , 1993 , 41, 308-10	1.6	4
105	The use of prostate specific antigen, clinical stage and Gleason score to predict pathological stage in men with localized prostate cancer. <i>Journal of Urology</i> , 1993 , 150, 110-4	2.5	979
104	Immunohistochemical localization of nitric oxide synthase in the autonomic innervation of the human penis. <i>Journal of Urology</i> , 1993 , 150, 73-6	2.5	206
103	Adenocarcinoma of the prostate invading the seminal vesicle: definition and relation of tumor volume, grade and margins of resection to prognosis. <i>Journal of Urology</i> , 1993 , 149, 1040-5	2.5	122
102	Influence of capsular penetration on progression following radical prostatectomy: a study of 196 cases with long-term followup. <i>Journal of Urology</i> , 1993 , 150, 135-41	2.5	296
101	Hereditary prostate cancer: epidemiologic and clinical features. <i>Journal of Urology</i> , 1993 , 150, 797-802	2.5	437
100	Is tumor volume an independent predictor of progression following radical prostatectomy? A multivariate analysis of 185 clinical stage B adenocarcinomas of the prostate with 5 years of followup. <i>Journal of Urology</i> , 1993 , 149, 1478-81	2.5	283
99	Relationship between perineural tumor invasion on needle biopsy and radical prostatectomy capsular penetration in clinical stage B adenocarcinoma of the prostate. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 336-41	6.7	148
98	Correlation of pathologic findings with progression after radical retropubic prostatectomy. <i>Cancer</i> , 1993 , 71, 3582-93	6.4	631
97	The influence of finasteride on the volume of the peripheral and periurethral zones of the prostate in men with benign prostatic hyperplasia. <i>Prostate</i> , 1993 , 22, 39-42	4.2	69
96	SERUM PSA AFTER ANATOMIC RADICAL PROSTATECTOMY. <i>Urologic Clinics of North America</i> , 1993 , 20, 713-725	2.9	418
95	Correlation of prostate cancer nuclear deoxyribonucleic acid, size, shape and Gleason grade with pathological stage at radical prostatectomy. <i>Journal of Urology</i> , 1992 , 148, 87-91	2.5	39
94	The management of rectal injury during radical retropubic prostatectomy. <i>Journal of Urology</i> , 1992 , 147, 905-7	2.5	79
93	The value of serum enzymatic acid phosphatase in the staging of localized prostate cancer. <i>Journal of Urology</i> , 1992 , 148, 1832-4	2.5	31

92	The effect of finasteride in men with benign prostatic hyperplasia. The Finasteride Study Group. <i>New England Journal of Medicine</i> , 1992 , 327, 1185-91	59.2	915
91	Effect of reversible androgen deprivation on hemoglobin and serum immunoreactive erythropoietin in men. <i>American Journal of Hematology</i> , 1991 , 36, 190-4	7.1	75
90	Immunohistochemical study of androgen receptors in metastatic prostate cancer. Comparison of receptor content and response to hormonal therapy. <i>Cancer</i> , 1991 , 67, 3057-64	6.4	198
89	Nerve growth factor, nerve grafts and amniotic membrane grafts restore erectile function in rats. <i>Journal of Urology</i> , 1991 , 146, 463-8	2.5	75
88	Needle biopsy associated tumor tracking of adenocarcinoma of the prostate. <i>Journal of Urology</i> , 1991 , 145, 1003-7	2.5	52
87	Cancer control following anatomical radical prostatectomy: an interim report. <i>Journal of Urology</i> , 1991 , 145, 1197-200	2.5	113
86	Influence of age and endocrine factors on the volume of benign prostatic hyperplasia. <i>Journal of Urology</i> , 1991 , 145, 405-9	2.5	150
85	Impact of anatomical radical prostatectomy on urinary continence. <i>Journal of Urology</i> , 1991 , 145, 512-4; discussion 514-5	2.5	3 80
84	Sexual function following radical prostatectomy: influence of preservation of neurovascular bundles. <i>Journal of Urology</i> , 1991 , 145, 998-1002	2.5	443
83	Cavernous nerve grafts restore erectile function in denervated rats. <i>Journal of Urology</i> , 1991 , 145, 380	-32.5	103
82	Ileocolic neobladder post-cystectomy: continence and potency. <i>Journal of Urology</i> , 1991 , 145, 502-4	2.5	46
81	Management of stage D1 adenocarcinoma of the prostate: the Johns Hopkins experience 1974 to 1987. <i>Journal of Urology</i> , 1990 , 144, 1425-32	2.5	131
80	Prostate specific antigen in the staging of localized prostate cancer: influence of tumor differentiation, tumor volume and benign hyperplasia. <i>Journal of Urology</i> , 1990 , 143, 747-52	2.5	516
79	Improved hemostasis during simple retropubic prostatectomy. <i>Journal of Urology</i> , 1990 , 143, 1203-4	2.5	23
78	The relationship of prostate specific antigen levels and residual tumor volume in stage A prostate cancer. <i>Journal of Urology</i> , 1990 , 144, 1167-70; discussion 1170-1	2.5	34
77	Endocrine evaluation of adults with mild hypospadias. <i>Journal of Urology</i> , 1990 , 144, 274-7	2.5	29
76	Family history and the risk of prostate cancer. <i>Prostate</i> , 1990 , 17, 337-47	4.2	518
75	Pathologic findings in clinical stage A2 prostate cancer. Relation of tumor volume, grade, and location to pathologic stage. <i>Cancer</i> , 1990 , 65, 1021-7	6.4	50

74	Comparison of magnetic resonance imaging and ultrasonography in staging early prostate cancer. Results of a multi-institutional cooperative trial. <i>New England Journal of Medicine</i> , 1990 , 323, 621-6	59.2	423
73	Clinical and Experimental Studies of Benign Prostatic Hyperplasia. <i>Urologic Clinics of North America</i> , 1990 , 17, 461-475	2.9	154
72	Radical Retropubic Prostatectomy: Improved Anastomosis and Urinary Continence. <i>Urologic Clinics of North America</i> , 1990 , 17, 679-684	2.9	92
71	The use of the preperitoneal approach for the simultaneous repair of inguinal hernia during surgery on the bladder and prostate. <i>World Journal of Surgery</i> , 1989 , 13, 555-9	3.3	34
70	Cause-specific actuarial survival analysis: a useful method for reporting survival data in men with clinically localized carcinoma of the prostate. <i>Journal of Urology</i> , 1989 , 141, 82-4	2.5	54
69	Morphometric measurement of tumor volume and per cent of gland involvement as predictors of pathological stage in clinical stage B prostate cancer. <i>Journal of Urology</i> , 1989 , 141, 341-5	2.5	154
68	Pathological stage is higher in older men with clinical stage B1 adenocarcinoma of the prostate. Journal of Urology, 1989 , 141, 880-2	2.5	33
67	The influence of reversible androgen deprivation on serum prostate-specific antigen levels in men with benign prostatic hyperplasia. <i>Journal of Urology</i> , 1989 , 141, 987-92	2.5	111
66	The rat as a model for the study of penile erection. <i>Journal of Urology</i> , 1989 , 141, 656-61	2.5	158
65	Fine-needle core and aspiration biopsy. A new method for diagnosis of prostatic carcinoma. <i>Cancer</i> , 1989 , 63, 1846-55	6.4	4
64	Radical pelvic surgery with preservation of sexual function. <i>Annals of Surgery</i> , 1988 , 208, 391-400	7.8	93
63	Prostate specific antigen in the preoperative and postoperative evaluation of localized prostatic cancer treated with radical prostatectomy. <i>Journal of Urology</i> , 1988 , 139, 766-72	2.5	532
62	Tumor volume versus percentage of specimen involved by tumor correlated with progression in stage A prostatic cancer. <i>Journal of Urology</i> , 1988 , 139, 980-4	2.5	39
61	The role of estrogen/androgen synergism in the pathogenesis of benign prostatic hyperplasia. <i>Journal of Urology</i> , 1988 , 139, 826	2.5	13
60	Radical Prostatectomy for the Treatment of Localized Prostatic Cancer 1988 , 123-140		
59	The effect of nafarelin acetate, a luteinizing-hormone-releasing hormone agonist, on benign prostatic hyperplasia. <i>New England Journal of Medicine</i> , 1987 , 317, 599-604	59.2	309
58	Correlation of clinical stage, serum prostatic acid phosphatase and preoperative Gleason grade with final pathological stage in 275 patients with clinically localized adenocarcinoma of the prostate. <i>Journal of Urology</i> , 1987 , 138, 92-8	2.5	157
57	Neuroanatomical approach to radical cystoprostatectomy with preservation of sexual function. Journal of Urology, 1987 , 138, 1402-6	2.5	240

56	Potency following radical prostatectomy with wide unilateral excision of the neurovascular bundle. <i>Journal of Urology</i> , 1987 , 138, 823-7	2.5	168
55	Simultaneous preperitoneal hernia repair during radical pelvic surgery. <i>Journal of Urology</i> , 1987 , 137, 1180-3	2.5	46
54	Long-term autopsy findings following radical prostatectomy. <i>Urology</i> , 1987 , 29, 584-8	1.6	32
53	The role of radical prostatectomy in the management of prostatic cancer. <i>Cancer</i> , 1987 , 60, 526-37	6.4	116
52	Radical Prostatectomy, Preservation of Sexual Function, Cancer Control. <i>Urologic Clinics of North America</i> , 1987 , 14, 663-673	2.9	98
51	Elevation of serum gonadotropins establishes the diagnosis of anorchism in prepubertal boys with bilateral cryptorchidism. <i>Journal of Urology</i> , 1986 , 136, 277-9	2.5	31
50	Frozen section detection of lymph node metastases in prostatic carcinoma: accuracy in grossly uninvolved pelvic lymphadenectomy specimens. <i>Journal of Urology</i> , 1986 , 136, 1234-7	2.5	59
49	Prognosis of untreated stage A1 prostatic carcinoma: a study of 94 cases with extended followup. Journal of Urology, 1986 , 136, 837-9	2.5	244
48	Fine needle aspiration of the prostatewhy has it taken so long to accept?. <i>Journal of Urology</i> , 1986 , 135, 334-5	2.5	10
47	The inability of adrenal androgens to stimulate the adult human prostate: an autopsy evaluation of men with hypogonadotropic hypogonadism and panhypopituitarism. <i>Journal of Urology</i> , 1986 , 136, 103	0 ² 4 ⁵	52
46	The application of flow cytometry to the assessment of tumor cell heterogeneity and the grading of human prostatic cancer: preliminary results. <i>Journal of Urology</i> , 1986 , 135, 1194-8	2.5	18
45	Blood transfusion and anesthetic practices in radical retropubic prostatectomy. <i>Journal of Urology</i> , 1985 , 134, 81-3	2.5	55
44	Intensive intravesical chemotherapy in the treatment of flat carcinoma in situ: is it safe?. <i>Journal of Urology</i> , 1985 , 134, 1115-7	2.5	25
43	Radical prostatectomy with preservation of sexual function: pathological findings in the first 100 cases. <i>Journal of Urology</i> , 1985 , 134, 1146-8	2.5	167
42	Precise localization of the autonomic nerves from the pelvic plexus to the corpora cavernosa: a detailed anatomical study of the adult male pelvis. <i>Journal of Urology</i> , 1985 , 133, 207-12	2.5	380
41	The development of human benign prostatic hyperplasia with age. <i>Journal of Urology</i> , 1984 , 132, 474-9	2.5	1776
40	The use of multiple variables to predict response to endocrine therapy in carcinoma of the prostate: a preliminary report. <i>Journal of Urology</i> , 1984 , 131, 694-700	2.5	44
39	Radical prostatectomy with preservation of sexual function: anatomical and pathological considerations. <i>Prostate</i> , 1983 , 4, 473-85	4.2	834

38	Estrogen receptors in human prostate: evidence for multiple binding sites. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1983 , 57, 166-76	5.6	95
37	Changes in the metabolism of dihydrotestosterone in the hyperplastic human prostate. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1983 , 56, 139-46	5.6	85
36	Androgen Receptor Assay in Human Prostate Cancer 1983 , 371-379		
35	Simultaneous measurement of progesterone and androgen receptors in human prostate: a microassay. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1982 , 55, 1089-99	5.6	46
34	Correlation of prostatic nuclear androgen receptor content with duration of response and survival following hormonal therapy in advanced prostatic cancer. <i>Journal of Urology</i> , 1982 , 127, 466-71	2.5	156
33	Radical perineal prostatectomy for clinical stage B2 carcinoma of the prostate. <i>Journal of Urology</i> , 1982 , 127, 704-6	2.5	173
32	Impotence following radical prostatectomy: insight into etiology and prevention. <i>Journal of Urology</i> , 1982 , 128, 492-7	2.5	1302
31	The influence of hormonal therapy on survival of men with advanced prostatic cancer. <i>Journal of Urology</i> , 1982 , 128, 335-40	2.5	138
30	Peyronie's disease: a newly recognized autosomal-dominant trait. <i>American Journal of Medical Genetics Part A</i> , 1982 , 12, 227-35		38
29	Randomized study of prostatic cancer. <i>Urology</i> , 1981 , 18, 219-20	1.6	3
28	Pathological factors that influence prognosis in stage A prostatic cancer: the influence of extent versus grade. <i>Journal of Urology</i> , 1981 , 125, 516-20	2.5	265
27	Balloon Occlusion of the Internal Spermatic Vein for the Treatment of Varicoceles. <i>JAMA - Journal of the American Medical Association</i> , 1981 , 246, 1701	27.4	29
26	Radioimmunoassay for prostatic acid phosphatase. <i>Journal of Urology</i> , 1980 , 124, 753-4	2.5	
25	Radical Surgery for Prostatic Cancer. <i>Cancer</i> , 1980 , 45 Suppl 7, 1906-1911	6.4	289
24	Hormonal Therapy of Prostatic Cancer. Cancer, 1980, 45 Suppl 7, 1929-1936	6.4	131
23	Androgen- and estrogen-receptor content in spontaneous and experimentally induced canine prostatic hyperplasia. <i>Journal of Clinical Investigation</i> , 1980 , 65, 1051-9	15.9	101
22	Androgen and Estrogen Receptors in the Canine Prostate. <i>Journal of Andrology</i> , 1980 , 1, 234-243		11
21	A microassay for the measurement of androgen receptors in human prostatic tissue. <i>Steroids</i> , 1979 , 33, 389-406	2.8	79

20	Long-term Survival after Hormonal Therapy for Stage D Prostatic Cancer. <i>Journal of Urology</i> , 1979 , 122, 185-186	2.5	39
19	An anatomical approach to the surgical management of the dorsal vein and Santorini's plexus during radical retropubic surgery. <i>Journal of Urology</i> , 1979 , 121, 198-200	2.5	269
18	Clinical and endocrinological evaluation of patients with congenital microphallus. <i>Journal of Urology</i> , 1978 , 120, 90-5	2.5	46
17	The phenotypic expression of selective disorders of male sexual differentiation. <i>Journal of Urology</i> , 1978 , 119, 627-9	2.5	8
16	Characterization of the binding of a potent synthetic androgen, methyltrienolone, to human tissues. <i>Journal of Clinical Investigation</i> , 1978 , 61, 150-62	15.9	67
15	Testicular Descent: Normal and Abnormal. <i>Urologic Clinics of North America</i> , 1978 , 5, 223-235	2.9	15
14	The measurement of androgen receptors in human prostatic tissue utilizing sucrose density centrifugation and a protamine precipitation assay. <i>Journal of Urology</i> , 1977 , 117, 309-12	2.5	34
13	Extrarenal manifestations of renal cell carcinoma. <i>Journal of Urology</i> , 1977 , 117, 439-40	2.5	37
12	Hormonal regulation of testicular descent: experimental and clinical observations. <i>Journal of Urology</i> , 1977 , 118, 985-90	2.5	145
11	Sonography in the diagnosis of retroperitoneal fibrosis. <i>Journal of Urology</i> , 1977 , 118, 944-6	2.5	36
10	The incidence of intersexuality in patients with hypospadias and cryptorchidism. <i>Journal of Urology</i> , 1976 , 116, 769-70	2.5	74
9	Familial persistent MIlerian duct syndrome. <i>Journal of Urology</i> , 1976 , 115, 459-61	2.5	112
8	Plasma androgen responce to hCG stimulation in prepubertal boys with hypospadias and cryptorchidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1976 , 42, 52-9	5.6	58
7	Pituitary and gonadal hormones in patients with varicocele. Fertility and Sterility, 1975, 26, 1006-12	4.8	121
6	Physiologic Basis for Hormonal Therapy in Carcinoma of the Prostate. <i>Urologic Clinics of North America</i> , 1975 , 2, 125-140	2.9	120
5	Familial incomplete male pseudohermaphroditism, type 2. Decreased dihydrotestosterone formation in pseudovaginal perineoscrotal hypospadias. <i>New England Journal of Medicine</i> , 1974 , 291, 944-9	59.2	453
4	Feedback regulation of gonadotropin secretion in men. <i>Journal of Urology</i> , 1973 , 110, 84-9	2.5	12
3	Feedback control of FSH in the male: role of oestrogen. <i>European Journal of Endocrinology</i> , 1973 , 74, 449-60	6.5	12

LIST OF PUBLICATIONS

2	Serum LH and FSH during sexual maturation in the male rat: effect of castration and cryptorchidism. <i>Endocrinology</i> , 1971 , 88, 120-8	4.8	195
1	Retroperitoneal Lymphadenectomy for Testicular Tumors. <i>JAMA - Journal of the American Medical Association</i> , 1971 , 217, 309	27.4	68