Jakob Kragstrup

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10743126/publications.pdf

Version: 2024-02-01

43 1,179 18 34 g-index

44 44 1744
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Mental well-being during stages of COVID-19 lockdown among pregnant women and new mothers. BMC Pregnancy and Childbirth, 2022, 22, 92.	0.9	4
2	What factors are most important for the development of the maternal–fetal relationship? A prospective study among pregnant women in Danish general practice. BMC Psychology, 2021, 9, 2.	0.9	17
3	Depression and anxiety symptoms in pregnant women in Denmark during COVID-19. Scandinavian Journal of Public Health, 2021, 49, 140349482110132.	1.2	9
4	Mental vulnerability before and depressive symptoms during pregnancy and postpartum: a prospective population-based cohort study from general practice. Nordic Journal of Psychiatry, 2021, , 1-7.	0.7	3
5	Infant crying problems related to maternal depressive and anxiety symptoms during pregnancy: a prospective cohort study. BMC Pregnancy and Childbirth, 2021, 21, 777.	0.9	6
6	Selection bias in general practice research: analysis in a cohort of pregnant Danish women. Scandinavian Journal of Primary Health Care, 2020, 38, 464-472.	0.6	6
7	Sleep complaints in early pregnancy. A cross-sectional study among women attending prenatal care in general practice. BMC Pregnancy and Childbirth, 2020, 20, 123.	0.9	17
8	Labour market attachment after mild traumatic brain injury: nationwide cohort study with 5-year register follow-up in Denmark. BMJ Open, 2019, 9, e026104.	0.8	21
9	Physical discomfort in early pregnancy and postpartum depressive symptoms. Nordic Journal of Psychiatry, 2019, 73, 200-206.	0.7	21
10	The Effect of Economic Assets on Mortality in Patients with Dementia: A Population-Based Cohort Study. Journal of Alzheimer's Disease, 2019, 67, 1245-1253.	1.2	4
11	Examining to what extent pregnancy-related physical symptoms worry women in the first trimester of pregnancy: a cross-sectional study in general practice. BJGP Open, 2019, 3, bjgpopen19X101674.	0.9	10
12	Premorbid risk factors influencing labour market attachment after mild traumatic brain injury: a national register study with long-term follow-up. BMJ Open, 2019, 9, e027297.	0.8	1
13	Predictors of undiagnosed prevalent type 2 diabetes – The Danish General Suburban Population Study. Primary Care Diabetes, 2018, 12, 13-22.	0.9	13
14	Social disparities in diabetes care: a general population study in Denmark. Scandinavian Journal of Primary Health Care, 2017, 35, 54-63.	0.6	24
15	Socio-demographic determinants and effect of structured personal diabetes care: a 19-year follow-up of the randomized controlled study diabetes Care in General Practice (DCGP). BMC Endocrine Disorders, 2017, 17, 75.	0.9	O
16	Exploring the concurrent validity of the nationwide assessment of permanent nursing home residence in Denmark - A cross-sectional data analysis using two administrative registries. BMC Health Services Research, 2017, 17, 607.	0.9	8
17	Effects of numerical information on intention to participate in cervical screening among women offered HPV vaccination: a randomised study. Scandinavian Journal of Primary Health Care, 2016, 34, 401-419.	0.6	9
18	How does HPV vaccination status relate to risk perceptions and intention to participate in cervical screening? a survey study. BMC Public Health, 2016, 16, 708.	1.2	4

#	Article	IF	CITATIONS
19	Placebo-Controlled Discontinuation of Long-Term Acid-Suppressant Therapy: A Randomised Trial in General Practice. International Journal of Family Medicine, 2015, 2015, 1-7.	1.2	21
20	Alcohol consumption and mortality in patients with mild Alzheimer's disease: a prospective cohort study. BMJ Open, 2015, 5, e007851.	0.8	6
21	The impact of HPV vaccination on future cervical screening: a simulation study of two birth cohorts in Denmark. BMJ Open, 2015, 5, e007921.	0.8	15
22	Influence of comorbidity on cancer patients' rehabilitation needs, participation in rehabilitation activities and unmet needs: a population-based cohort study. Supportive Care in Cancer, 2014, 22, 2095-2105.	1.0	24
23	P3-268: THE ASSOCIATION BETWEEN ALCOHOL CONSUMPTION AND MORTALITY IN PATIENTS DIAGNOSED WITH MILD ALZHEIMER'S DISEASE. , 2014, 10, P730-P730.		0
24	A randomised controlled trial to improve general practitioners' services in cancer rehabilitation: Effects on general practitioners' proactivity and on patients' participation in rehabilitation activities. Acta OncolÁ³gica, 2013, 52, 400-409.	0.8	11
25	Participation in cancer rehabilitation and unmet needs: a population-based cohort study. Supportive Care in Cancer, 2012, 20, 2913-2924.	1.0	118
26	A complex intervention to enhance the involvement of general practitioners in cancer rehabilitation. Protocol for a randomised controlled trial and feasibility study of a multimodal intervention. Acta Oncol \tilde{A}^3 gica, 2011, 50, 299-306.	0.8	14
27	Impact of pharmaceutical representative visits on GPs' drug preferences. Family Practice, 2009, 26, 204-209.	0.8	39
28	Can differences in medical drug compliance between European countries be explained by social factors: analyses based on data from the European Social Survey, round 2. BMC Public Health, 2009, 9, 145.	1.2	36
29	Promotional methods used by representatives of drug companies: A prospective survey in general practice. Scandinavian Journal of Primary Health Care, 2007, 25, 93-97.	0.6	16
30	Intensive community pharmacy intervention had little impact on triptan consumption: A randomized controlled trial. Scandinavian Journal of Primary Health Care, 2006, 24, 16-21.	0.6	22
31	Analysing duration of episodes of pharmacological care: an example of antidepressant use in Danish general practice. Pharmacoepidemiology and Drug Safety, 2006, 15, 167-177.	0.9	17
32	How Conducting a Clinical Trial Affects Physicians' Guideline Adherence and Drug Preferences. JAMA - Journal of the American Medical Association, 2006, 295, 2759.	3.8	75
33	Does persistent involvement by the GP improve palliative care at home for end-stage cancer patients?. Palliative Medicine, 2006, 20, 507-512.	1.3	38
34	Population-based study of place of death of patients with cancer: implications for GPs. British Journal of General Practice, 2005, 55, 684-9.	0.7	46
35	Early discontinuation of antidepressants in general practice: association with patient and prescriber characteristics. Family Practice, 2004, 21, 623-629.	0.8	86
36	Exposure to potential drug interactions in primary health care. Scandinavian Journal of Primary Health Care, 2003, 21, 153-158.	0.6	107

#	Article	IF	CITATIONS
37	Insufficient Use of Lipid-Lowering Drugs and Measurement of Serum Cholesterol Among Patients with a History of Myocardial Infarction. European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 61-64.	3.1	2
38	Detailed postal feedback about prescribing to asthma patients combined with a guideline statement showed no impact: a randomised controlled trial. European Journal of Clinical Pharmacology, 2002, 58, 127-132.	0.8	38
39	Why has postal prescriber feedback no substantial impact on general practitioners' prescribing practice? A qualitative study. European Journal of Clinical Pharmacology, 2002, 58, 133-136.	0.8	20
40	High persistence of statin use in a Danish population: Compliance study 1993-1998. British Journal of Clinical Pharmacology, 2002, 53, 375-378.	1.1	91
41	Changes in the utilisation of lipid-lowering drugs over a 6-year period (1993-1998) in a Danish population. European Journal of Clinical Pharmacology, 2001, 57, 343-348.	0.8	17
42	Mercury concentrations in blood from Danish dentists. European Journal of Oral Sciences, 1988, 96, 56-59.	0.7	6
43	Compressive strength, ash weight, and volume of vertebral trabecular bone in experimental fluorosis in pigs. Calcified Tissue International, 1987, 40, 318-322.	1.5	136