

Paul Whiting

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10746096/publications.pdf>

Version: 2024-02-01

29
papers

2,726
citations

361296
20
h-index

552653
26
g-index

29
all docs

29
docs citations

29
times ranked

2562
citing authors

#	ARTICLE	IF	CITATIONS
1	Design of a Potent, Selective, and Brain-Penetrant Inhibitor of Wnt-Deactivating Enzyme Notum by Optimization of a Crystallographic Fragment Hit. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 7212-7230.	2.9	9
2	Structural Analysis and Development of Notum Fragment Screening Hits. <i>ACS Chemical Neuroscience</i> , 2022, 13, 2060-2077.	1.7	3
3	Carboxylesterase Notum Is a Druggable Target to Modulate Wnt Signaling. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 4289-4311.	2.9	26
4	5-Phenyl-1,3,4-oxadiazol-2(3 <i>H</i>)-ones Are Potent Inhibitors of Notum Carboxylesterase Activity Identified by the Optimization of a Crystallographic Fragment Screening Hit. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 12942-12956.	2.9	13
5	Pharmacological reversal of a pain phenotype in iPSC-derived sensory neurons and patients with inherited erythromelalgia. <i>Science Translational Medicine</i> , 2016, 8, 335ra56.	5.8	154
6	Characterizing Human Stem Cell-derived Sensory Neurons at the Single-cell Level Reveals Their Ion Channel Expression and Utility in Pain Research. <i>Molecular Therapy</i> , 2014, 22, 1530-1543.	3.7	127
7	Directing Differentiation of Human Embryonic Stem Cells Toward Anterior Neural Ectoderm Using Small Molecules. <i>Stem Cells</i> , 2012, 30, 1875-1884.	1.4	61
8	Combined small-molecule inhibition accelerates developmental timing and converts human pluripotent stem cells into nociceptors. <i>Nature Biotechnology</i> , 2012, 30, 715-720.	9.4	515
9	N-Methyl-d-aspartate (NMDA) Receptor Subunit NR1 Forms the Substrate for Oligomeric Assembly of the NMDA Receptor. <i>Journal of Biological Chemistry</i> , 2007, 282, 25299-25307.	1.6	42
10	Identification of Molecular Determinants That Are Important in the Assembly of N-Methyl-d-aspartate Receptors. <i>Journal of Biological Chemistry</i> , 2001, 276, 18795-18803.	1.6	102
11	Identification of a GABAB Receptor Subunit, gb2, Required for Functional GABAB Receptor Activity. <i>Journal of Biological Chemistry</i> , 1999, 274, 7607-7610.	1.6	189
12	Cloning of a Novel G-Protein-Coupled Receptor GPR 51 Resembling GABAB Receptors Expressed Predominantly in Nervous Tissues and Mapped Proximal to the Hereditary Sensory Neuropathy Type 1 Locus on Chromosome 9. <i>Genomics</i> , 1999, 56, 288-295.	1.3	17
13	Hippocampal nicotinic autoreceptors modulate acetylcholine release. <i>Biochemical Society Transactions</i> , 1993, 21, 429-431.	1.6	58
14	GABAA receptor subtypes immunopurified from rat brain with $\hat{\alpha}$ subunit-specific antibodies have unique pharmacological properties. <i>Neuron</i> , 1991, 7, 667-676.	3.8	202
15	Monoclonal antibody probes for nicotinic receptors of muscles and nerves. <i>Biochemical Society Transactions</i> , 1991, 19, 115-120.	1.6	5
16	The Nicotinic Acetylcholine Receptor Gene Family: Structure of Nicotinic Receptors from Muscle and Neurons and Neuronal $\hat{\alpha}$ -Bungarotoxin-Binding Proteins. <i>Advances in Experimental Medicine and Biology</i> , 1991, 287, 255-278.	0.8	23
17	Brain $\hat{\alpha}$ -bungarotoxin binding protein cDNAs and MAbs reveal subtypes of this branch of the ligand-gated ion channel gene superfamily. <i>Neuron</i> , 1990, 5, 35-48.	3.8	466
18	Structural and Functional Heterogeneity of Nicotinic Receptors. <i>Novartis Foundation Symposium</i> , 1990, 152, 23-52.	1.2	13

#	ARTICLE	IF	CITATIONS
19	Antisera against an acetylcholine receptor $\hat{1}\pm 3$ fusion protein bind to ganglionic but not to brain nicotinic acetylcholine receptors. <i>FEBS Letters</i> , 1989, 257, 393-399.	1.3	38
20	Structure of Muscle and Neuronal Nicotinic Acetylcholine Receptors. , 1989, , 37-53.		3
21	Autoradiographic localization of nicotinic acetylcholine receptors in the brain of the zebra finch (<i>Poephila guttata</i>). <i>Journal of Comparative Neurology</i> , 1988, 274, 255-264.	0.9	76
22	cDNA clones coding for the structural subunit of a chicken brain nicotinic acetylcholine receptor. <i>Neuron</i> , 1988, 1, 241-248.	3.8	126
23	Structure of Neuronal Nicotinic Receptors. , 1988, , 159-172.		7
24	Molecular Studies of the Neuronal Nicotinic Acetylcholine Receptor Family. , 1988, , 281-337.		0
25	Using Monoclonal Antibodies to Determine the Structures of Acetylcholine Receptors from Electric Organs, Muscles, and Neurons. <i>Annals of the New York Academy of Sciences</i> , 1987, 505, 208-225.	1.8	30
26	Neuronal nicotinic acetylcholine receptor $\hat{1}^2$ -subunit is coded for by the cDNA clone $\hat{1}\pm 4$. <i>FEBS Letters</i> , 1987, 219, 459-463.	1.3	130
27	Affinity labelling of neuronal acetylcholine receptors localizes acetylcholine-binding sites to their $\hat{1}^2$ -subunits. <i>FEBS Letters</i> , 1987, 213, 55-60.	1.3	54
28	Molecular studies of the neuronal nicotinic acetylcholine receptor family. <i>Molecular Neurobiology</i> , 1987, 1, 281-337.	1.9	201
29	Monoclonal antibodies to Torpedo acetylcholine receptor. Characterisation of antigenic determinants within the cholinergic binding site. <i>FEBS Journal</i> , 1985, 150, 533-539.	0.2	36