

# Meng-Fang Lin

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/10746807/meng-fang-lin-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30  
papers

2,167  
citations

22  
h-index

33  
g-index

33  
ext. papers

2,506  
ext. citations

8.8  
avg, IF

5.15  
L-index

#	Paper	IF	Citations
30	Electromagnetic field controlled domain wall displacement for induced strain tailoring in BaTiO <sub>3</sub> -epoxy nanocomposite.. <i>Scientific Reports</i> , <b>2022</b> , 12, 7504	4.9	0
29	Photothermal actuated origamis based on graphene oxide-cellulose programmable bilayers. <i>Nanoscale Horizons</i> , <b>2020</b> , 5, 730-738	10.8	15
28	Deformable conductors for human-machine interface. <i>Materials Today</i> , <b>2018</b> , 21, 508-526	21.8	119
27	A Deformable and Highly Robust Ethyl Cellulose Transparent Conductor with a Scalable Silver Nanowires Bundle Micromesh. <i>Advanced Materials</i> , <b>2018</b> , 30, e1802803	24	64
26	Core-shell nanofiber mats for tactile pressure sensor and nanogenerator applications. <i>Nano Energy</i> , <b>2018</b> , 44, 248-255	17.1	142
25	Skin-touch-actuated textile-based triboelectric nanogenerator with black phosphorus for durable biomechanical energy harvesting. <i>Nature Communications</i> , <b>2018</b> , 9, 4280	17.4	270
24	Accelerated microwave curing of fibre-reinforced thermoset polymer composites for structural applications: A review of scientific challenges. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 115, 88-103	8.4	57
23	Direct Observation of Indium Conductive Filaments in Transparent, Flexible, and Transferable Resistive Switching Memory. <i>ACS Nano</i> , <b>2017</b> , 11, 1712-1718	16.7	71
22	A copper-based reversible electrochemical mirror device with switchability between transparent, blue, and mirror states. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 6547-6554	7.1	22
21	Correlation between active layer thickness and ambient gas stability in IGZO thin-film transistors. <i>Journal Physics D: Applied Physics</i> , <b>2017</b> , 50, 025102	3	3
20	Transparent, Flexible Cellulose Nanofibril/Phosphorene Hybrid Paper as Triboelectric Nanogenerator. <i>Advanced Materials Interfaces</i> , <b>2017</b> , 4, 1700651	4.6	55
19	Wearable All-Fabric-Based Triboelectric Generator for Water Energy Harvesting. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1701243	21.8	149
18	A Stretchable and Transparent Nanocomposite Nanogenerator for Self-Powered Physiological Monitoring. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 42200-42209	9.5	92
17	Flexible Superamphiphobic Film for Water Energy Harvesting. <i>Advanced Materials Technologies</i> , <b>2017</b> , 2, 1600186	6.8	36
16	A semitransparent snake-like tactile and olfactory bionic sensor with reversibly stretchable properties. <i>NPG Asia Materials</i> , <b>2017</b> , 9, e437-e437	10.3	16
15	Highly Transparent Conducting Nanopaper for Solid State Foldable Electrochromic Devices. <i>Small</i> , <b>2016</b> , 12, 6370-6377	11	52
14	Dopant selection for control of charge carrier density and mobility in amorphous indium oxide thin-film transistors: Comparison between Si- and W-dopants. <i>Applied Physics Letters</i> , <b>2015</b> , 106, 042106 <sup>3-4</sup>	3.4	45

13	Reduction of the interfacial trap density of indium-oxide thin film transistors by incorporation of hafnium and annealing process. <i>AIP Advances</i> , <b>2015</b> , 5, 017116	1.5	11
12	Solution-assembled nanowires for high performance flexible and transparent solar-blind photodetectors. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 596-600	7.1	37
11	Stable amorphous In <sub>2</sub> O <sub>3</sub> -based thin-film transistors by incorporating SiO <sub>2</sub> to suppress oxygen vacancies. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 102103	3.4	70
10	Low-temperature processable amorphous In-W-O thin-film transistors with high mobility and stability. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 152103	3.4	67
9	Controllable film densification and interface flatness for high-performance amorphous indium oxide based thin film transistors. <i>Applied Physics Letters</i> , <b>2014</b> , 105, 163503	3.4	9
8	Self-formed copper oxide contact interlayer for high-performance oxide thin film transistors. <i>Applied Physics Letters</i> , <b>2014</b> , 105, 023503	3.4	11
7	Formation of PVDF-g-HEMA/BaTiO <sub>3</sub> nanocomposites via in situ nanoparticle synthesis for high performance capacitor applications. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 14455	13	46
6	Green aqueous modification of fluoropolymers for energy storage applications. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 5951		127
5	Novel polymer nanocomposites from bioinspired green aqueous functionalization of BNNTs. <i>Polymer Chemistry</i> , <b>2012</b> , 3, 962	4.9	130
4	Dopant induced hollow BaTiO <sub>3</sub> nanostructures for application in high performance capacitors. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 16500		99
3	Polystyrene grafted polyvinylidene fluoride copolymers with high capacitive performance. <i>Polymer Chemistry</i> , <b>2011</b> , 2, 2000	4.9	85
2	Surface functionalization of BaTiO <sub>3</sub> nanoparticles and improved electrical properties of BaTiO <sub>3</sub> /polyvinylidene fluoride composite. <i>RSC Advances</i> , <b>2011</b> , 1, 576	3.7	166
1	Poly(vinylidene fluoride)-graft-poly(2-hydroxyethyl methacrylate): a novel material for high energy density capacitors. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 3751		101