

Kazuhiko Maeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1074772/publications.pdf>

Version: 2024-02-01

265
papers

45,955
citations

3930

88
h-index

1751

212
g-index

288
all docs

288
docs citations

288
times ranked

25973
citing authors

#	ARTICLE	IF	CITATIONS
1	A metal-free polymeric photocatalyst for hydrogen production from water under visible light. <i>Nature Materials</i> , 2009, 8, 76-80.	13.3	10,442
2	Photocatalyst releasing hydrogen from water. <i>Nature</i> , 2006, 440, 295-295.	13.7	2,627
3	Photocatalytic Water Splitting: Recent Progress and Future Challenges. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 2655-2661.	2.1	2,306
4	Polymer Semiconductors for Artificial Photosynthesis: Hydrogen Evolution by Mesoporous Graphitic Carbon Nitride with Visible Light. <i>Journal of the American Chemical Society</i> , 2009, 131, 1680-1681.	6.6	1,618
5	New Non-Oxide Photocatalysts Designed for Overall Water Splitting under Visible Light. <i>Journal of Physical Chemistry C</i> , 2007, 111, 7851-7861.	1.5	1,383
6	GaN:ZnO Solid Solution as a Photocatalyst for Visible-Light-Driven Overall Water Splitting. <i>Journal of the American Chemical Society</i> , 2005, 127, 8286-8287.	6.6	1,317
7	Synthesis of a Carbon Nitride Structure for Visible-Light Catalysis by Copolymerization. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 441-444.	7.2	1,312
8	Photocatalytic water splitting using semiconductor particles: History and recent developments. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2011, 12, 237-268.	5.6	1,027
9	Z-Scheme Water Splitting Using Two Different Semiconductor Photocatalysts. <i>ACS Catalysis</i> , 2013, 3, 1486-1503.	5.5	1,005
10	Visible Light Water Splitting Using Dye-Sensitized Oxide Semiconductors. <i>Accounts of Chemical Research</i> , 2009, 42, 1966-1973.	7.6	957
11	Sulfur-mediated synthesis of carbon nitride: Band-gap engineering and improved functions for photocatalysis. <i>Energy and Environmental Science</i> , 2011, 4, 675-678.	15.6	704
12	Photocatalytic Activities of Graphitic Carbon Nitride Powder for Water Reduction and Oxidation under Visible Light. <i>Journal of Physical Chemistry C</i> , 2009, 113, 4940-4947.	1.5	690
13	Efficient Nonsacrificial Water Splitting through Two-Step Photoexcitation by Visible Light using a Modified Oxynitride as a Hydrogen Evolution Photocatalyst. <i>Journal of the American Chemical Society</i> , 2010, 132, 5858-5868.	6.6	660
14	Expanding frontiers in materials chemistry and physics with multiple anions. <i>Nature Communications</i> , 2018, 9, 772.	5.8	612
15	Visible-Light-Driven CO ₂ Reduction with Carbon Nitride: Enhancing the Activity of Ruthenium Catalysts. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2406-2409.	7.2	540
16	Noble-Metal/Cr ₂ O ₃ Core/Shell Nanoparticles as a Cocatalyst for Photocatalytic Overall Water Splitting. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7806-7809.	7.2	537
17	Artificial Z-Scheme Constructed with a Supramolecular Metal Complex and Semiconductor for the Photocatalytic Reduction of CO ₂ . <i>Journal of the American Chemical Society</i> , 2013, 135, 4596-4599.	6.6	404
18	Nature-Inspired, Highly Durable CO ₂ Reduction System Consisting of a Binuclear Ruthenium(II) Complex and an Organic Semiconductor Using Visible Light. <i>Journal of the American Chemical Society</i> , 2016, 138, 5159-5170.	6.6	403

#	ARTICLE	IF	CITATIONS
19	Ordered Mesoporous SBA-15 Type Graphitic Carbon Nitride: A Semiconductor Host Structure for Photocatalytic Hydrogen Evolution with Visible Light. <i>Chemistry of Materials</i> , 2009, 21, 4093-4095.	3.2	392
20	RuO ₂ -Loaded β -Ge ₃ N ₄ as a Non-Oxide Photocatalyst for Overall Water Splitting. <i>Journal of the American Chemical Society</i> , 2005, 127, 4150-4151.	6.6	388
21	Overall Water Splitting on (Ga _{1-x} Zn _x)(N _{1-x} O _x) Solid Solution Photocatalyst: A Relationship between Physical Properties and Photocatalytic Activity. <i>Journal of Physical Chemistry B</i> , 2005, 109, 20504-20510.	1.2	384
22	Cobalt-Modified Porous Single-Crystalline LaTiO ₂ N for Highly Efficient Water Oxidation under Visible Light. <i>Journal of the American Chemical Society</i> , 2012, 134, 8348-8351.	6.6	382
23	Photocatalytic Overall Water Splitting Promoted by Two Different Cocatalysts for Hydrogen and Oxygen Evolution under Visible Light. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 4096-4099.	7.2	356
24	Solid Solution of GaN and ZnO as a Stable Photocatalyst for Overall Water Splitting under Visible Light. <i>Chemistry of Materials</i> , 2010, 22, 612-623.	3.2	346
25	Photocatalytic Water Splitting Using Modified GaN:ZnO Solid Solution under Visible Light: Long-Time Operation and Regeneration of Activity. <i>Journal of the American Chemical Society</i> , 2012, 134, 8254-8259.	6.6	296
26	Effect of post-calcination on photocatalytic activity of (Ga _{1-x} Zn _x)(N _{1-x} O _x) solid solution for overall water splitting under visible light. <i>Journal of Catalysis</i> , 2008, 254, 198-204.	3.1	277
27	Photoelectrochemical Reduction of CO ₂ Coupled to Water Oxidation Using a Photocathode with a Ru(II)-Re(I) Complex Photocatalyst and a CoO _x /TaON Photoanode. <i>Journal of the American Chemical Society</i> , 2016, 138, 14152-14158.	6.6	260
28	A polymeric-semiconductor-metal-complex hybrid photocatalyst for visible-light CO ₂ reduction. <i>Chemical Communications</i> , 2013, 49, 10127.	2.2	252
29	Photocatalytic oxidation of water by polymeric carbon nitride nanohybrids made of sustainable elements. <i>Chemical Science</i> , 2012, 3, 443-446.	3.7	246
30	Role and Function of Noble-Metal/Cr-Layer Core/Shell Structure Cocatalysts for Photocatalytic Overall Water Splitting Studied by Model Electrodes. <i>Journal of Physical Chemistry C</i> , 2009, 113, 10151-10157.	1.5	238
31	Roles of Rh/Cr ₂ O ₃ (Core/Shell) Nanoparticles Photodeposited on Visible-Light-Responsive (Ga _{1-x} Zn _x)(N _{1-x} O _x) Solid Solutions in Photocatalytic Overall Water Splitting. <i>Journal of Physical Chemistry C</i> , 2007, 111, 7554-7560.	1.5	230
32	Robust Binding between Carbon Nitride Nanosheets and a Binuclear Ruthenium(II) Complex Enabling Durable, Selective CO ₂ Reduction under Visible Light in Aqueous Solution. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4867-4871.	7.2	223
33	Efficient Overall Water Splitting under Visible-Light Irradiation on (Ga _{1-x} Zn _x)(N _{1-x} O _x) Dispersed with Rh ⁺ Cr Mixed-Oxide Nanoparticles: A Effect of Reaction Conditions on Photocatalytic Activity. <i>Journal of Physical Chemistry B</i> , 2006, 110, 13107-13112.	1.2	218
34	SrNbO ₂ N as a Water-Splitting Photoanode with a Wide Visible-Light Absorption Band. <i>Journal of the American Chemical Society</i> , 2011, 133, 12334-12337.	6.6	217
35	Synthesis and Photocatalytic Activity of Perovskite Niobium Oxynitrides with Wide Visible-Light Absorption Bands. <i>ChemSusChem</i> , 2011, 4, 74-78.	3.6	216
36	Enhanced Water Oxidation on Ta ₃ N ₅ Photocatalysts by Modification with Alkaline Metal Salts. <i>Journal of the American Chemical Society</i> , 2012, 134, 19993-19996.	6.6	206

#	ARTICLE	IF	CITATIONS
37	Efficient Visible-Light-Driven CO ₂ Reduction by a Cobalt Molecular Catalyst Covalently Linked to Mesoporous Carbon Nitride. <i>Journal of the American Chemical Society</i> , 2020, 142, 6188-6195.	6.6	199
38	Improvement of photocatalytic activity of (Ga _{1-x} Zn _x)(N _{1-x} O _x) solid solution for overall water splitting by co-loading Cr and another transition metal. <i>Journal of Catalysis</i> , 2006, 243, 303-308.	3.1	198
39	Metal-Complex/Semiconductor Hybrid Photocatalysts and Photoelectrodes for CO ₂ Reduction Driven by Visible Light. <i>Advanced Materials</i> , 2019, 31, e1808205.	11.1	196
40	The effect of the pore-wall structure of carbon nitride on photocatalytic CO ₂ reduction under visible light. <i>Journal of Materials Chemistry A</i> , 2014, 2, 15146-15151.	5.2	192
41	Modified Ta ₃ N ₅ Powder as a Photocatalyst for O ₂ Evolution in a Two-Step Water Splitting System with an Iodate/Iodide Shuttle Redox Mediator under Visible Light. <i>Langmuir</i> , 2010, 26, 9161-9165.	1.6	189
42	Characterization of Rh-Cr Mixed-Oxide Nanoparticles Dispersed on (Ga _{1-x} Zn _x)(N _{1-x} O _x) as a Cocatalyst for Visible-Light-Driven Overall Water Splitting. <i>Journal of Physical Chemistry B</i> , 2006, 110, 13753-13758.	1.2	180
43	Two-Dimensional Metal Oxide Nanosheets as Building Blocks for Artificial Photosynthetic Assemblies. <i>Bulletin of the Chemical Society of Japan</i> , 2019, 92, 38-54.	2.0	175
44	Role and Function of Ruthenium Species as Promoters with TaON-Based Photocatalysts for Oxygen Evolution in Two-Step Water Splitting under Visible Light. <i>Journal of Physical Chemistry C</i> , 2011, 115, 3057-3064.	1.5	174
45	Niobium Oxide Nanoscrolls as Building Blocks for Dye-Sensitized Hydrogen Production from Water under Visible Light Irradiation. <i>Chemistry of Materials</i> , 2008, 20, 6770-6778.	3.2	173
46	Direct Water Splitting into Hydrogen and Oxygen under Visible Light by using Modified TaON Photocatalysts with d ⁰ Electronic Configuration. <i>Chemistry - A European Journal</i> , 2013, 19, 4986-4991.	1.7	160
47	A Carbon Nitride/Fe Quaterpyridine Catalytic System for Photostimulated CO ₂ -to-CO Conversion with Visible Light. <i>Journal of the American Chemical Society</i> , 2018, 140, 7437-7440.	6.6	160
48	Preparation of Core-Shell Structured Nanoparticles (with a Noble Metal or Metal Oxide Core and a Tj ETQq0 0 0 rgBT /Overlock 1 European Journal, 2010, 16, 7750-7759.	1.7	156
49	Photoelectrochemical water splitting using a Cu(In,Ga)Se ₂ thin film. <i>Electrochemistry Communications</i> , 2010, 12, 851-853.	2.3	156
50	Rhodium-Doped Barium Titanate Perovskite as a Stable p-Type Semiconductor Photocatalyst for Hydrogen Evolution under Visible Light. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 2167-2173.	4.0	154
51	Development of Novel Photocatalyst and Cocatalyst Materials for Water Splitting under Visible Light. <i>Bulletin of the Chemical Society of Japan</i> , 2016, 89, 627-648.	2.0	154
52	Visible-light-driven nonsacrificial water oxidation over tungsten trioxide powder modified with two different cocatalysts. <i>Energy and Environmental Science</i> , 2012, 5, 8390.	15.6	153
53	Photocatalytic Hydrogen Evolution from Hexaniobate Nanoscrolls and Calcium Niobate Nanosheets Sensitized by Ruthenium(II) Bipyridyl Complexes. <i>Journal of Physical Chemistry C</i> , 2009, 113, 7962-7969.	1.5	152
54	Aspects of the Water Splitting Mechanism on (Ga _{1-x} Zn _x)(N _{1-x} O _x) Photocatalyst Modified with Rh ₂ Cr ₃ O ₃ Cocatalyst. <i>Journal of Physical Chemistry C</i> , 2009, 113, 21458-21466.	1.5	143

#	ARTICLE	IF	CITATIONS
55	Solar-Driven Z-scheme Water Splitting Using Modified BaZrO ₃ –BaTaO ₂ N Solid Solutions as Photocatalysts. ACS Catalysis, 2013, 3, 1026-1033.	5.5	143
56	Water Splitting on Rutile TiO ₂ -Based Photocatalysts. Chemistry - A European Journal, 2018, 24, 18204-18219.	1.7	142
57	Surface Modification of TaON with Monoclinic ZrO ₂ to Produce a Composite Photocatalyst with Enhanced Hydrogen Evolution Activity under Visible Light. Bulletin of the Chemical Society of Japan, 2008, 81, 927-937.	2.0	140
58	A Stable, Narrow-Gap Oxyfluoride Photocatalyst for Visible-Light Hydrogen Evolution and Carbon Dioxide Reduction. Journal of the American Chemical Society, 2018, 140, 6648-6655.	6.6	139
59	Ta ₃ N ₅ photoanodes for water splitting prepared by sputtering. Thin Solid Films, 2011, 519, 2087-2092.	0.8	136
60	Hybrid photocathode consisting of a CuGaO ₂ p-type semiconductor and a Ru(II)-Re(I) supramolecular photocatalyst: non-biased visible-light-driven CO ₂ reduction with water oxidation. Chemical Science, 2017, 8, 4242-4249.	3.7	136
61	Synthesis and Photocatalytic Activity of Poly(triazine imide). Chemistry - an Asian Journal, 2013, 8, 218-224.	1.7	131
62	Photoelectrochemical CO ₂ reduction using a Ru(II)-Re(I) multinuclear metal complex on a p-type semiconducting NiO electrode. Chemical Communications, 2015, 51, 10722-10725.	2.2	131
63	Photocatalytic Hydrogen Evolution from Water Using Copper Gallium Sulfide under Visible-Light Irradiation. Journal of Physical Chemistry C, 2010, 114, 11215-11220.	1.5	126
64	Water Oxidation Using a Particulate BaZrO ₃ –BaTaO ₂ N Solid Solution Photocatalyst That Operates under a Wide Range of Visible Light. Angewandte Chemie - International Edition, 2012, 51, 9865-9869.	7.2	125
65	Highly active tantalum(v) nitride nanoparticles prepared from a mesoporous carbon nitride template for photocatalytic hydrogen evolution under visible light irradiation. Journal of Materials Chemistry, 2010, 20, 4295.	6.7	122
66	Selective Formic Acid Production via CO ₂ Reduction with Visible Light Using a Hybrid of a Perovskite Tantalum Oxynitride and a Binuclear Ruthenium(II) Complex. ACS Applied Materials & Interfaces, 2015, 7, 13092-13097.	4.0	120
67	Unique Solvent Effects on Visible-Light CO ₂ Reduction over Ruthenium(II)-Complex/Carbon Nitride Hybrid Photocatalysts. ACS Applied Materials & Interfaces, 2016, 8, 6011-6018.	4.0	118
68	Intercalation of Highly Dispersed Metal Nanoclusters into a Layered Metal Oxide for Photocatalytic Overall Water Splitting. Angewandte Chemie - International Edition, 2015, 54, 2698-2702.	7.2	117
69	Comparison of two- and three-layer restacked Dion–Jacobson phase niobate nanosheets as catalysts for photochemical hydrogen evolution. Journal of Materials Chemistry, 2009, 19, 4813.	6.7	116
70	A Redox-Mediator-Free Solar-Driven Z-scheme Water-Splitting System Consisting of Modified Ta ₃ N ₅ as an Oxygen-Evolution Photocatalyst. Chemistry - A European Journal, 2013, 19, 7480-7486.	1.7	113
71	Characterization of Ruthenium Oxide Nanocluster as a Cocatalyst with (Ga _{1-x} Zn _x)(N _{1-x} O _x) for Photocatalytic Overall Water Splitting. Journal of Physical Chemistry B, 2005, 109, 21915-21921.	1.2	110
72	Photocatalytic Activity of (Ga _{1-x} Zn _x)(N _{1-x} O _x) for Visible-Light-Driven H ₂ and O ₂ Evolution in the Presence of Sacrificial Reagents. Journal of Physical Chemistry C, 2008, 112, 3447-3452.	1.5	110

#	ARTICLE	IF	CITATIONS
73	Direct splitting of pure water into hydrogen and oxygen using rutile titania powder as a photocatalyst. <i>Chemical Communications</i> , 2013, 49, 8404.	2.2	106
74	Studies on $\text{TiN}_x\text{O}_y\text{F}_z$ as a Visible-Light-Responsive Photocatalyst. <i>Journal of Physical Chemistry C</i> , 2007, 111, 18264-18270.	1.5	105
75	Highly dispersed noble-metal/chromia (core/shell) nanoparticles as efficient hydrogen evolution promoters for photocatalytic overall water splitting under visible light. <i>Nanoscale</i> , 2009, 1, 106.	2.8	105
76	Perovskite Oxide Nanosheets with Tunable Band-Edge Potentials and High Photocatalytic Hydrogen-Evolution Activity. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13164-13168.	7.2	104
77	An Artificial Z-Scheme Constructed from Dye-Sensitized Metal Oxide Nanosheets for Visible Light-Driven Overall Water Splitting. <i>Journal of the American Chemical Society</i> , 2020, 142, 8412-8420.	6.6	103
78	Solar-driven Z-scheme water splitting using tantalum/nitrogen co-doped rutile titania nanorod as an oxygen evolution photocatalyst. <i>Journal of Materials Chemistry A</i> , 2017, 5, 11710-11719.	5.2	101
79	Oxynitride materials for solar water splitting. <i>MRS Bulletin</i> , 2011, 36, 25-31.	1.7	100
80	Photocatalytic Overall Water Splitting on Gallium Nitride Powder. <i>Bulletin of the Chemical Society of Japan</i> , 2007, 80, 1004-1010.	2.0	98
81	(Oxy)nitrides with d ⁰ -electronic configuration as photocatalysts and photoanodes that operate under a wide range of visible light for overall water splitting. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 10537.	1.3	97
82	Visible-light-driven CO_2 reduction on a hybrid photocatalyst consisting of a $\text{Ru}(\text{bpy})_2$ binuclear complex and a Ag-loaded TaON in aqueous solutions. <i>Chemical Science</i> , 2016, 7, 4364-4371.	3.7	96
83	Photocatalytic Properties of RuO_2 -Loaded $\beta\text{-Ge}_3\text{N}_4$ for Overall Water Splitting. <i>Journal of Physical Chemistry C</i> , 2007, 111, 4749-4755.	1.5	93
84	Visible-Light-Driven CO_2 Reduction with Carbon Nitride: Enhancing the Activity of Ruthenium Catalysts. <i>Angewandte Chemie</i> , 2015, 127, 2436-2439.	1.6	92
85	Oxidation of Water under Visible-Light Irradiation over Modified BaTaO_2N Photocatalysts Promoted by Tungsten Species. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 6488-6491.	7.2	91
86	Calcium Niobate Nanosheets Prepared by the Polymerized Complex Method as Catalytic Materials for Photochemical Hydrogen Evolution. <i>Chemistry of Materials</i> , 2009, 21, 3611-3617.	3.2	89
87	Synergistic Effect of Hydrochloric Acid and Phytic Acid Doping on Polyaniline-Coupled $\text{g-C}_3\text{N}_4$ Nanosheets for Photocatalytic Cr(VI) Reduction and Dye Degradation. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 35702-35712.	4.0	89
88	Earth-Abundant Molecular Z-Scheme Photoelectrochemical Cell for Overall Water-Splitting. <i>Journal of the American Chemical Society</i> , 2019, 141, 9593-9602.	6.6	84
89	Origin of Visible Light Absorption in GaN-Rich $(\text{Ga}_{1-x}\text{O}_x)_2\text{Zn}_x(\text{N}_{1-x}\text{O}_x)$ Photocatalysts. <i>Journal of Physical Chemistry C</i> , 2007, 111, 18853-18855.		
90	Hybrids of a Ruthenium(II) Polypyridyl Complex and a Metal Oxide Nanosheet for Dye-Sensitized Hydrogen Evolution with Visible Light: Effects of the Energy Structure on Photocatalytic Activity. <i>ACS Catalysis</i> , 2015, 5, 1700-1707.	5.5	83

#	ARTICLE	IF	CITATIONS
91	Effect of electrolyte addition on activity of (Ga _{1-x} Zn _x)(N _{1-x} O _x) photocatalyst for overall water splitting under visible light. <i>Catalysis Today</i> , 2009, 147, 173-178.	2.2	80
92	Crystal structure and optical properties of (Ga _{1-x} Zn _x)(N _{1-x} O _x) oxynitride photocatalyst (x=0.13). <i>Chemical Physics Letters</i> , 2005, 416, 225-228.	1.2	79
93	Polyol Synthesis of Size-Controlled Rh Nanoparticles and Their Application to Photocatalytic Overall Water Splitting under Visible Light. <i>Journal of Physical Chemistry C</i> , 2013, 117, 2467-2473.	1.5	78
94	Highly efficient visible-light-driven CO ₂ reduction to CO using a Ru(II)-Re(I) supramolecular photocatalyst in an aqueous solution. <i>Green Chemistry</i> , 2016, 18, 139-143.	4.6	78
95	Modification of Wide-Band-Gap Oxide Semiconductors with Cobalt Hydroxide Nanoclusters for Visible-Light Water Oxidation. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 8309-8313.	7.2	77
96	Overall water splitting using (oxy)nitride photocatalysts. <i>Pure and Applied Chemistry</i> , 2006, 78, 2267-2276.	0.9	76
97	A precursor route to prepare tantalum (V) nitride nanoparticles with enhanced photocatalytic activity for hydrogen evolution under visible light. <i>Applied Catalysis A: General</i> , 2009, 370, 88-92.	2.2	74
98	Preparation of (Ga _{1-x} Zn _x)(N _{1-x} O _x) solid-solution from ZnGa ₂ O ₄ and ZnO as a photo-catalyst for overall water splitting under visible light. <i>Applied Catalysis A: General</i> , 2007, 327, 114-121.	2.2	73
99	Nanoparticulate precursor route to fine particles of TaON and ZrO ₂ -TaON solid solution and their photocatalytic activity for hydrogen evolution under visible light. <i>Applied Catalysis A: General</i> , 2009, 357, 206-212.	2.2	71
100	Gas phase photocatalytic water splitting with Rh ₂ CrO ₃ /GaN:ZnO in 1/4-reactors. <i>Energy and Environmental Science</i> , 2011, 4, 2937.	15.6	71
101	Simultaneous photodeposition of rhodium-chromium nanoparticles on a semiconductor powder: structural characterization and application to photocatalytic overall water splitting. <i>Energy and Environmental Science</i> , 2010, 3, 471-478.	15.6	69
102	Interfacial Manipulation by Rutile TiO ₂ Nanoparticles to Boost CO ₂ Reduction into CO on a Metal-Complex/Semiconductor Hybrid Photocatalyst. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 23869-23877.	4.0	69
103	Photoluminescence Spectroscopic and Computational Investigation of the Origin of the Visible Light Response of (Ga _{1-x} Zn _x)(N _{1-x} O _x) Photocatalyst for Overall Water Splitting. <i>Journal of Physical Chemistry C</i> , 2010, 114, 15510-15515.	1.5	68
104	Enhancement of photocatalytic activity of (Zn _{1-x} Ge _x)(N ₂ O) for visible-light-driven overall water splitting by calcination under nitrogen. <i>Chemical Physics Letters</i> , 2008, 457, 134-136.	1.2	67
105	Undoped Layered Perovskite Oxynitride Li ₂ LaTa ₂ O ₆ N for Photocatalytic CO ₂ Reduction with Visible Light. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8154-8158.	7.2	66
106	Effect of TiCl ₄ treatment on the photoelectrochemical properties of LaTiO ₂ N electrodes for water splitting under visible light. <i>Thin Solid Films</i> , 2010, 518, 5855-5859.	0.8	65
107	Activation of BaTaO ₂ N Photocatalyst for Enhanced Non-Sacrificial Hydrogen Evolution from Water under Visible Light by Forming a Solid Solution with BaZrO ₃ . <i>Chemistry - A European Journal</i> , 2011, 17, 14731-14735.	1.7	60
108	Effects of Interfacial Electron Transfer in Metal Complex-Semiconductor Hybrid Photocatalysts on Z-Scheme CO ₂ Reduction under Visible Light. <i>ACS Catalysis</i> , 2018, 8, 9744-9754.	5.5	60

#	ARTICLE	IF	CITATIONS
109	Synthesis and photocatalytic activity of gallium-zinc-indium mixed oxynitride for hydrogen and oxygen evolution under visible light. <i>Chemical Physics Letters</i> , 2009, 470, 90-94.	1.2	59
110	Dependence of Activity of Rutile Titanium(IV) Oxide Powder for Photocatalytic Overall Water Splitting on Structural Properties. <i>Journal of Physical Chemistry C</i> , 2014, 118, 9093-9100.	1.5	59
111	Preparation of BaZrO ₃ -BaTaO ₂ N solid solutions and the photocatalytic activities for water reduction and oxidation under visible light. <i>Journal of Catalysis</i> , 2014, 310, 67-74.	3.1	56
112	Experimental visualization of covalent bonds and structural disorder in a gallium zinc oxynitride photocatalyst (Ga _{1-x} Zn _x)(N _{1-x} O _x): origin of visible light absorption. <i>Chemical Communications</i> , 2010, 46, 2379.	2.2	55
113	Dependence of Activity and Stability of Germanium Nitride Powder for Photocatalytic Overall Water Splitting on Structural Properties. <i>Chemistry of Materials</i> , 2007, 19, 4092-4097.	3.2	54
114	A Z-scheme photocatalyst constructed with an yttrium-tantalum oxynitride and a binuclear Ru(μ -oxo) complex for visible-light CO ₂ reduction. <i>Chemical Communications</i> , 2016, 52, 7886-7889.	2.2	54
115	Development of hybrid photocatalysts constructed with a metal complex and graphitic carbon nitride for visible-light-driven CO ₂ reduction. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 4938-4950.	1.3	54
116	Cobalt Oxide Nanoclusters on Rutile Titania as Bifunctional Units for Water Oxidation Catalysis and Visible Light Absorption: Understanding the Structure-Activity Relationship. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 6114-6122.	4.0	54
117	Development of Cocatalysts for Photocatalytic Overall Water Splitting on (Ga _{1-x} Zn _x)(N _{1-x} O _x) Solid Solution. <i>Catalysis Surveys From Asia</i> , 2007, 11, 145-157.	1.0	53
118	Isotopic and kinetic assessment of photocatalytic water splitting on Zn-added Ga ₂ O ₃ photocatalyst loaded with Rh ₂ CrO ₃ cocatalyst. <i>Chemical Physics Letters</i> , 2010, 486, 144-146.	1.2	53
119	Effect of post-treatments on the photocatalytic activity of Sm ₂ Ti ₂ S ₂ O ₅ for the hydrogen evolution reaction. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 12051.	1.3	53
120	Photoresponse of GaN:ZnO Electrode on FTO under Visible Light Irradiation. <i>Bulletin of the Chemical Society of Japan</i> , 2009, 82, 401-407.	2.0	52
121	Preparation of a colloidal array of NaTaO ₃ nanoparticles via a confined space synthesis route and its photocatalytic application. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 2563.	1.3	52
122	Lanthanoid Oxide Layers on Rhodium-Loaded (Ga _{1-x} Zn _x)(N _{1-x} O _x) Photocatalyst as a Modifier for Overall Water Splitting under Visible-Light Irradiation. <i>Journal of Physical Chemistry C</i> , 2013, 117, 14000-14006.	1.5	52
123	Effect of Hydrogen and Oxygen Evolution Cocatalysts on Photocatalytic Activity of GaN:ZnO. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 767-772.	1.0	52
124	Robust Binding between Carbon Nitride Nanosheets and a Binuclear Ruthenium(II) Complex Enabling Durable, Selective CO ₂ Reduction under Visible Light in Aqueous Solution. <i>Angewandte Chemie</i> , 2017, 129, 4945-4949.	1.6	52
125	Molecule/Semiconductor Hybrid Materials for Visible-Light CO ₂ Reduction: Design Principles and Interfacial Engineering. <i>Accounts of Materials Research</i> , 2021, 2, 458-470.	5.9	51
126	Recent Progress on Mixed-Anion Materials for Energy Applications. <i>Bulletin of the Chemical Society of Japan</i> , 2022, 95, 26-37.	2.0	51

#	ARTICLE	IF	CITATIONS
127	Structural and Band Gap Investigation of GaN:ZnO Heterojunction Solid Solution Photocatalyst Probed by Soft X-ray Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2012, 116, 7694-7700.	1.5	50
128	Photocatalytic properties of rutile TiO ₂ powder for overall water splitting. <i>Catalysis Science and Technology</i> , 2014, 4, 1949-1953.	2.1	49
129	The Effects of Starting Materials in the Synthesis of (Ga _{1-x} Zn _x)(N _{1-x} O _x) Solid Solution on Its Photocatalytic Activity for Overall Water Splitting under Visible Light. <i>ChemSusChem</i> , 2009, 2, 336-343.	3.6	46
130	Modification of oxysulfides with two nanoparticulate cocatalysts to achieve enhanced hydrogen production from water with visible light. <i>Chemical Communications</i> , 2010, 46, 7313.	2.2	46
131	Modification of TaON with ZrO ₂ to improve photocatalytic hydrogen evolution activity under visible light: influence of preparation conditions on activity. <i>Catalysis Science and Technology</i> , 2012, 2, 818.	2.1	46
132	Synthesis and photocatalytic activity of K ₂ CaNaNb ₃ O ₁₀ , a new Ruddlesden-Popper phase layered perovskite. <i>Dalton Transactions</i> , 2017, 46, 10594-10601.	1.6	46
133	Suppression of the water splitting back reaction on GaN:ZnO photocatalysts loaded with core/shell cocatalysts, investigated using a 1/4-reactor. <i>Journal of Catalysis</i> , 2012, 292, 26-31.	3.1	45
134	Photocatalytic Activity of Carbon Nitride Modified with a Ruthenium(II) Complex Having Carboxylic- or Phosphonic Acid Anchoring Groups for Visible-light CO ₂ Reduction. <i>Chemistry Letters</i> , 2016, 45, 182-184.	0.7	45
135	Enhancement of photocatalytic activity of zinc-germanium oxynitride solid solution for overall water splitting under visible irradiation. <i>Dalton Transactions</i> , 2009, , 10055.	1.6	44
136	Direct evidence for two-dimensional oxide-ion diffusion in the hexagonal perovskite-related oxide Ba ₃ MoNbO _{8.5} . <i>Journal of Materials Chemistry A</i> , 2019, 7, 13910-13916.	5.2	44
137	A copper and chromium based nanoparticulate oxide as a noble-metal-free cocatalyst for photocatalytic water splitting. <i>Chemical Science</i> , 2011, 2, 1362.	3.7	42
138	Sulfurization-Assisted Cobalt Deposition on Sm ₂ Ti ₂ S ₂ O ₅ Photocatalyst for Water Oxidation under Visible Light Irradiation. <i>Journal of Physical Chemistry C</i> , 2013, 117, 376-382.	1.5	40
139	Fabrication of photocatalyst panels and the factors determining their activity for water splitting. <i>Catalysis Science and Technology</i> , 2014, 4, 325-328.	2.1	40
140	Copolymerization Approach to Improving Ru(II)-Complex/C ₃ N ₄ Hybrid Photocatalysts for Visible-Light CO ₂ Reduction. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 15333-15340.	3.2	40
141	Selective dual-purpose photocatalysis for simultaneous H ₂ evolution and mineralization of organic compounds enabled by a Cr ₂ O ₃ barrier layer coated on Rh/SrTiO ₃ . <i>Chemical Communications</i> , 2016, 52, 9636-9639.	2.2	39
142	Excited-State Dynamics of Graphitic Carbon Nitride Photocatalyst and Ultrafast Electron Injection to a Ru(II) Mononuclear Complex for Carbon Dioxide Reduction. <i>Journal of Physical Chemistry C</i> , 2018, 122, 16795-16802.	1.5	39
143	Direct deposition of nanoparticulate rhodium-chromium mixed-oxides on a semiconductor powder by band-gap irradiation. <i>Journal of Materials Chemistry</i> , 2008, 18, 3539.	6.7	38
144	Graphitic carbon nitride prepared from urea as a photocatalyst for visible-light carbon dioxide reduction with the aid of a mononuclear ruthenium(II) complex. <i>Beilstein Journal of Organic Chemistry</i> , 2018, 14, 1806-1812.	1.3	38

#	ARTICLE	IF	CITATIONS
145	Solar-Driven Photoelectrochemical Water Oxidation over an n-Type Lead-Titanium Oxyfluoride Anode. <i>Journal of the American Chemical Society</i> , 2019, 141, 17158-17165.	6.6	38
146	Activation of the Carbon Nitride Surface by Silica in a CO-Evolving Hybrid Photocatalyst. <i>ChemSusChem</i> , 2017, 10, 287-295.	3.6	36
147	Nitrogen/fluorine-codoped rutile titania as a stable oxygen-evolution photocatalyst for solar-driven Z-scheme water splitting. <i>Sustainable Energy and Fuels</i> , 2018, 2, 2025-2035.	2.5	36
148	Effects of the Physicochemical Properties of Rutile Titania Powder on Photocatalytic Water Oxidation. <i>ACS Catalysis</i> , 2014, 4, 1632-1636.	5.5	34
149	Homogeneous Electron Doping into Nonstoichiometric Strontium Titanate Improves Its Photocatalytic Activity for Hydrogen and Oxygen Evolution. <i>ACS Catalysis</i> , 2018, 8, 7190-7200.	5.5	34
150	Solar Water Oxidation by a Visible-Light-Responsive Tantalum/Nitrogen-Codoped Rutile Titania Anode for Photoelectrochemical Water Splitting and Carbon Dioxide Fixation. <i>ChemPhotoChem</i> , 2019, 3, 37-45.	1.5	34
151	Two-Dimensional Perovskite Oxynitride $K_2LaTa_2O_6N$ with an H^{+}/K^{+} Exchangeability in Aqueous Solution Forming a Stable Photocatalyst for Visible-Light H_2 Evolution. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9736-9743.	7.2	33
152	Cobalt Aluminate Spinel as a Cocatalyst for Photocatalytic Oxidation of Water: Significant Hole-Trapping Effect. <i>ACS Catalysis</i> , 2020, 10, 4960-4966.	5.5	33
153	Physicochemical properties and photocatalytic H_2 evolution activity of Rh-doped $La_2Ti_2O_7$ prepared by molten salt synthesis. <i>Catalysis Science and Technology</i> , 2013, 3, 2098.	2.1	32
154	Improvement of the photocatalytic hydrogen evolution activity of $Sm_2Ti_2S_2O_5$ under visible light by metal ion additives. <i>Journal of Catalysis</i> , 2011, 280, 1-7.	3.1	31
155	Visible-light CO_2 reduction over a ruthenium(η^2)-complex/ C_3N_4 hybrid photocatalyst: the promotional effect of silver species. <i>Journal of Materials Chemistry A</i> , 2018, 6, 9708-9715.	5.2	31
156	Light Absorption Properties and Electronic Band Structures of Lead Titanium Oxyfluoride Photocatalysts $Pb_2Ti_4O_9F_2$ and $Pb_2Ti_2O_{5.4}F_{1.2}$. <i>Journal of Physical Chemistry C</i> , 2018, 122, 26506-26511.	1.5	31
157	Synthesis and Characterization of Semiconductor Tantalum Nitride Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2011, 115, 647-652.	1.5	30
158	Non-Sacrificial Water Photo-Oxidation Activity of Lamellar Calcium Niobate Induced by Exfoliation. <i>Advanced Materials Interfaces</i> , 2014, 1, 1400131.	1.9	30
159	Synthesis, structure and photocatalytic activity of layered $LaOInS_2$. <i>Journal of Materials Chemistry A</i> , 2017, 5, 14270-14277.	5.2	30
160	Preparation of calcium tantalum oxynitride from layered oxide precursors to improve photocatalytic activity for hydrogen evolution under visible light. <i>Applied Catalysis B: Environmental</i> , 2012, 128, 72-76.	10.8	29
161	Physicochemical Effects on Photocatalytic Water Oxidation by Titanium Fluorooxynitride Powder under Visible Light. <i>Chemistry of Materials</i> , 2009, 21, 2286-2291.	3.2	28
162	Light-Induced Synthesis of Heterojunctioned Nanoparticles on a Semiconductor as Durable Cocatalysts for Hydrogen Evolution. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 7165-7172.	4.0	28

#	ARTICLE	IF	CITATIONS
163	Selective metathesis synthesis of MgCr_2S_4 by control of thermodynamic driving forces. <i>Materials Horizons</i> , 2020, 7, 1310-1316.	6.4	27
164	Site-Selective Deposition of a Cobalt Cocatalyst onto a Plasmonic Au/TiO_2 Photoanode for Improved Water Oxidation. <i>ACS Applied Energy Materials</i> , 2020, 3, 5142-5146.	2.5	26
165	Crystal Structure Analysis of $(\text{Ga}_{0.93}\text{Zn}_{0.07})(\text{N}_{0.90}\text{O}_{0.10})$ Oxynitride Photocatalyst. <i>Materials Transactions</i> , 2006, 47, 295-297.	0.4	24
166	Structural effects of two-dimensional perovskite $\text{Ca}_2\text{Nb}_2\text{TaO}_{10}$ nanosheets for photocatalytic hydrogen evolution. <i>Catalysis Science and Technology</i> , 2016, 6, 1064-1069.	2.1	24
167	Structure and Photocatalytic Activity of PdCrOx Cocatalyst on SrTiO_3 for Overall Water Splitting. <i>Catalysts</i> , 2019, 9, 59.	1.6	24
168	A Visible-Light-Driven Z-Scheme CO_2 Reduction System Using Ta_3N_5 and a Ru(II) Binuclear Complex. <i>Bulletin of the Chemical Society of Japan</i> , 2019, 92, 124-126.	2.0	24
169	Hydrothermal synthesis of rhodium-doped barium titanate nanocrystals for enhanced photocatalytic hydrogen evolution under visible light. <i>RSC Advances</i> , 2015, 5, 100123-100128.	1.7	23
170	Inert Layered Silicate Improves the Electrochemical Responses of a Metal Complex Polymer. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 35498-35503.	4.0	23
171	CO_2 reduction using oxynitrides and nitrides under visible light. <i>Progress in Solid State Chemistry</i> , 2018, 51, 52-62.	3.9	23
172	Synthesis of a Layered Niobium Oxynitride, $\text{Rb}_2\text{NdNb}_2\text{O}_6 \cdot \text{NH}_2\text{O}$, Showing Visible-Light Photocatalytic Activity for H_2 Evolution. <i>Inorganic Chemistry</i> , 2019, 58, 6161-6166.	1.9	23
173	Nano vs. bulk rutile TiO_2 :N,F in Z-scheme overall water splitting under visible light. <i>Journal of Materials Chemistry A</i> , 2020, 8, 11996-12002.	5.2	23
174	Reversible and Fast (De)fluorination of High Capacity Cu_2O Cathode: One Step Toward Practically Applicable All-Solid-State Fluoride-Ion Battery. <i>Advanced Energy Materials</i> , 2021, 11, 2102285.	10.2	23
175	Visible-Light-Induced Photocatalytic Activity of Stacked MXene Sheets of Y_2CF_2 . <i>Journal of Physical Chemistry C</i> , 2020, 124, 14640-14645.	1.5	22
176	Excited Carrier Dynamics in a Dye-Sensitized Niobate Nanosheet Photocatalyst for Visible-Light Hydrogen Evolution. <i>ACS Catalysis</i> , 2021, 11, 659-669.	5.5	22
177	Synthesis and applications of carbon nitride (CN) family with different carbon to nitrogen ratio. <i>Carbon</i> , 2022, 188, 482-491.	5.4	22
178	Investigation of cocatalysts on silver-modified $\text{Sm}_2\text{Ti}_2\text{S}_2\text{O}_5$ photocatalyst for water reduction and oxidation under visible light irradiation. <i>Catalysis Today</i> , 2012, 185, 253-258.	2.2	21
179	Photocatalytic Water Oxidation over Metal Oxide Nanosheets Having a Three-Layer Perovskite Structure. <i>ChemSusChem</i> , 2016, 9, 396-402.	3.6	21
180	A zinc-based oxysulfide photocatalyst $\text{SrZn}_2\text{S}_2\text{O}$ capable of reducing and oxidizing water. <i>Dalton Transactions</i> , 2019, 48, 15778-15781.	1.6	21

#	ARTICLE	IF	CITATIONS
181	Crucial impact of reduction on the photocarrier dynamics of SrTiO ₃ powders studied by transient absorption spectroscopy. <i>Journal of Materials Chemistry A</i> , 2019, 7, 26139-26146.	5.2	21
182	Recent Progress in Mixed-Anion Materials for Solar Fuel Production. <i>Solar Rrl</i> , 2021, 5, 2000521.	3.1	21
183	Mechanistic Insight on the Formation of GaN:ZnO Solid Solution from Zn-Ga Layered Double Hydroxide Using Urea as the Nitriding Agent. <i>Inorganic Chemistry</i> , 2018, 57, 13953-13962.	1.9	20
184	Synthesis of Three-Layer Perovskite Oxynitride K ₂ Ca ₂ Ta ₃ O ₉ N ₂ H ₂ O and Photocatalytic Activity for H ₂ Evolution under Visible Light. <i>Inorganic Chemistry</i> , 2020, 59, 11122-11128.	1.9	20
185	Oxidation of Water under Visible-Light Irradiation over Modified BaTaO ₂ N Photocatalysts Promoted by Tungsten Species. <i>Angewandte Chemie</i> , 2013, 125, 6616-6619.	1.6	18
186	Chromium-substituted hematite powder as a catalytic material for photochemical and electrochemical water oxidation. <i>Catalysis Science and Technology</i> , 2017, 7, 2940-2946.	2.1	18
187	Facile μ n control, and magnetic and thermoelectric properties of chromium selenides Cr _{2+x} Se ₃ . <i>Journal of Materials Chemistry C</i> , 2019, 7, 8269-8276.	2.7	18
188	Capacity Improvement by Nitrogen Doping to Lithium-Rich Cathode Materials with Stabilization Effect of Oxide Ions Redox. <i>ACS Applied Energy Materials</i> , 2020, 3, 4162-4167.	2.5	18
189	Surface Nanostructures in Photocatalysts for Visible-Light-Driven Water Splitting. <i>Topics in Current Chemistry</i> , 2011, 303, 95-119.	4.0	17
190	Intercalation of Highly Dispersed Metal Nanoclusters into a Layered Metal Oxide for Photocatalytic Overall Water Splitting. <i>Angewandte Chemie</i> , 2015, 127, 2736-2740.	1.6	17
191	Undoped Layered Perovskite Oxynitride Li ₂ LaTa ₂ O ₆ N for Photocatalytic CO ₂ Reduction with Visible Light. <i>Angewandte Chemie</i> , 2018, 130, 8286-8290.	1.6	17
192	Photocatalytic overall water splitting on Pt nanocluster-intercalated, restacked KCa ₂ Nb ₃ O ₁₀ nanosheets: the promotional effect of co-existing ions. <i>Nanoscale Advances</i> , 2019, 1, 189-194.	2.2	17
193	Structures, electron density and characterization of novel photocatalysts, (BaTaO ₂ N) _{1-x} (SrWO ₂ N) _x solid solutions. <i>Dalton Transactions</i> , 2017, 46, 14947-14956.	1.6	16
194	Influence of TiO ₂ Support on Activity of Co ₃ O ₄ /TiO ₂ Photocatalysts for Visible-Light Water Oxidation. <i>Bulletin of the Chemical Society of Japan</i> , 2018, 91, 486-491.	2.0	16
195	Oxyfluoride Pb ₂ Ti ₄ O ₉ F ₂ as a Stable Anode Material for Photoelectrochemical Water Oxidation. <i>Journal of Physical Chemistry C</i> , 2020, 124, 1844-1850.	1.5	16
196	Alumina-Supported Alpha-Iron(III) Oxyhydroxide as a Recyclable Solid Catalyst for CO ₂ Photoreduction under Visible Light. <i>Angewandte Chemie - International Edition</i> , 2022, 61, e202204948.	7.2	15
197	Enhanced water splitting through two-step photoexcitation by sunlight using tantalum/nitrogen-codoped rutile titania as a water oxidation photocatalyst. <i>Sustainable Energy and Fuels</i> , 2019, 3, 2337-2346.	2.5	14
198	Boosting photocatalytic H ₂ O ₂ production by coupling of sulfuric acid and 5-sulfosalicylic acid incorporated polyaniline with g-C ₃ N ₄ . <i>Sustainable Energy and Fuels</i> , 2020, 4, 4186-4195.	2.5	14

#	ARTICLE	IF	CITATIONS
199	Selective CO ₂ reduction into formate using Ln ^{III} Ta oxynitrides combined with a binuclear Ru(II) complex under visible light. <i>Journal of Energy Chemistry</i> , 2021, 55, 176-182.	7.1	14
200	Preparation of Pt ^{II} -Intercalated KCa ₂ Nb ₃ O ₁₀ Nanosheets and Their Photocatalytic Activity for Overall Water Splitting. <i>ChemNanoMat</i> , 2016, 2, 748-755.	1.5	13
201	Visible-Light-Driven Water Oxidation Using Anatase Titania Modified with First-Row Transition-Metal-Oxide Nanoclusters. <i>Journal of Physical Chemistry C</i> , 2019, 123, 10429-10434.	1.5	13
202	Synthesis of Copolymerized Carbon Nitride Nanosheets from Urea and 2-Aminobenzonitrile for Enhanced Visible Light CO ₂ Reduction with a Ruthenium(II) Complex Catalyst. <i>Solar Rrl</i> , 2020, 4, 1900461.	3.1	13
203	Anion Substitution at Apical Sites of Ruddlesden ^{II} -Popper-type Cathodes toward High Power Density for All-Solid-State Fluoride-Ion Batteries. <i>Chemistry of Materials</i> , 2022, 34, 609-616.	3.2	13
204	A metal-free polymeric photocatalyst for hydrogen production from water under visible light. , 2010, , 271-275.		12
205	Rapid deposition and thermoelectric properties of ytterbium boride thin films using hybrid physical chemical vapor deposition. <i>Materialia</i> , 2018, 1, 244-248.	1.3	12
206	Water Oxidation through Interfacial Electron Transfer by Visible Light Using Cobalt-Modified Rutile Titania Thin-Film Photoanode. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 9219-9225.	4.0	12
207	Sn-Based Perovskite with a Wide Visible-Light Absorption Band Assisted by Hydride Doping. <i>Chemistry of Materials</i> , 2021, 33, 3631-3638.	3.2	12
208	An Improved Z-Scheme for Overall Water Splitting Using Dye-Sensitized Calcium Niobate Nanosheets Synthesized by a Flux Method. <i>ACS Applied Energy Materials</i> , 2021, 4, 10145-10152.	2.5	12
209	Activation of a Pt-loaded Pb ₂ Ti ₂ O _{5.4} F _{1.2} photocatalyst by alkaline chloride treatment for improved H ₂ evolution under visible light. <i>Journal of Materials Chemistry A</i> , 2020, 8, 9099-9108.	5.2	11
210	Fabrication of Photoelectrodes from LaTiO ₂ N Particles for Photoelectrochemical Water Splitting. <i>Bulletin of the Chemical Society of Japan</i> , 2013, 86, 540-546.	2.0	10
211	Emission spectroscopy of a ruthenium(II) polypyridyl complex adsorbed on calcium niobate lamellar solids and nanosheets. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 17962-17966.	1.3	10
212	Modification of Wide-Band-Gap Oxide Semiconductors with Cobalt Hydroxide Nanoclusters for Visible-Light Water Oxidation. <i>Angewandte Chemie</i> , 2016, 128, 8449-8453.	1.6	10
213	Effects of the SrTiO ₃ support on visible-light water oxidation with Co ₃ O ₄ nanoparticles. <i>Dalton Transactions</i> , 2017, 46, 16959-16966.	1.6	10
214	New Precursor Route Using a Compositionally Flexible Layered Oxide and Nanosheets for Improved Nitrogen Doping and Photocatalytic Activity. <i>ACS Applied Energy Materials</i> , 2018, 1, 1734-1741.	2.5	10
215	Analysis of Optical Properties and Structures of Nitrogen Doped Gallium Oxide. <i>E-Journal of Surface Science and Nanotechnology</i> , 2018, 16, 262-266.	0.1	10
216	Oxygen-Doped Ta ₃ N ₅ Nanoparticles for Enhanced Z-Scheme Carbon Dioxide Reduction with a Binuclear Ruthenium(II) Complex under Visible Light. <i>ChemPhotoChem</i> , 2019, 3, 1027-1033.	1.5	10

#	ARTICLE	IF	CITATIONS
217	Highly Dispersive Deposition of Pt Nanoparticles on CdS Nanostructures for Photocatalytic Hydrogen Evolution. <i>Chemistry Letters</i> , 2012, 41, 1325-1327.	0.7	9
218	Design of Medium Band Gap Ag ⁺ Bi ³⁺ Nb ⁵⁺ O and Ag ⁺ Bi ³⁺ Ta ⁵⁺ O Semiconductors for Driving Direct Water Splitting with Visible Light. <i>Inorganic Chemistry</i> , 2013, 52, 9192-9205.	1.9	9
219	Photochemical Synthesis of Fe(III)-Cr(III) Mixed Oxide Nanoparticles on Strontium Titanate Powder and Their Application as Water Oxidation Cocatalysts. <i>Chemistry Letters</i> , 2016, 45, 967-969.	0.7	9
220	High Rate Performance of Dual-Substituted LiFePO ₄ Based on Controlling Metastable Intermediate Phase. <i>ACS Applied Energy Materials</i> , 2018, 1, 6736-6740.	2.5	9
221	Defect Density-Dependent Electron Injection from Excited-State Ru(II) Tris-Diimine Complexes into Defect-Controlled Oxide Semiconductors. <i>Journal of Physical Chemistry C</i> , 2019, 123, 28310-28318.	1.5	9
222	Effects of Nitrogen/Fluorine Codoping on Photocatalytic Rutile TiO ₂ Crystal Studied by First-Principles Calculations. <i>Inorganic Chemistry</i> , 2021, 60, 2381-2389.	1.9	9
223	Chapter 12 Nano-particulate photocatalysts for overall water splitting under visible light. <i>Theoretical and Computational Chemistry</i> , 2007, 18, 301-315.	0.2	8
224	An electronic structure governed by the displacement of the indium site in In ²⁺ S ₆ octahedra: LnOInS ₂ (Ln = La, Ce, and Pr). <i>Dalton Transactions</i> , 2019, 48, 12272-12278.	1.6	8
225	Selective Synthesis and Photocatalytic Oxygen Evolution Activities of Tantalum/Nitrogen-Codoped Anatase, Brookite and Rutile Titanium Dioxide. <i>Bulletin of the Chemical Society of Japan</i> , 2019, 92, 1032-1038.	2.0	8
226	Control of the Photocatalytic Activity of Metastable Layered Oxynitride K ₂ LaTa ₂ O ₆ N through Topochemical Transformation of Tuned Oxide Precursors. <i>Chemistry of Materials</i> , 2021, 33, 6443-6452.	3.2	8
227	(Oxy)nitrides and Oxysulfides as Visible-Light-Driven Photocatalysts for Overall Water Splitting. <i>Green Energy and Technology</i> , 2011, , 487-529.	0.4	7
228	Transient absorption study on photogenerated carrier dynamics in visible light responsive photocatalysts GaN:ZnO. , 2011, , .		7
229	Highly Efficient Water Oxidation on Rutile Titanium(IV) Oxide Powder in the Presence of Iodate Ions as Reversible Electron Acceptors. <i>Chemistry Letters</i> , 2014, 43, 1287-1288.	0.7	7
230	Light Absorption Properties and Electronic Band Structures of Lead-Vanadium Oxyhalide Apatites Pb ₅ (VO ₄) ₃ X (X=F, Cl, Br, I). <i>Chemistry - an Asian Journal</i> , 2020, 15, 540-545.	1.7	6
231	Improved Electrochemical Water Oxidation over Chromium-Substituted Cobalt Aluminate Spinels. <i>Bulletin of the Chemical Society of Japan</i> , 2020, 93, 13-19.	2.0	5
232	Composite of Rh _y Cr _{2-<i>y</i>} O ₃ /(Ga _{1-x} Zn _x)(Ni _{1-x} O _x) Photocatalysts with Hydrophobic Polytetrafluoroethylene (PTFE) Membranes for the Fabrication of Novel Reaction Sites for Water Vapor Splitting Under Visible Light. <i>Catalysis Letters</i> , 2013, 143, 150-153.	1.4	4
233	A Rutile Titania Photoanode for Solar Water Oxidation Workable under Mild Conditions. <i>Chemistry Letters</i> , 2015, 44, 934-936.	0.7	4
234	Two-Dimensional Perovskite Oxynitride K ₂ LaTa ₂ O ₆ N with an H ⁺ /K ⁺ Exchangeability in Aqueous Solution Forming a Stable Photocatalyst for Visible-Light H ₂ Evolution. <i>Angewandte Chemie</i> , 2020, 132, 9823-9830.	1.6	4

#	ARTICLE	IF	CITATIONS
235	Improvement of a Pb ₂ Ti ₂ O ₅ .4F1.2 Photoanode for Solar Water Splitting by Refining the Cocatalyst and Electrolyte. Bulletin of the Chemical Society of Japan, 2021, 94, 1869-1874.	2.0	4
236	Photochemical synthesis of nanoscale multicomponent metal species and their application to photocatalytic and electrochemical water splitting. , 2020, , 19-38.		3
237	Emerging Nanomaterials for Light-Driven Reactions: Past, Present, and Future. Solar Rrl, 2020, 4, 2000354.	3.1	3
238	Fluorine-Assisted Low-Temperature Synthesis of GaN:ZnO-Related Solid Solutions with Visible-Light Photoresponse. ACS Applied Materials & Interfaces, 2022, 14, 19756-19765.	4.0	3
239	Metal-complex/semiconductor hybrids for carbon dioxide fixation. , 2015, , .		2
240	A bifunctional lead-iron oxyfluoride, PbFeO ₂ F, that functions as a visible-light-responsive photoanode and an electrocatalyst for water oxidation. RSC Advances, 2021, 11, 25616-25623.	1.7	2
241	Accelerated lithium ions diffusion at the interface between LiFePO ₄ electrode and electrolyte by surface-nitride treatment. Solid State Ionics, 2021, 373, 115792.	1.3	2
242	A two-dimensional perovskite oxyfluoride Pb ₃ Fe ₂ O ₅ F ₂ as a catalyst for electrochemical oxidation of water to oxygen. Sustainable Energy and Fuels, 2022, 6, 2423-2427.	2.5	2
243	Synthesis of Hydride-Doped Perovskite Stannate with Visible Light Absorption Capability. Inorganic Chemistry, 2022, , .	1.9	2
244	Alumina-Supported Alpha-Iron(III) Oxyhydroxide as a Recyclable Solid Catalyst for CO ₂ Photoreduction under Visible Light. Angewandte Chemie, 2022, 134, .	1.6	2
245	Improvement of Visible-Light H ₂ Evolution Activity of Pb ₂ Ti ₂ O ₅ .4F _{1.2} Photocatalyst by Coloading of Rh and Pd Cocatalysts. Chemistry - A European Journal, 2022, 28, .	1.7	2
246	Emission spectroscopy of divalent-cation-doped GaN photocatalysts. Journal of Applied Physics, 2011, 110, 113526.	1.1	1
247	Modification of small noble metal particles on KCa ₂ Nb ₃ O ₁₀ restacked nanosheets and the photocatalytic activity. , 2016, , .		1
248	Photocatalytic Approach for CO ₂ Fixation. Lecture Notes in Energy, 2016, , 153-171.	0.2	1
249	Light-Induced Water Splitting Using Layered Metal Oxides and Nanosheets. Semiconductors and Semimetals, 2017, , 257-288.	0.4	1
250	Hybrid Z-scheme nanocomposites for photocatalysis. , 2018, , 289-306.		1
251	Solar Water Oxidation by a Visible-Light-Responsive Tantalum/Nitrogen-Codoped Rutile Titania Anode for Photoelectrochemical Water Splitting and Carbon Dioxide Fixation. ChemPhotoChem, 2019, 3, 3-3.	1.5	1
252	Structure-Activity Relationship in a Cobalt Aluminate Nanoparticle Cocatalyst with a Graphitic Carbon Nitride Photocatalyst for Visible-Light Water Oxidation. ChemPhotoChem, 2020, 4, 5175-5180.	1.5	1

#	ARTICLE	IF	CITATIONS
253	Rutile TiO ₂ -based new photocatalysts for visible light water oxidation. , 2020, , 7-22.		1
254	Electrochemical Crystal Growth of Titanium Oxyfluorides—A Strategy for Development of Electron-Doped Materials. Inorganic Chemistry, 2021, 60, 14613-14621.	1.9	1
255	Photocatalytic Property of Mixed Anion Compounds. Nihon Kessho Gakkaishi, 2018, 60, 260-267.	0.0	1
256	Photocatalytic Water Oxidation by Phosphotungstate and Mg-Al Layered Double Hydroxide Hybrid. Chemistry Letters, 2022, 51, 107-110.	0.7	1
257	Inside Cover: Preparation of Core-Shell-Structured Nanoparticles (with a Noble-Metal or Metal Oxide) Tj ETQq1 1 0.784314 rgBT /Over 1.7 0	1.7	0
258	Modification of Sm ₂ Ti ₂ S ₂ O ₅ with two cocatalysts for remarkably enhanced hydrogen production from water using visible light. , 2010, , .		0
259	Modification of Tantalum (V) Nitride with zirconium oxide for photocatalytic hydrogen production under visible light irradiation. , 2012, , .		0
260	Development of Defect-controlled, Visible-light-responsive Rutile TiO ₂ Photocatalysts. Hosokawa Powder Technology Foundation ANNUAL REPORT, 2016, 24, 92-97.	0.0	0
261	Z-scheme reduction of carbon dioxide with visible light using a binuclear metal complex and a semiconductor. Proceedings of SPIE, 2016, , .	0.8	0
262	(Invited) Dye-Sensitized Oxide Nanosheets for Visible-Light Water Splitting. ECS Meeting Abstracts, 2021, MA2021-01, 1273-1273.	0.0	0
263	<i>In situ</i> formation of a molecular cobalt(ⁱⁱⁱ)/AgCl photocatalyst for visible-light water oxidation. Sustainable Energy and Fuels, 2021, 5, 5694-5698.	2.5	0
264	A Bifunctional Lead—Iron Oxyfluoride, PbFeO ₂ F, That Drives Photoelectrochemical and Electrochemical Water Oxidation. ECS Meeting Abstracts, 2021, MA2021-02, 1736-1736.	0.0	0
265	Titelbild: Alumina—Supported Alpha—Iron(III) Oxyhydroxide as a Recyclable Solid Catalyst for CO ₂ Photoreduction under Visible Light (Angew. Chem. 26/2022). Angewandte Chemie, 2022, 134, .	1.6	0