Alain Caizergues

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1074873/publications.pdf

Version: 2024-02-01

687363 677142 22 519 13 22 citations h-index g-index papers 22 22 22 646 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Population genetic structure of male black grouse (Tetrao tetrix L.) in fragmented vs. continuous landscapes. Molecular Ecology, 2003, 12, 2297-2305.	3.9	84
2	Natal dispersal and its consequences in Black Grouse Tetrao tetrix. Ibis, 2002, 144, 478-487.	1.9	51
3	Unexpected sex ratio adjustment in a colonial cooperative bird: pairs with helpers produce more of the helping sex whereas pairs without helpers do not. Behavioral Ecology and Sociobiology, 2004, 56, 149-154.	1.4	49
4	Kin associations and direct vs indirect fitness benefits in colonial cooperatively breeding sociable weavers Philetairus socius. Behavioral Ecology and Sociobiology, 2006, 60, 323-331.	1.4	46
5	Isolation and characterization of microsatellite loci in black grouse (Tetrao tetrix). Molecular Ecology Notes, 2001, 1, 36-38.	1.7	41
6	Survival of black grouse Tetrao tetrix in the French Alps. Wildlife Biology, 1997, 3, 177-186.	1.4	40
7	Population genetic structure of rock ptarmigan Lagopus mutus in Northern and Western Europe. Molecular Ecology, 2003, 12, 2267-2274.	3.9	39
8	Conservation genetics of Houbara Bustard (Chlamydotis undulata undulata): population structure and its implications for the reinforcement of wild populations. Conservation Genetics, 2010, 11, 1489-1497.	1.5	28
9	Towards the European eradication of the North American ruddy duck. Biological Invasions, 2015, 17, 9-12.	2.4	22
10	Movements of wintering diving ducks: new insights from nasal saddled individuals. Bird Study, 2012, 59, 266-278.	1.0	17
11	Differential migration of the sexes cannot be explained by the body size hypothesis in Teal. Journal of Ornithology, 2009, 150, 685.	1.1	16
12	Multiple tests of the effect of nasal saddles on dabbling ducks: combining field and aviary approaches. Bird Study, 2007, 54, 35-45.	1.0	14
13	Emigration rates and population turnover of teal Anas crecca in two major wetlands of western Europe. Wildlife Biology, 2011, 17, 373-382.	1.4	13
14	Individual turnover in common pochards wintering in western France. Journal of Wildlife Management, 2013, 77, 477-485.	1.8	11
15	Movement Patterns in a Partial Migrant: A Multi-Event Capture-Recapture Approach. PLoS ONE, 2014, 9, e96478.	2.5	11
16	Comparing the migration of Eurasian Teal <i>Anas crecca</i> from two main wintering areas of Western Europe: A longâ€ŧerm study from Essex, England, and the Camargue, France. Ringing and Migration, 2009, 24, 273-276.	0.4	9
17	Unraveling migratory connectivity of two European diving ducks: a stable isotope approach. European Journal of Wildlife Research, 2016, 62, 701-711.	1.4	8
18	Patterns of spatial distribution and migration phenology of common pochards ⟨i⟩Aythya ferina⟨/i⟩ in the Western Palearctic: a ringâ€recoveries analysis. Wildlife Biology, 2018, 2018, 1-11.	1.4	8

#	Article	IF	CITATIONS
19	Blood and cloacal swab sampling for avian influenza monitoring has no effect on survival rates of freeâ€ranging ducks. Ibis, 2015, 157, 743-753.	1.9	5
20	Combining field and aviary approaches to monitor incubation in ducks: importance of clutch size, body mass and weather. Bird Study, 2011, 58, 421-434.	1.0	3
21	When survival matters: is decreasing survival underlying the decline of common pochard in western Europe?. Wildlife Biology, 2020, 2020, 1-12.	1.4	3
22	Assessing spatiotemporal variation in abundance: A flexible framework accounting for sampling bias with an application to common pochard (<i>Aythya ferina</i>). Ecology and Evolution, 2022, 12, e8835.	1.9	1