

Andrew Wragg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10752103/publications.pdf>

Version: 2024-02-01

65
papers

2,247
citations

279487

23
h-index

223531

46
g-index

65
all docs

65
docs citations

65
times ranked

3875
citing authors

#	ARTICLE	IF	CITATIONS
1	TGF- β 2 Signaling Mediates Endothelial-to-Mesenchymal Transition (EndMT) During Vein Graft Remodeling. <i>Science Translational Medicine</i> , 2014, 6, 227ra34.	5.8	321
2	Implementing workplace-based assessment across the medical specialties in the United Kingdom. <i>Medical Education</i> , 2008, 42, 364-373.	1.1	215
3	Successful Recanalization of Chronic Total Occlusions Is Associated With Improved Long-Term Survival. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 380-388.	1.1	197
4	Integrating CT Myocardial Perfusion and Δ CT-FFR in the Work-Up of Δ Coronary Δ Artery Δ Disease. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 760-770.	2.3	130
5	Diagnostic performance of hyperaemic myocardial blood flow index obtained by dynamic computed tomography: does it predict functionally significant coronary lesions?. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 85-94.	0.5	119
6	Angiography Alone Versus Angiography Δ Plus Optical Coherence Δ Tomography to Δ Guide Percutaneous Δ Coronary Δ Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1313-1321.	1.1	103
7	Contemporary trends in cardiogenic shock: Incidence, intra-aortic balloon pump utilisation and outcomes from the London Heart Attack Group. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 16-27.	0.4	96
8	Assessing the performance of specialist registrars. <i>Clinical Medicine</i> , 2003, 3, 131-134.	0.8	91
9	Effect of Low-Dose Intracoronary Alteplase During Primary Percutaneous Coronary Intervention on Microvascular Obstruction in Patients With Acute Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 56.	3.8	88
10	The use of novel oral anticoagulants compared to vitamin K antagonists (warfarin) in patients with left ventricular thrombus after acute myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 398-404.	1.4	69
11	Remote ischemic preconditioning has a neutral effect on the incidence of kidney injury after coronary artery bypass graft surgery. <i>Kidney International</i> , 2015, 87, 473-481.	2.6	68
12	Safety and feasibility of hospital discharge 2 Δ €..days following primary percutaneous intervention for ST-segment elevation myocardial infarction. <i>Heart</i> , 2012, 98, 1722-1727.	1.2	62
13	Quantitative Computed Tomographic Coronary Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 43-51.	1.3	53
14	Dynamic Computed Tomography Myocardial Perfusion Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	1.3	50
15	Mortality in South Asians and Caucasians After Percutaneous Coronary Intervention in the United Kingdom. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 362-371.	1.1	44
16	Diagnosis and Prognosis in Sudden Cardiac Arrest Survivors Without Coronary Artery Disease. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, e006709.	1.3	44
17	An exploratory randomized control study of combination cytokine and adult autologous bone marrow progenitor cell administration in patients with ischaemic cardiomyopathy: the \langle scp>REGENERATE \langle /scp> clinical trial. <i>European Journal of Heart Failure</i> , 2017, 19, 138-147.	2.9	41
18	VEGFR1/CXCR4-positive progenitor cells modulate local inflammation and augment tissue perfusion by a SDF-1-dependent mechanism. <i>Journal of Molecular Medicine</i> , 2008, 86, 1221-1232.	1.7	39

#	ARTICLE	IF	CITATIONS
19	The impact of acute kidney injury on midterm outcomes after coronary artery bypass graft surgery: A matched propensity score analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 147, 989-995.	0.4	35
20	Radial Versus Femoral Access Is Associated With Reduced Complications and Mortality in Patients With Non-â€œST-Segmentâ€œ Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2014, 7, 456-464.	1.4	30
21	Atypical risk factor profile and excellent long-term outcomes of young patients treated with primary percutaneous coronary intervention for ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 23-32.	0.4	29
22	Outcome of 1051 Octogenarian Patients With ST-â€œSegment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention: Observational Cohort From the London Heart Attack Group. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	27
23	Impact of diabetes mellitus and renal insufficiency on 5-year mortality following coronary artery bypass graft surgery: a cohort study of 4869 UK patients. <i>European Journal of Cardio-thoracic Surgery</i> , 2014, 45, 1075-1081.	0.6	24
24	Out-of-hours primary percutaneous coronary intervention for ST-elevation myocardial infarction is not associated with excess mortality: a study of 3347 patients treated in an integrated cardiac network. <i>BMJ Open</i> , 2013, 3, e003063.	0.8	23
25	The Effects of Age, Disease State, and Granulocyte Colony-Stimulating Factor on Progenitor Cell Count and Function in Patients Undergoing Cell Therapy for Cardiac Disease. <i>Stem Cells and Development</i> , 2013, 22, 216-223.	1.1	20
26	Clinical assessment of patients with chest pain; a systematic review of predictive tools. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 18.	0.7	19
27	Prior Coronary Artery Bypass Graft Surgery and Outcome After Percutaneous Coronary Intervention: An Observational Study From the Pan-â€œLondon Percutaneous Coronary Intervention Registry. <i>Journal of the American Heart Association</i> , 2020, 9, e014409.	1.6	19
28	UK perspective on the changing landscape of non-invasive cardiac testing. <i>Open Heart</i> , 2019, 6, e001186.	0.9	18
29	Early Hospital Discharge Following PCI for Patients With STEMI. <i>Journal of the American College of Cardiology</i> , 2021, 78, 2550-2560.	1.2	18
30	Clinical value of chest pain presentation and prodromes on the assessment of cardiovascular disease: a cohort study. <i>BMJ Open</i> , 2015, 5, e007251-e007251.	0.8	13
31	Clinical outcomes after myocardial revascularization according to operator training status: cohort study of 22 697 patients undergoing percutaneous coronary intervention or coronary artery bypass graft surgery. <i>European Heart Journal</i> , 2013, 34, 2887-2895.	1.0	12
32	Risk scoring to guide antiplatelet therapy post-percutaneous coronary intervention for acute coronary syndrome results in improved clinical outcomes. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 283-289.	1.8	11
33	The association between the public reporting of individual operator outcomes with patient profiles, procedural management, and mortality after percutaneous coronary intervention: an observational study from the Pan-London PCI (BCIS) Registry using an interrupted time series analysis. <i>European Heart Journal</i> , 2019, 40, 2620-2629.	1.0	10
34	Simulator Training in Interventional Cardiology. <i>Interventional Cardiology Review</i> , 2016, 11, 70.	0.7	9
35	Coronary atherosclerotic plaque burden and composition by CT angiography in Caucasian and South Asian patients with stable chest pain. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 556-567.	0.5	9
36	Computed tomography cardiac angiography for planning invasive angiographic procedures in patients with previous coronary artery bypass grafting. <i>EuroIntervention</i> , 2020, 15, e1351-e1357.	1.4	9

#	ARTICLE	IF	CITATIONS
37	Recurrent ascites due to constrictive pericarditis. <i>Frontline Gastroenterology</i> , 2012, 3, 233-237.	0.9	8
38	A Noncontrast CMR Risk Score for Long-Term Risk Stratification in Reperfused ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 431-440.	2.3	8
39	Heritability of cerebral arterial velocity and resistance. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 28-33.	0.6	6
40	Outcomes after chronic total occlusion percutaneous coronary interventions. <i>Coronary Artery Disease</i> , 2018, 29, 557-563.	0.3	6
41	FFR _{CT} derived from computed tomography angiography: the experience in the UK. <i>Expert Review of Cardiovascular Therapy</i> , 2018, 16, 919-929.	0.6	6
42	Effect of coronary flow on intracoronary alteplase: a prespecified analysis from a randomised trial. <i>Heart</i> , 2021, 107, 299-312.	1.2	6
43	The BYPASS-CTCA Study: the value of Computed Tomography Cardiac Angiography (CTCA) in improving patient-related outcomes in patients with previous bypass operation undergoing invasive coronary angiography: Study Protocol of a Randomised Controlled Trial. <i>Annals of Translational Medicine</i> , 2021, 9, 1395-1395.	0.7	6
44	An observational study of clinical outcomes of everolimus-eluting bioresorbable scaffolds comparing the procedural use of optical coherence tomography against angiography alone. <i>Coronary Artery Disease</i> , 2018, 29, 482-488.	0.3	5
45	Complete Versus Culprit only Revascularisation in Patients with Cardiogenic Shock Complicating Acute Myocardial Infarction: Incidence and Outcomes from the London Heart Attack Group. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 350-358.	0.3	5
46	One-Year Outcomes After Low-Dose Intracoronary Alteplase During Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008855.	1.4	5
47	Impact of Early ($\leq 24\text{h}$) Versus Delayed (>24h) Intervention in Patients With Non-ST Segment Elevation Myocardial Infarction: An Observational Study of 20,882 Patients From the London Heart Attack Group. <i>Cardiovascular Revascularization Medicine</i> , 2021, 22, 3-7.	0.3	5
48	COVID-19 and changes in activity and treatment of ST elevation MI from a UK cardiac centre. <i>IJC Heart and Vasculature</i> , 2021, 33, 100736.	0.6	5
49	Routine use of fluoroscopic guidance and up-front femoral angiography results in reduced femoral complications in patients undergoing coronary angiographic procedures: an observational study using an Interrupted Time-Series analysis. <i>Heart and Vessels</i> , 2019, 34, 419-426.	0.5	3
50	Time-Trend Analyses of Bleeding and Mortality After Primary Percutaneous Coronary Intervention During Out of Working Hours Versus In-Working Hours. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e002206.	1.4	2
51	Drug-Eluting Stents Appear Superior to Bare Metal Stents for Vein-Graft PCI in Vessels up to a Stent Diameter of 4 mm. <i>Heart International</i> , 2016, 11, heartint.500022.	0.4	2
52	An Observational Study Assessing the Predictors of Procedural Failure From the Radial Approach: Is Right Radial Access Always the Best?. <i>Cardiovascular Revascularization Medicine</i> , 2022, 42, 86-91.	0.3	2
53	Readmission after percutaneous coronary intervention: an important clinical outcome?â€”60-day readmission rate after percutaneous coronary intervention: predictors and impact on long-term outcomes. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2015, 1, 47-48.	1.8	1
54	Coronary intervention for stable angina. <i>BMJ: British Medical Journal</i> , 2018, 363, k5351.	2.4	1

#	ARTICLE	IF	CITATIONS
55	3â€¦Cardiac Diagnoses in Survivors of Cardiac Arrest with Culprit-Free Coronary Angiograms. Heart, 2014, 100, A1.3-A2.	1.2	0
56	Assessing the protective effect of remote ischemic preconditioning on acute kidney injury after coronary artery bypass graft surgery. Kidney International, 2015, 88, 1195-1196.	2.6	0
57	Appearances can be deceiving. European Heart Journal Cardiovascular Imaging, 2015, 16, 1049.	0.5	0
58	Cautious anticoagulation strategy in patients with dialysis-requiring end-stage kidney disease. Heart, 2017, 103, 641-641.	1.2	0
59	Review: FFRCT Changing the Face of Cardiac CT. Current Cardiovascular Imaging Reports, 2020, 13, 1.	0.4	0
60	Delayed Diagnosis of Compartment Syndrome After Transradial PCI, Leading to Long-Term Disability. Cardiovascular Revascularization Medicine, 2022, 40, 254-257.	0.3	0
61	Public reporting of PCI operator outcomes. Aging, 2019, 11, 11797-11798.	1.4	0
62	Low-dose intracoronary alteplase during primary percutaneous coronary intervention in patients with acute myocardial infarction: the T-TIME three-arm RCT. Efficacy and Mechanism Evaluation, 2020, 7, 1-86.	0.9	0
63	Routine aspiration thrombectomy is associated with increased stroke rates during primary percutaneous coronary intervention for myocardial infarction. American Journal of Cardiovascular Disease, 2020, 10, 548-556.	0.5	0
64	The impact of the COVID-19 pandemic on the delivery of primary percutaneous coronary intervention in STEMI. American Journal of Cardiovascular Disease, 2021, 11, 647-658.	0.5	0
65	Validation of the CREST score for predicting circulatory-aetiology death in out-of-hospital cardiac arrest without STEMI.. American Journal of Cardiovascular Disease, 2021, 11, 723-733.	0.5	0