

# Ricardo E Carriñán

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10752313/publications.pdf>

Version: 2024-02-01

44  
papers

2,065  
citations

331670

21  
h-index

254184

43  
g-index

45  
all docs

45  
docs citations

45  
times ranked

2290  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neurocognition as a Biomarker for Psychosis Onset: Exploring the Impact of Age. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 5-6.	1.5	0
2	Mismatch Negativity in Response to Auditory Deviance and Risk for Future Psychosis in Youth at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2022, 79, 780.	11.0	21
3	Social decline in the psychosis prodrome: Predictor potential and heterogeneity of outcome. <i>Schizophrenia Research</i> , 2021, 227, 44-51.	2.0	12
4	The immediate impact of the COVID-19 pandemic on attenuated positive symptoms and functioning in individuals at clinical high risk for psychosis: A pilot study. <i>Schizophrenia Research</i> , 2021, 236, 9-11.	2.0	2
5	Predicting psychosis risk using a specific measure of cognitive control: a 12-month longitudinal study. <i>Psychological Medicine</i> , 2020, 50, 2230-2239.	4.5	10
6	Patterns and perceptions of face-to-face and digital communication in the clinical high risk and early stages of psychosis. <i>Psychiatry Research</i> , 2020, 284, 112667.	3.3	3
7	Evidence of Slow Neural Processing, Developmental Differences and Sensitivity to Cannabis Effects in a Sample at Clinical High Risk for Psychosis From the NAPLS Consortium Assessed With the Human Startle Paradigm. <i>Frontiers in Psychiatry</i> , 2020, 11, 833.	2.6	4
8	DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 568982.	2.6	7
9	Reliability of mismatch negativity event-related potentials in a multisite, traveling subjects study. <i>Clinical Neurophysiology</i> , 2020, 131, 2899-2909.	1.5	6
10	Stability of mismatch negativity event-related potentials in a multisite study. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1819.	2.1	10
11	Demographic and Clinical Characteristics, Including Subsyndromal Symptoms Across Bipolar-Spectrum Disorders in Adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020, 30, 222-234.	1.3	8
12	Deficits in auditory predictive coding in individuals with the psychosis risk syndrome: Prediction of conversion to psychosis. <i>Journal of Abnormal Psychology</i> , 2020, 129, 599-611.	1.9	15
13	Association Between P300 Responses to Auditory Oddball Stimuli and Clinical Outcomes in the Psychosis Risk Syndrome. <i>JAMA Psychiatry</i> , 2019, 76, 1187.	11.0	59
14	Baseline psychopathology and relationship to longitudinal functional outcome in attenuated and early first episode psychosis. <i>Schizophrenia Research</i> , 2019, 212, 157-162.	2.0	14
15	Bipolar Prodrome Symptom Scale - Abbreviated Screen for Patients: Description and validation. <i>Journal of Affective Disorders</i> , 2019, 249, 357-365.	4.1	17
16	Altered Brain Activation During Memory Retrieval Precedes and Predicts Conversion to Psychosis in Individuals at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2019, 45, 924-933.	4.3	14
17	The Global Functioning: Social and Role Scales—Further Validation in a Large Sample of Adolescents and Young Adults at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 763-772.	4.3	55
18	Toward Leveraging Human Connectomic Data in Large Consortia: Generalizability of fMRI-Based Brain Graphs Across Sites, Sessions, and Paradigms. <i>Cerebral Cortex</i> , 2019, 29, 1263-1279.	2.9	55

#	ARTICLE	IF	CITATIONS
19	Potentially important periods of change in the development of social and role functioning in youth at clinical high risk for psychosis. <i>Development and Psychopathology</i> , 2018, 30, 39-47.	2.3	31
20	From the psychosis prodrome to the first-episode of psychosis: No evidence of a cognitive decline. <i>Journal of Psychiatric Research</i> , 2018, 96, 231-238.	3.1	68
21	Prediction of functional outcome in young patients with a recent-onset psychiatric disorder: Beyond the traditional diagnostic classification system. <i>Schizophrenia Research</i> , 2017, 185, 114-121.	2.0	9
22	A Severity-Based Clinical Staging Model for the Psychosis Prodrome: Longitudinal Findings From the New York Recognition and Prevention Program. <i>Schizophrenia Bulletin</i> , 2017, 43, 64-74.	4.3	54
23	The Role of Cognition and Social Functioning as Predictors in the Transition to Psychosis for Youth With Attenuated Psychotic Symptoms. <i>Schizophrenia Bulletin</i> , 2017, 43, 57-63.	4.3	84
24	Neuropsychological Test Performance to Enhance Identification of Subjects at Clinical High Risk for Psychosis and Be Most Promising for Predictive Algorithms for Conversion to Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e28-e40.	2.2	68
25	Personalized Prediction of Psychosis: External Validation of the NAPLS-2 Psychosis Risk Calculator With the EDIPPP Project. <i>American Journal of Psychiatry</i> , 2016, 173, 989-996.	7.2	142
26	Functional Capacity Assessed by the Map Task in Individuals at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1234-1242.	4.3	17
27	Theory of Mind as a mediator variable between neurocognition and functioning in young individuals in treatment with secondary services for non-psychotic disorders. <i>Psychiatry Research</i> , 2016, 246, 415-420.	3.3	6
28	Duration of attenuated positive and negative symptoms in individuals at clinical high risk: Associations with risk of conversion to psychosis and functional outcome. <i>Journal of Psychiatric Research</i> , 2016, 81, 95-101.	3.1	70
29	Deconstructing the Psychosis Risk Syndrome. <i>JAMA Psychiatry</i> , 2016, 73, 105.	11.0	18
30	Attenuated psychotic and basic symptom characteristics in adolescents with ultra-high risk criteria for psychosis, other non-psychotic psychiatric disorders and early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1091-1102.	4.7	26
31	Psychosis Prevention: A Modified Clinical High Risk Perspective From the Recognition and Prevention (RAP) Program. <i>American Journal of Psychiatry</i> , 2015, 172, 986-994.	7.2	128
32	Contributions of early cortical processing and reading ability to functional status in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 164, 1-7.	2.0	46
33	Self-awareness of functional impairment in individuals at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2015, 9, 100-107.	1.7	20
34	Frequency and Correlates of DSM-5 Attenuated Psychosis Syndrome in a Sample of Adolescent Inpatients With Nonpsychotic Psychiatric Disorders. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1449-e1458.	2.2	20
35	The Bipolar Prodrome Symptom Interview and Scaleâ€“Prospective (BPSSâ€“P): description and validation in a psychiatric sample and healthy controls. <i>Bipolar Disorders</i> , 2014, 16, 505-522.	1.9	77
36	The Relationship of Neurocognition and Negative Symptoms to Social and Role Functioning Over Time in Individuals at Clinical High Risk in the First Phase of the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 1452-1461.	4.3	137

#	ARTICLE	IF	CITATIONS
37	Type and duration of subsyndromal symptoms in youth with bipolar I disorder prior to their first manic episode. <i>Bipolar Disorders</i> , 2014, 16, 478-492.	1.9	91
38	Prediction of Functional Outcome in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 1133.	11.0	202
39	Between-site reliability of startle prepulse inhibition across two early psychosis consortia. <i>NeuroReport</i> , 2013, 24, 626-630.	1.2	6
40	Risk Factors for Psychosis: Impaired Social and Role Functioning. <i>Schizophrenia Bulletin</i> , 2012, 38, 1247-1257.	4.3	206
41	Cognitive changes following antidepressant or antipsychotic treatment in adolescents at clinical risk for psychosis. <i>Schizophrenia Research</i> , 2012, 137, 110-117.	2.0	24
42	Impact of Neurocognition on Social and Role Functioning in Individuals at Clinical High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2011, 168, 806-813.	7.2	164
43	Domain-specific learning of grammatical structure in musical and phonological sequences. <i>Memory and Cognition</i> , 2009, 37, 10-20.	1.6	11
44	The effects of learning on event-related potential correlates of musical expectancy. <i>Psychophysiology</i> , 2008, 45, 759-775.	2.4	27