

Nikolay A Poyarkov Jr

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10753171/nikolay-a-poyarkov-jr-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

779
citations

15
h-index

26
g-index

67
ext. papers

1,023
ext. citations

2.1
avg, IF

4.04
L-index

#	Paper	IF	Citations
60	An integrative taxonomic revision of slug-eating snakes (Squamata: Pareidae: Pareinae) reveals unprecedented diversity in Indochina.. <i>PeerJ</i> , 2022 , 10, e12713	3.1	1
59	The biogeography of bent-toed geckos, (Squamata: Gekkonidae).. <i>PeerJ</i> , 2022 , 10, e13153	3.1	1
58	A new species of (Amphibia: Anura: Microhylidae) from the Langbian Plateau in southern Vietnam. <i>Zoological Research</i> , 2021 , 42, 726-733	3.4	0
57	Karstic Landscapes Are Foci of Species Diversity in the World's Third-Largest Vertebrate Genus <i>Cyrtodactylus</i> Gray, 1827 (Reptilia: Squamata; Gekkonidae). <i>Diversity</i> , 2021 , 13, 183	2.5	10
56	Recent Progress in Taxonomic Studies, Biogeographic Analysis, and Revised Checklist of Amphibians in Indochina. <i>Russian Journal of Herpetology</i> , 2021 , 28, 1-110	1.4	3
55	Consequences of parallel miniaturisation in Microhylinae (Anura, Microhylidae), with the description of a new genus of diminutive South East Asian frogs. <i>Zoosystematics and Evolution</i> , 2021 , 97, 21-54	1.5	2
54	A new species of the genus (Anura, Microhylidae) from Hainan Island, China. <i>Zoological Research</i> , 2021 , 42, 234-240	3.4	2
53	Phylogenetic analyses of distantly related clades of bent-toed geckos (genus <i>Cyrtodactylus</i>) reveal an unprecedented amount of cryptic diversity in northern and western Thailand. <i>Scientific Reports</i> , 2021 , 11, 2328	4.9	3
52	Integrative taxonomic analysis reveals a new species of <i>Leptobrachium</i> Tschudi, 1838 (Anura, Megophryidae) from Bangladesh. <i>Journal of Natural History</i> , 2021 , 55, 85-114	0.5	2
51	A new species of miniaturised narrow-mouth frog of the genus <i>Microhyla</i> Tschudi, 1838 (Amphibia: Anura: Microhylidae) from northern Tenasserim, Thailand. <i>Journal of Natural History</i> , 2020 , 54, 1525-1558	0.5	1
50	A new species of <i>Sphenomorphus</i> (Squamata: Scincidae) from Phu Quoc Island, Vietnam with a discussion of biogeography and character state evolution in the <i>S. stellatus</i> group. <i>Zootaxa</i> , 2020 , 4801, zootaxa.4801.3.3	0.5	
49	A new species of <i>Kurixalus</i> (Anura: Rhacophoridae) from northern Vietnam with comments on the biogeography of the genus. <i>Journal of Natural History</i> , 2020 , 54, 195-223	0.5	4
48	How little is known about "the little brown frogs": description of three new species of the genus (Anura: Megophryidae) from Yunnan Province, China. <i>Zoological Research</i> , 2020 , 41, 292-313	3.4	6
47	A new species of (Amphibia: Microhylidae) from southern Thailand. <i>Zoological Research</i> , 2020 , 41, 581-584	3.4	2
46	A new species of Fitzinger, 1826 from the Langbian Plateau, southern Vietnam, with additional information on Leviton, 1953 (Squamata: Colubridae). <i>PeerJ</i> , 2020 , 8, e8332	3.1	5
45	Additions to the phylogeny of colubrine snakes in Southwestern Asia, with description of a new genus and species (Serpentes: Colubridae: Colubrinae). <i>PeerJ</i> , 2020 , 8, e9016	3.1	1
44	A little frog leaps a long way: compounded colonizations of the Indian Subcontinent discovered in the tiny Oriental frog genus (Amphibia: Microhylidae). <i>PeerJ</i> , 2020 , 8, e9411	3.1	15

43	A new species of the <i>Pareas monticola</i> complex (Squamata: Serpentes: Pareidae) from Chin Mountains with additions to the <i>Pareas</i> fauna of Myanmar. <i>Journal of Natural History</i> , 2020 , 54, 2577-2612	0.5	4
42	A new species of <i>Hemiphyllodactylus</i> Bleeker (Squamata; Gekkonidae) from Peninsular Thailand that converges in morphology and color pattern on <i>Pseudogekko smaragdinus</i> (Taylor) from the Philippines. <i>Zootaxa</i> , 2020 , 4816, zootaxa.4816.2.2	0.5	4
41	A new species of <i>Cnemaspis</i> Strauch (Squamata: Gekkonidae) of the <i>C. siamensis</i> group from Tenasserim Mountains, Thailand. <i>Zootaxa</i> , 2020 , 4852, zootaxa.4852.5.3	0.5	1
40	A new species <i>Cyrtodactylus</i> Gray (Squamata: Gekkonidae) from western Thailand and the phylogenetic placement of <i>C. inthanon</i> and <i>C. doisuthep</i> . <i>Zootaxa</i> , 2020 , 4838, zootaxa.4838.2.2	0.5	8
39	On the taxonomic status of three enigmatic Indochinese frog species (Amphibia: Anura) described by L. G. Andersson. <i>Zootaxa</i> , 2020 , 4834, zootaxa.4834.4.2	0.5	3
38	On the road to Mandalay: contribution to the <i>Microhyla</i> Tschudi, 1838 (Amphibia: Anura: Microhylidae) fauna of Myanmar with description of two new species. <i>Zoological Research</i> , 2019 , 40, 244-276	3.4	9
37	A new species of the genus <i>Liopeltis</i> Fitzinger, 1843 from Vietnam (Squamata: Colubridae). <i>Journal of Natural History</i> , 2019 , 53, 1647-1672	0.5	2
36	Six new species of the <i>Cyrtodactylus intermedius</i> complex (Squamata: Gekkonidae) from the Cardamom Mountains and associated highlands of Southeast Asia. <i>Zootaxa</i> , 2019 , 4554, 1-62	0.5	23
35	Integrative taxonomy of the Asian skinks <i>Sphenomorphus stellatus</i> (Boulenger, 1900) and <i>S. praesignis</i> (Boulenger, 1900) with the resurrection of <i>S. annamiticus</i> (Boettger, 1901) and the description of a new species from Cambodia. <i>Zootaxa</i> , 2019 , 4683, zootaxa.4683.3.4	0.5	8
34	A new species of the genus <i>Anura</i> Megophryidae from northern Thailand. <i>Zoological Research</i> , 2019 , 40, 564-574	3.4	7
33	Counting stripes: revision of the complex (Reptilia, Squamata, Scincidae) with description of two new species from Indochina. <i>Zoological Research</i> , 2019 , 40, 358-393	3.4	9
32	A new species of Crocodile Newt, genus (Amphibia, Caudata, Salamandridae) from the mountains of Kachin State, northern Myanmar. <i>Zoological Research</i> , 2019 , 40, 151-174	3.4	3
31	Large-scale phylogenetic analyses provide insights into unrecognized diversity and historical biogeography of Asian leaf-litter frogs, genus <i>Leptotalax</i> (Anura: Megophryidae). <i>Molecular Phylogenetics and Evolution</i> , 2018 , 124, 162-171	4.1	49
30	Taxonomic status of two populations of Bent-toed Geckos of the <i>Cyrtodactylus irregularis</i> complex (Squamata: Gekkonidae) with description of a new species from Nui Chua National Park, southern Vietnam. <i>Zootaxa</i> , 2018 , 4403, 307-335	0.5	8
29	A new species of short-fingered geckos <i>Stenodactylus</i> (Squamata, Geckonidae) from South Iran with taxonomic notes on validity of the genus <i>Trigonodactylus</i> Hass, 1957. <i>Zootaxa</i> , 2018 , 4457, 93-113	0.5	4
28	A new karst-dwelling bent-toed gecko (Squamata: Gekkonidae: <i>Cyrtodactylus</i>) from Xiangkhoang Province, northeastern Laos. <i>Zoological Research</i> , 2018 , 39, 202-219	3.4	5
27	A striking new genus and species of cave-dwelling frog (Amphibia: Anura: Microhylidae: Asterophryinae) from Thailand. <i>PeerJ</i> , 2018 , 6, e4422	3.1	18
26	Cenozoic aridization in Central Eurasia shaped diversification of toad-headed agamas (; Agamidae, Reptilia). <i>PeerJ</i> , 2018 , 6, e4543	3.1	13

25	An integrative taxonomic analysis reveals a new species of lotic salamander from Japan. <i>PeerJ</i> , 2018 , 6, e5084	3.1	8
24	A new species of (Anura, Megophryidae) from western Thailand. <i>PeerJ</i> , 2018 , 6, e5584	3.1	6
23	A new limestone-dwelling species of (Amphibia: Anura: Microhylidae) from northern Vietnam. <i>PeerJ</i> , 2018 , 6, e5771	3.1	14
22	Discovery of <i>Japalura chapaensis</i> Bourret, 1937 (Reptilia: Squamata: Agamidae) from Southeast Yunnan Province, China. <i>Zoological Research</i> , 2018 , 39, 105-113	3.4	0
21	A new genus and three new species of miniaturized microhylid frogs from Indochina (Amphibia: Anura: Microhylidae: Asterophryinae). <i>Zoological Research</i> , 2018 , 39, 130-157	3.4	9
20	A new species of smooth skink (Squamata: Scincidae: Scincella) from Cambodia. <i>Zoological Research</i> , 2018 , 39, 220-240	3.4	4
19	A new species of the genus <i>Theloderma</i> Tschudi, 1838 (Amphibia: Anura: Rhacophoridae) from Tay Nguyen Plateau, central Vietnam. <i>Zoological Research</i> , 2018 , 39, 158-184	3.4	5
18	A new species of the genus <i>Leptolalax</i> (Anura: Megophryidae) from southern Vietnam. <i>Zoological Research</i> , 2018 , 39, 185-201	3.4	13
17	Systematics of <i>Eutropis rugifera</i> (Stoliczka, 1870) (Squamata: Scincidae) including the redescription of the holotype. <i>Zootaxa</i> , 2017 , 4272, 103-118	0.5	6
16	The phytotelm tadpoles of <i>Microhyla arboricola</i> (Anura: Microhylidae) from Vietnam, with comments on reproductive biology and development. <i>Zootaxa</i> , 2017 , 4247, 413-428	0.5	6
15	Molecular, morphological and acoustic assessment of the genus (Anura, Megophryidae) from Langbian Plateau, southern Vietnam, with description of a new species. <i>ZooKeys</i> , 2017 , 49-120	1.2	31
14	A novel multilocus phylogenetic estimation reveals unrecognized diversity in Asian horned toads, genus <i>Megophrys</i> sensu lato (Anura: Megophryidae). <i>Molecular Phylogenetics and Evolution</i> , 2017 , 106, 28-43	4.1	55
13	Spatiotemporal Diversification of the True Frogs (Genus <i>Rana</i>): A Historical Framework for a Widely Studied Group of Model Organisms. <i>Systematic Biology</i> , 2016 , 65, 824-42	8.4	91
12	Red River barrier and Pleistocene climatic fluctuations shaped the genetic structure of complex (Anura: Microhylidae) in southern China and Indochina. <i>Environmental Epigenetics</i> , 2016 , 62, 531-543	2.4	30
11	New <i>Ichthyophis</i> species from Indochina (Gymnophiona, Ichthyophiidae): 1. The unstriped forms with descriptions of three new species and the redescription of <i>I. acuminatus</i> Taylor, 1960, <i>I. youngorum</i> Taylor, 1960 and <i>I. laosensis</i> Taylor, 1969. <i>Organisms Diversity and Evolution</i> , 2015 , 15, 143-174	1.7	4
10	A new species of <i>Leptolalax</i> (Anura: Megophryidae) from the western Langbian Plateau, southern Vietnam. <i>Zootaxa</i> , 2015 , 3931, 221-52	0.5	38
9	Diversity of the snail-eating snakes <i>Pareas</i> (Serpentes, Pareatidae) from Taiwan. <i>Zoologica Scripta</i> , 2015 , 44, 349-361	2.5	23
8	The Lower Mekong: an insurmountable barrier to amphibians in southern Indochina?. <i>Biological Journal of the Linnean Society</i> , 2015 , 114, 905-914	1.9	17

7	Two new species of Kalophrynus Tschudi, 1838 (Anura: Microhylidae) from the Annamite mountains in southern Vietnam. <i>Zootaxa</i> , 2014 , 401-34	0.5	11
6	A new species of Kukri Snake (Oligodon Fitzinger, 1826; Squamata: Colubridae) from the Cat Tien National Park, southern Vietnam. <i>Zootaxa</i> , 2013 , 3702, 233-46	0.5	9
5	A new species of the genus Calotes Cuvier, 1817 (Squamata: Agamidae) from southern Vietnam. <i>Zootaxa</i> , 2013 , 3599, 246-60	0.5	24
4	Two new cryptic species of the <i>Cyrtodactylus irregularis</i> complex (Squamata: Gekkonidae) from southern Vietnam. <i>Zootaxa</i> , 2012 , 3302, 1	0.5	39
3	Review of the systematics, morphology and distribution of Asian Clawed Salamanders, genus <i>Onychodactylus</i> (Amphibia, Caudata: Hynobiidae), with the description of four new species. <i>Zootaxa</i> , 2012 , 3465, 1	0.5	26
2	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. <i>Vertebrate Zoology</i> , 71 , 101-154	2	9
1	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. <i>Vertebrate Zoology</i> , 71 , 101-154	2	4