

# Marcelo Suzuki

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/10755956/marcelo-suzuki-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53 papers	1,391 citations	22 h-index	35 g-index
53 ext. papers	1,498 ext. citations	3 avg, IF	3.99 L-index

#	Paper	IF	Citations
53	Basic research methods and current trends of dental implant surfaces. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2009</b> , 88, 579-96	3.5	232
52	Early healing of nanothickness bioceramic coatings on dental implants. An experimental study in dogs. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2009</b> , 88, 387-93	3.5	75
51	Removal torque and histomorphometric evaluation of bioceramic grit-blasted/acid-etched and dual acid-etched implant surfaces: an experimental study in dogs. <i>Journal of Periodontology</i> , <b>2008</b> , 79, 1942-94.6	4.6	68
50	Effect of drilling dimension on implant placement torque and early osseointegration stages: an experimental study in dogs. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2012</b> , 70, e43-50	1.8	67
49	Histomorphologic and histomorphometric evaluation of various endosseous implant healing chamber configurations at early implantation times: a study in dogs. <i>Clinical Oral Implants Research</i> , <b>2010</b> , 21, 577-83	4.8	55
48	Early bone healing around different implant bulk designs and surgical techniques: A study in dogs. <i>Clinical Implant Dentistry and Related Research</i> , <b>2010</b> , 12, 202-8	3.9	53
47	Evaluation of an IBAD thin-film process as an alternative method for surface incorporation of bioceramics on dental implants: a study in dogs. <i>Journal of Applied Oral Science</i> , <b>2005</b> , 13, 87-92	3.3	40
46	The effect of different implant macrogeometries and surface treatment in early biomechanical fixation: an experimental study in dogs. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2011</b> , 4, 1974-81	4.1	39
45	Mechanical properties of human bone surrounding plateau root form implants retrieved after 0.3-24 years of function. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2012</b> , 100, 2015-21	3.5	36
44	Biomechanical and bone histomorphologic evaluation of four surfaces on plateau root form implants: an experimental study in dogs. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2010</b> , 109, e39-45		36
43	Histomorphologic analysis of 30 plateau root form implants retrieved after 8 to 13 years in function. A human retrieval study. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2009</b> , 91, 975-9	3.5	34
42	Probability of survival of implant-supported metal ceramic and CAD/CAM resin nanoceramic crowns. <i>Dental Materials</i> , <b>2015</b> , 31, e168-77	5.7	32
41	Effect of surface modifications on early bone healing around plateau root form implants: an experimental study in rabbits. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2010</b> , 68, 1631-8	1.8	29
40	The effect of simplifying dental implant drilling sequence on osseointegration: an experimental study in dogs. <i>International Journal of Biomaterials</i> , <b>2013</b> , 2013, 230310	3.2	28
39	Effect of drilling technique on the early integration of plateau root form endosteal implants: an experimental study in dogs. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2011</b> , 69, 2158-63	1.8	26
38	Biomechanical testing of microblasted, acid-etched/microblasted, anodized, and discrete crystalline deposition surfaces: an experimental study in beagle dogs. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2013</b> , 28, 136-42	2.8	25
37	Histomorphometric evaluation of alumina-blasted/acid-etched and thin ion beam-deposited bioceramic surfaces: an experimental study in dogs. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2009</b> , 67, 602-7	1.8	25

36	Biomechanical and histomorphometric evaluation of a thin ion beam bioceramic deposition on plateau root form implants: an experimental study in dogs. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2009</b> , 90, 396-403	3.5	25
35	Characterization and in vivo evaluation of laser sintered dental endosseous implants in dogs. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2012</b> , 100, 1566-73	3.5	24
34	Characterization of five different implant surfaces and their effect on osseointegration: a study in dogs. <i>Journal of Periodontology</i> , <b>2011</b> , 82, 742-50	4.6	24
33	Biomechanical evaluation of endosseous implants at early implantation times: a study in dogs. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2010</b> , 68, 1667-75	1.8	24
32	Simplified drilling technique does not decrease dental implant osseointegration: a preliminary report. <i>Journal of Periodontology</i> , <b>2013</b> , 84, 1599-605	4.6	22
31	Implant biomechanical stability variation at early implantation times in vivo: an experimental study in dogs. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2013</b> , 28, e128-34	2.8	21
30	Biomechanical and histomorphometric analysis of etched and non-etched resorbable blasting media processed implant surfaces: an experimental study in dogs. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2010</b> , 3, 382-91	4.1	21
29	A human retrieval study of plasma-sprayed hydroxyapatite-coated plateau root form implants after 2 months to 13 years in function. <i>Journal of Long-Term Effects of Medical Implants</i> , <b>2010</b> , 20, 335-42	0.2	21
28	Biomechanical and histologic evaluation of non-washed resorbable blasting media and alumina-blasted/acid-etched surfaces. <i>Clinical Oral Implants Research</i> , <b>2012</b> , 23, 132-5	4.8	20
27	Histomorphometric evaluation of a nanothickness bioceramic deposition on endosseous implants: a study in dogs. <i>Clinical Implant Dentistry and Related Research</i> , <b>2009</b> , 11, 292-302	3.9	19
26	Implant design and its effects on osseointegration over time within cortical and trabecular bone. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2016</b> , 104, 1091-7	3.5	19
25	Early bone healing and biomechanical fixation of dual acid-etched and as-machined implants with healing chambers: an experimental study in dogs. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2011</b> , 26, 75-82	2.8	19
24	Thin bioactive ceramic-coated alumina-blasted/acid-etched implant surface enhances biomechanical fixation of implants: an experimental study in dogs. <i>Clinical Implant Dentistry and Related Research</i> , <b>2011</b> , 13, 87-94	3.9	16
23	Surface treatment at the cervical region and its effect on bone maintenance after immediate implantation: an experimental study in dogs. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2010</b> , 110, 182-7		16
22	Buccal and lingual bone level alterations after immediate implantation of four implant surfaces: a study in dogs. <i>Clinical Oral Implants Research</i> , <b>2013</b> , 24, 1375-80	4.8	15
21	Assessment of Atmospheric Pressure Plasma Treatment for Implant Osseointegration. <i>BioMed Research International</i> , <b>2015</b> , 2015, 761718	3	15
20	Evaluation of a nanometer roughness scale resorbable media-processed surface: a study in dogs. <i>Clinical Oral Implants Research</i> , <b>2012</b> , 23, 119-24	4.8	15
19	Effect of acidic pH on surface roughness of esthetic dental materials. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 122, 567.e1-567.e8	4	14

18	Surface characterization, biomechanical, and histologic evaluation of alumina and bioactive resorbable blasting textured surfaces in titanium implant healing chambers: an experimental study in dogs. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2013</b> , 28, 694-700	2.8	14
17	Histologic and biomechanical evaluation of alumina-blasted/acid-etched and resorbable blasting media surfaces. <i>Journal of Oral Implantology</i> , <b>2012</b> , 38, 549-57	1.2	14
16	The Effect of Osteotomy Dimension on Implant Insertion Torque, Healing Mode, and Osseointegration Indicators: A Study in Dogs. <i>Implant Dentistry</i> , <b>2016</b> , 25, 739-743	2.4	11
15	Microtensile bond strength of resin-based composites to Ti-6Al-4V. <i>Dental Materials</i> , <b>2009</b> , 25, 655-61	5.7	11
14	Resin composite repair for implant-supported crowns. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2017</b> , 105, 1481-1489	3.5	9
13	Progressive plateau root form dental implant osseointegration: A human retrieval study. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2015</b> , 103, 1328-32	3.5	9
12	Physicochemical Characterization and In Vivo Evaluation of Amorphous and Partially Crystalline Calcium Phosphate Coatings Fabricated on Ti-6Al-4V Implants by the Plasma Spray Method. <i>International Journal of Biomaterials</i> , <b>2012</b> , 2012, 603826	3.2	9
11	Effect of Si addition on Ca- and P-impregnated implant surfaces with nanometer-scale roughness: an experimental study in dogs. <i>Clinical Oral Implants Research</i> , <b>2012</b> , 23, 373-8	4.8	8
10	Osseointegration of Plateau Root Form Implants: Unique Healing Pathway Leading to Haversian-Like Long-Term Morphology. <i>Advances in Experimental Medicine and Biology</i> , <b>2015</b> , 881, 111-28	3.6	8
9	The effect of alterations on resorbable blasting media processed implant surfaces on early bone healing: a study in rabbits. <i>Implant Dentistry</i> , <b>2011</b> , 20, 167-77	2.4	7
8	Histomorphologic and bone-to-implant contact evaluation of dual acid-etched and bioceramic grit-blasted implant surfaces: an experimental study in dogs. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2010</b> , 68, 1877-83	1.8	7
7	Nanomechanical Assessment of Bone Surrounding Implants Loaded for 3 Years in a Canine Experimental Model. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 76, 71-79	1.8	6
6	Reliability testing of indirect composites as single implant restorations. <i>Journal of Prosthodontics</i> , <b>2011</b> , 20, 528-34	3.9	6
5	Novel implant design for initial stability of dental implants inserted in fresh extraction sockets: a preliminary study. <i>Implant Dentistry</i> , <b>2012</b> , 21, 302-5	2.4	6
4	Early bone healing around implant surfaces treated with variations in the resorbable blasting media method. A study in rabbits. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , <b>2010</b> , 15, e119-25	2.6	5
3	Bone regeneration around implants placed in fresh extraction sockets covered with a dual-layer PTFE/collagen membrane: an experimental study in dogs. <i>International Journal of Periodontics and Restorative Dentistry</i> , <b>2014</b> , 34, 849-55	2.1	4
2	Histologic and biomechanical evaluation of 2 resorbable-blasting media implant surfaces at early implantation times. <i>Journal of Oral Implantology</i> , <b>2013</b> , 39, 445-53	1.2	4
1	Mechanical testing of indirect composite materials directly applied on implant abutments. <i>Journal of Adhesive Dentistry</i> , <b>2010</b> , 12, 311-7	3	3

