

# Eisuke Itakura

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1076266/eisuke-itakura-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35  
papers

8,335  
citations

22  
h-index

35  
g-index

35  
ext. papers

9,541  
ext. citations

9.9  
avg, IF

5.9  
L-index

#	Paper	IF	Citations
35	Disruption of actin dynamics induces autophagy of the eukaryotic chaperonin TRiC/CCT.. <i>Cell Death Discovery</i> , <b>2022</b> , 8, 37	6.9	0
34	Protocol for quantification of the lysosomal degradation of extracellular proteins into mammalian cells. <i>STAR Protocols</i> , <b>2021</b> , 2, 100975	1.4	0
33	Labeling and measuring stressed mitochondria using a PINK1-based ratiometric fluorescent sensor. <i>Journal of Biological Chemistry</i> , <b>2021</b> , 297, 101279	5.4	1
32	Receptor-Interacting Protein Kinase 3 (RIPK3) inhibits autophagic flux during necroptosis in intestinal epithelial cells. <i>FEBS Letters</i> , <b>2020</b> , 594, 1586-1595	3.8	6
31	Heparan sulfate is a clearance receptor for aberrant extracellular proteins. <i>Journal of Cell Biology</i> , <b>2020</b> , 219,	7.3	22
30	Reversible DNA damage checkpoint activation at the presenescent stage in telomerase-deficient cells of <i>Saccharomyces cerevisiae</i> . <i>Genes To Cells</i> , <b>2019</b> , 24, 546-558	2.3	1
29	Identification of a factor controlling lysosomal homeostasis using a novel lysosomal trafficking probe. <i>Scientific Reports</i> , <b>2019</b> , 9, 11635	4.9	13
28	DA-Raf, a dominant-negative regulator of the Ras-ERK pathway, is essential for skeletal myocyte differentiation including myoblast fusion and apoptosis. <i>Experimental Cell Research</i> , <b>2019</b> , 376, 168-180	4.2	2
27	Forced lipophagy reveals that lipid droplets are required for early embryonic development in mouse. <i>Development (Cambridge)</i> , <b>2018</b> , 145,	6.6	38
26	Vacuole-mediated selective regulation of TORC1-Sch9 signaling following oxidative stress. <i>Molecular Biology of the Cell</i> , <b>2018</b> , 29, 510-522	3.5	14
25	IL-17 is a neuromodulator of <i>Caenorhabditis elegans</i> sensory responses. <i>Nature</i> , <b>2017</b> , 542, 43-48	50.4	65
24	Dissection of ubiquitinated protein degradation by basal autophagy. <i>FEBS Letters</i> , <b>2017</b> , 591, 1199-1211	3.8	9
23	Purification of FLAG-tagged Secreted Proteins from Mammalian Cells. <i>Bio-protocol</i> , <b>2017</b> , 7,	0.9	2
22	Ubiquilins Chaperone and Triage Mitochondrial Membrane Proteins for Degradation. <i>Molecular Cell</i> , <b>2016</b> , 63, 21-33	17.6	137
21	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , <b>2016</b> , 12, 1-222	10.2	3838
20	Systemic Analysis of Atg5-Null Mice Rescued from Neonatal Lethality by Transgenic ATG5 Expression in Neurons. <i>Developmental Cell</i> , <b>2016</b> , 39, 116-130	10.2	71
19	The HOPS complex mediates autophagosome-lysosome fusion through interaction with syntaxin 17. <i>Molecular Biology of the Cell</i> , <b>2014</b> , 25, 1327-37	3.5	298

18	ER stress-induced clearance of misfolded GPI-anchored proteins via the secretory pathway. <i>Cell</i> , <b>2014</b> , 158, 522-33	56.2	105
17	Stearoyl-CoA desaturase 1 activity is required for autophagosome formation. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 23938-50	5.4	46
16	Expression of the autophagy substrate SQSTM1/p62 is restored during prolonged starvation depending on transcriptional upregulation and autophagy-derived amino acids. <i>Autophagy</i> , <b>2014</b> , 10, 431-41	10.2	259
15	An ER complex of ODR-4 and ODR-8/Ufm1 specific protease 2 promotes GPCR maturation by a Ufm1-independent mechanism. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004082	6	29
14	Ultrastructural analysis of autophagosome organization using mammalian autophagy-deficient cells. <i>Journal of Cell Science</i> , <b>2014</b> , 127, 4089-102	5.3	142
13	Temporal analysis of recruitment of mammalian ATG proteins to the autophagosome formation site. <i>Autophagy</i> , <b>2013</b> , 9, 1491-9	10.2	156
12	Syntaxin 17: the autophagosomal SNARE. <i>Autophagy</i> , <b>2013</b> , 9, 917-9	10.2	47
11	The hairpin-type tail-anchored SNARE syntaxin 17 targets to autophagosomes for fusion with endosomes/lysosomes. <i>Cell</i> , <b>2012</b> , 151, 1256-69	56.2	789
10	Differentiation capacity of native pituitary folliculostellate cells and brain astrocytes. <i>Journal of Endocrinology</i> , <b>2012</b> , 213, 231-7	4.7	12
9	Structures containing Atg9A and the ULK1 complex independently target depolarized mitochondria at initial stages of Parkin-mediated mitophagy. <i>Journal of Cell Science</i> , <b>2012</b> , 125, 1488-99	5.3	207
8	p62 Targeting to the autophagosome formation site requires self-oligomerization but not LC3 binding. <i>Journal of Cell Biology</i> , <b>2011</b> , 192, 17-27	7.3	309
7	Characterization of autophagosome formation site by a hierarchical analysis of mammalian Atg proteins. <i>Autophagy</i> , <b>2010</b> , 6, 764-76	10.2	603
6	Atg14 and UVRAG: mutually exclusive subunits of mammalian Beclin 1-PI3K complexes. <i>Autophagy</i> , <b>2009</b> , 5, 534-6	10.2	93
5	Beclin 1 forms two distinct phosphatidylinositol 3-kinase complexes with mammalian Atg14 and UVRAG. <i>Molecular Biology of the Cell</i> , <b>2008</b> , 19, 5360-72	3.5	871
4	Generation of transgenic rats expressing green fluorescent protein in S-100beta-producing pituitary folliculo-stellate cells and brain astrocytes. <i>Endocrinology</i> , <b>2007</b> , 148, 1518-23	4.8	71
3	Dimerization of the ATRIP protein through the coiled-coil motif and its implication to the maintenance of stalled replication forks. <i>Molecular Biology of the Cell</i> , <b>2005</b> , 16, 5551-62	3.5	34
2	ATR-dependent phosphorylation of ATRIP in response to genotoxic stress. <i>Biochemical and Biophysical Research Communications</i> , <b>2004</b> , 323, 1197-202	3.4	26
1	Amino-terminal domain of ATRIP contributes to intranuclear relocation of the ATR-ATRIP complex following DNA damage. <i>FEBS Letters</i> , <b>2004</b> , 577, 289-93	3.8	19

