

# Susmita Mondal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10764926/publications.pdf>

Version: 2024-02-01

18  
papers

729  
citations

623734

14  
h-index

839539

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

1296  
citing authors

#	ARTICLE	IF	CITATIONS
1	Desialylation of Sonic-Hedgehog by Neu2 Inhibits Its Association with Patched1 Reducing Stemness-Like Properties in Pancreatic Cancer Sphere-forming Cells. <i>Cells</i> , 2020, 9, 1512.	4.1	8
2	Connecting signaling and metabolic pathways in EGF receptor-mediated oncogenesis of glioblastoma. <i>PLoS Computational Biology</i> , 2019, 15, e1007090.	3.2	18
3	Therapeutic targeting of PFKFB3 with a novel glycolytic inhibitor PFK158 promotes lipophagy and chemosensitivity in gynecologic cancers. <i>International Journal of Cancer</i> , 2019, 144, 178-189.	5.1	103
4	A Glycomic Approach Towards Identification of Signature Molecules in CD34+ Haematopoietic Stem Cells from Umbilical Cord Blood. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1112, 309-318.	1.6	4
5	Loss of HSulf-1: The Missing Link between Autophagy and Lipid Droplets in Ovarian Cancer. <i>Scientific Reports</i> , 2017, 7, 41977.	3.3	15
6	Quinacrine in endometrial cancer: Repurposing an old antimalarial drug. <i>Gynecologic Oncology</i> , 2017, 146, 187-195.	1.4	24
7	PG545 enhances anti-cancer activity of chemotherapy in ovarian models and increases surrogate biomarkers such as VEGF in preclinical and clinical plasma samples. <i>European Journal of Cancer</i> , 2015, 51, 879-892.	2.8	53
8	HSulf-1 deficiency dictates a metabolic reprogramming of glycolysis and TCA cycle in ovarian cancer. <i>Oncotarget</i> , 2015, 6, 33705-33719.	1.8	28
9	Quinacrine promotes autophagic cell death and chemosensitivity in ovarian cancer and attenuates tumor growth. <i>Oncotarget</i> , 2015, 6, 36354-36369.	1.8	58
10	Loss of HSulf-1 promotes altered lipid metabolism in ovarian cancer. <i>Cancer &amp; Metabolism</i> , 2014, 2, 13.	5.0	27
11	Natural Products: Promising Resources for Cancer Drug Discovery. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012, 12, 49-75.	1.7	147
12	Bak Compensated for Bax in p53-null Cells to Release Cytochrome c for the Initiation of Mitochondrial Signaling during Withanolide D-Induced Apoptosis. <i>PLoS ONE</i> , 2012, 7, e34277.	2.5	37
13	Withanolide D, Carrying the Baton of Indian Rasayana Herb as a Lead Candidate of Antileukemic Agent in Modern Medicine. <i>Advances in Experimental Medicine and Biology</i> , 2012, 749, 295-312.	1.6	13
14	9-O-Acetyl GD3 in Lymphoid and Erythroid Cells. <i>Advances in Experimental Medicine and Biology</i> , 2011, 705, 317-334.	1.6	2
15	Down regulation of membrane-bound Neu3 constitutes a new potential marker for childhood acute lymphoblastic leukemia and induces apoptosis suppression of neoplastic cells. <i>International Journal of Cancer</i> , 2010, 126, 337-349.	5.1	39
16	Elevated mRNA level of hST6Gal I and hST3Gal V positively correlates with the high risk of pediatric acute leukemia. <i>Leukemia Research</i> , 2010, 34, 463-470.	0.8	43
17	Withanolide D induces apoptosis in leukemia by targeting the activation of neutral sphingomyelinase-ceramide cascade mediated by synergistic activation of c-Jun N-terminal kinase and p38 mitogen-activated protein kinase. <i>Molecular Cancer</i> , 2010, 9, 239.	19.2	86
18	9-O-Acetylated GD3 triggers programmed cell death in mature erythrocytes. <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 651-657.	2.1	24