

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1076624/qifu-li-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

3,649
citations

33
h-index

54
g-index

167
ext. papers

4,577
ext. citations

4.5
avg, IF

5.06
L-index

#	Paper	IF	Citations
158	Hippocampal overexpression of TREM2 ameliorates high fat diet induced cognitive impairment and modulates phenotypic polarization of the microglia.. <i>Genes and Diseases</i> , 2022 , 9, 401-414	6.6	4
157	Elevated Myoglobin in Patients With Primary Aldosteronism: A Cross-Sectional Study.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 799174	5.7	
156	Primary aldosteronism.. <i>BMJ, The</i> , 2022 , 377, e065250	5.9	0
155	Toward Sensitive and Reliable Surface-Enhanced Raman Scattering Imaging: From Rational Design to Biomedical Applications. <i>ACS Sensors</i> , 2021 , 6, 3912-3932	9.2	5
154	Comparison of Bolus and Continuous Infusion of Adrenocorticotrophic Hormone During Adrenal Vein Sampling.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 784706	5.7	1
153	Low-dose colchicine in type 2 diabetes with microalbuminuria: A double-blind randomized clinical trial. <i>Journal of Diabetes</i> , 2021 , 13, 827-836	3.8	2
152	Connective profiles and antagonism between dynamic and static connectivity underlying generalized epilepsy. <i>Brain Structure and Function</i> , 2021 , 226, 1423-1435	4	1
151	Distinct effects of the basal ganglia and cerebellum on the thalamocortical pathway in idiopathic generalized epilepsy. <i>Human Brain Mapping</i> , 2021 , 42, 3440-3449	5.9	2
150	G Protein-Coupled Estrogen Receptor 1 (GPER1) Mediates Aldosterone-Induced Endothelial Inflammation in a Mineralocorticoid Receptor-Independent Manner. <i>International Journal of Endocrinology</i> , 2021 , 2021, 5575927	2.7	0
149	Perirenal Fat Thickness Is Significantly Associated With the Risk for Development of Chronic Kidney Disease in Patients With Diabetes. <i>Diabetes</i> , 2021 , 70, 2322-2332	0.9	4
148	Repurposing antitussive benproperine phosphate against pancreatic cancer depends on autophagy arrest. <i>Molecular Oncology</i> , 2021 , 15, 725-738	7.9	2
147	Seated Saline Suppression Test Is Comparable With Captopril Challenge Test for the Diagnosis of Primary Aldosteronism: A Prospective Study. <i>Endocrine Practice</i> , 2021 , 27, 326-333	3.2	0
146	Response to Letter to the Editor from Zhu and Rossi: "Development and Validation of Criteria for Sparing Confirmatory Tests in Diagnosing Primary Aldosteronism". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e1498-e1499	5.6	
145	Efficacy and acceptability of the S1P receptor in the treatment of multiple sclerosis: a meta-analysis. <i>Neurological Sciences</i> , 2021 , 42, 1687-1695	3.5	4
144	An epidemiological survey of epilepsy in tropical rural areas of China. <i>Epilepsia Open</i> , 2021 , 6, 323-330	4	2
143	Heightened Cardiovascular Risk in Hypertension Associated With Renin-Independent Aldosteronism Versus Renin-Dependent Aldosteronism: A Collaborative Study. <i>Journal of the American Heart Association</i> , 2021 , e023082	6	2
142	Efficacy of Dulaglutide in Chinese Patients with Type 2 Diabetes and Different Glycemic Patterns: a Post-hoc Analysis of the Phase 3 AWARD-CHN2 Trial. <i>Diabetes Therapy</i> , 2021 , 13, 161	3.6	

141	Primary Aldosteronism in Patients in China With Recently Detected Hypertension. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1913-1922	15.1	43
140	Regulation of SPARC family proteins in disorders of the central nervous system. <i>Brain Research Bulletin</i> , 2020 , 163, 178-189	3.9	8
139	Effects of anti-osteoporosis therapy on plasma aldosterone and renin. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2020 , 21, 1470320320928874	3	1
138	The use of Broca index to assess cut- off points for overweight in adults: A short review. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2020 , 21, 521-526	10.5	1
137	Genetic screening for monogenic hypertension in hypertensive individuals in a clinical setting. <i>Journal of Medical Genetics</i> , 2020 , 57, 571-580	5.8	3
136	Early-Onset Type 2 Diabetes as a Risk Factor for End-Stage Renal Disease in Patients With Diabetic Kidney Disease. <i>Preventing Chronic Disease</i> , 2020 , 17, E50	3.7	5
135	Optimal Cut-Offs of Body Mass Index and Waist Circumference to Identify Obesity in Chinese Type 2 Diabetic Patients. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 1899-1909	3.4	0
134	Correlation Between Diabetic Peripheral Neuropathy and Sarcopenia in Patients with Type 2 Diabetes Mellitus and Diabetic Foot Disease: A Cross-Sectional Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 377-386	3.4	11
133	Primary aldosteronism concurrent with subclinical Cushing's syndrome: a case report and review of the literature. <i>Journal of Medical Case Reports</i> , 2020 , 14, 32	1.2	6
132	Peripheral monocyte count is an independent predictor of all-cause mortality in type 2 diabetes with macro-vascular complications. <i>Medicine (United States)</i> , 2020 , 99, e18876	1.8	2
131	Indole Alleviates Diet-Induced Hepatic Steatosis and Inflammation in a Manner Involving Myeloid Cell 6-Phosphofructo-2-Kinase/Fructose-2,6-Biphosphatase 3. <i>Hepatology</i> , 2020 , 72, 1191-1203	11.2	33
130	Primary aldosteronism in young adults with acute stroke: Prevalence and clinical characteristics. <i>Journal of the Neurological Sciences</i> , 2020 , 413, 116774	3.2	2
129	Serum cell-free DNA and progression of diabetic kidney disease: a prospective study. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	8
128	Development and Validation of Criteria for Sparing Confirmatory Tests in Diagnosing Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	12
127	A Multicenter Study of Neutrophil-to-Lymphocyte Ratio in Primary Aldosteronism. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa153	0.4	
126	A multi-centre study of neutrophil-to-lymphocyte ratio in primary aldosteronism. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa153	0.4	0
125	miR-181a-5p inhibits the proliferation and invasion of drug-resistant glioblastoma cells by targeting F-box protein 11 expression. <i>Oncology Letters</i> , 2020 , 20, 235	2.6	5
124	A combination of captopril challenge test after saline infusion test improves diagnostic accuracy for primary aldosteronism. <i>Clinical Endocrinology</i> , 2020 , 92, 131-137	3.4	6

123	Recent advances in autophagic machinery: a proteomic perspective. <i>Expert Review of Proteomics</i> , 2020 , 17, 561-579	4.2	1
122	miR-196b-5p-enriched extracellular vesicles from tubular epithelial cells mediated aldosterone-induced renal fibrosis in mice with diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	9
121	Reply: Suspected Borderline Aldosteronism in Hypertension: The Next Target?. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 760-761	15.1	
120	Abnormal Dexamethasone Suppression Tests in a Rifapentine-Treated Patient With Primary Aldosteronism. <i>Frontiers in Endocrinology</i> , 2020 , 11, 593	5.7	1
119	Nomogram-Based Preoperative Score for Predicting Clinical Outcome in Unilateral Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	8
118	Observational study evaluating the effectiveness of physician-targeted education for improving glycemic management of patients with type 2 diabetes (BEYOND II). <i>Journal of Diabetes</i> , 2020 , 12, 66-76 ^{3.8}	3.8	7
117	Not All Hypertension Is a Lifelong Disease: A Teachable Moment. <i>JAMA Internal Medicine</i> , 2020 , 180, 781-782	11.5	
116	SPARC Knockdown Reduces Glutamate-Induced HT22 Hippocampal Nerve Cell Damage by Regulating Autophagy. <i>Frontiers in Neuroscience</i> , 2020 , 14, 581441	5.1	1
115	Circulating TNF receptors 1 and 2 predict progression of diabetic kidney disease: A meta-analysis. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3195	7.5	5
114	Predictors of Long-Term Glycemic Remission After 2-Week Intensive Insulin Treatment in Newly Diagnosed Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2153-2162	5.6	4
113	Standards of medical care for type 2 diabetes in China 2019. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3158	7.5	180
112	Chinese clinical guidelines for continuous glucose monitoring (2018 edition). <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3152	7.5	6
111	Confirmatory tests for the diagnosis of primary aldosteronism: A systematic review and meta-analysis. <i>Clinical Endocrinology</i> , 2019 , 90, 641-648	3.4	14
110	H-score of 11 β hydroxylase and aldosterone synthase in the histopathological diagnosis of adrenocortical tumors. <i>Endocrine</i> , 2019 , 65, 683-691	4	12
109	Primary Aldosteronism and Obstructive Sleep Apnea: A Cross-Sectional Multi-Ethnic Study. <i>Hypertension</i> , 2019 , 74, 1532-1540	8.5	19
108	Role of neutrophil extracellular traps in chronic kidney injury induced by bisphenol-A. <i>Journal of Endocrinology</i> , 2019 ,	4.7	9
107	Mice lacking adenosine 2A receptor reveal increased severity of MCD-induced NASH. <i>Journal of Endocrinology</i> , 2019 ,	4.7	12
106	The appropriate remodeling of extracellular matrix is the key molecular signature in subcutaneous adipose tissue following Roux-en-Y gastric bypass. <i>Life Sciences</i> , 2019 , 218, 265-273	6.8	2

105	Serum Bisphenol A is an independent risk factor of hyperuricemia: A 6-year prospective study. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 48, 644-648	5.3	6
104	Adrenal venous sampling with or without adrenocorticotrophic hormone stimulation: A meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 ,	5.6	18
103	Bisphenol A is not associated with a 5-year incidence of type 2 diabetes: a prospective nested case-control study. <i>Acta Diabetologica</i> , 2018 , 55, 369-375	3.9	14
102	Disruption of adenosine 2A receptor exacerbates NAFLD through increasing inflammatory responses and SREBP1c activity. <i>Hepatology</i> , 2018 , 68, 48-61	11.2	37
101	High specificity of spot urinary free metanephrines in diagnosis and prognosis of pheochromocytomas and paragangliomas by HPLC with electrochemical detection. <i>Clinica Chimica Acta</i> , 2018 , 478, 82-89	6.2	11
100	Liquid L-thyroxine versus tablet L-thyroxine in patients on L- thyroxine replacement or suppressive therapy: a meta-analysis. <i>Endocrine</i> , 2018 , 61, 28-35	4	17
99	Bisphenol A promotes hyperuricemia via activating xanthine oxidase. <i>FASEB Journal</i> , 2018 , 32, 1007-1016	6.9	14
98	The association between insurance coverage for insulin pen needles and healthcare resource utilization among insulin-dependent patients with diabetes in China. <i>BMC Health Services Research</i> , 2018 , 18, 300	2.9	4
97	Age-Related Cutoffs of Plasma Aldosterone/Renin Concentration for Primary Aldosteronism Screening. <i>International Journal of Endocrinology</i> , 2018 , 2018, 8647026	2.7	18
96	Confirmatory Tests for the Diagnosis of Primary Aldosteronism: A Prospective Diagnostic Accuracy Study. <i>Hypertension</i> , 2018 , 71, 118-124	8.5	53
95	Efficacy and safety of recombinant human parathyroid hormone (1-34) are similar to those of alendronate in the treatment of postmenopausal osteoporosis. <i>Medicine (United States)</i> , 2018 , 97, e13341	1.8	4
94	Expression of STING Is Increased in Liver Tissues From Patients With NAFLD and Promotes Macrophage-Mediated Hepatic Inflammation and Fibrosis in Mice. <i>Gastroenterology</i> , 2018 , 155, 1971-1984	12.3	120
93	Postmenopausal osteoporosis is associated with elevated aldosterone/renin ratio. <i>Journal of Human Hypertension</i> , 2018 , 32, 524-530	2.6	7
92	Effects of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers on All-Cause Mortality and Renal Outcomes in Patients with Diabetes and Albuminuria: a Systematic Review and Meta-Analysis. <i>Kidney and Blood Pressure Research</i> , 2018 , 43, 768-779	3.1	36
91	CMHX008, a PPAR δ partial agonist, enhances insulin sensitivity with minor influences on bone loss. <i>Genes and Diseases</i> , 2018 , 5, 290-299	6.6	6
90	Lipohypertrophy in China: Prevalence, Risk Factors, Insulin Consumption, and Clinical Impact. <i>Diabetes Technology and Therapeutics</i> , 2017 , 19, 61-67	8.1	42
89	Dysregulated Autophagy in Hepatocytes Promotes Bisphenol A-Induced Hepatic Lipid Accumulation in Male Mice. <i>Endocrinology</i> , 2017 , 158, 2799-2812	4.8	18
88	Bisphenol A promotes hepatic lipid deposition involving Kupffer cells M1 polarization in male mice. <i>Journal of Endocrinology</i> , 2017 , 234, 143-154	4.7	15

87	Apparent mineralocorticoid excess caused by a novel mutation in 11 β hydroxysteroid dehydrogenase type 2 gene. <i>Journal of Hypertension</i> , 2017 , 35, 647-650	1.9	1
86	Paternal hyperglycemia in rats exacerbates the development of obesity in offspring. <i>Journal of Endocrinology</i> , 2017 , 234, 175-186	4.7	13
85	A Novel Visceral Adiposity Index for Prediction of Type 2 Diabetes and Pre-diabetes in Chinese adults: A 5-year prospective study. <i>Scientific Reports</i> , 2017 , 7, 13784	4.9	31
84	Efficacy and Time Sensitivity of Amniotic Membrane treatment in Patients with Diabetic Foot Ulcers: A Systematic Review and Meta-analysis. <i>Diabetes Therapy</i> , 2017 , 8, 967-979	3.6	19
83	Body mass index is associated with type 2 diabetes mellitus in Chinese elderly. <i>Clinical Interventions in Aging</i> , 2017 , 12, 745-752	4	19
82	Sarcopenia is independently associated with diabetic foot disease. <i>Scientific Reports</i> , 2017 , 7, 8372	4.9	14
81	Anemia: an independent risk factor of diabetic peripheral neuropathy in type 2 diabetic patients. <i>Acta Diabetologica</i> , 2017 , 54, 925-931	3.9	8
80	Cyclic GMP-AMP Ameliorates Diet-induced Metabolic Dysregulation and Regulates Proinflammatory Responses Distinctly from STING Activation. <i>Scientific Reports</i> , 2017 , 7, 6355	4.9	13
79	Redox proteomics screening cellular factors associated with oxidative stress in hepatocarcinogenesis. <i>Proteomics - Clinical Applications</i> , 2017 , 11, 1600089	3.1	8
78	Proteomic profiling of human plasma for cancer biomarker discovery. <i>Proteomics</i> , 2017 , 17, 1600240	4.8	46
77	Treatments for the idiopathic occipital lobe epilepsies. <i>The Cochrane Library</i> , 2017 ,	5.2	1
76	Functional Network Connectivity Patterns between Idiopathic Generalized Epilepsy with Myoclonic and Absence Seizures. <i>Frontiers in Computational Neuroscience</i> , 2017 , 11, 38	3.5	15
75	Increased ECell Mass in Obese Rats after Gastric Bypass: A Potential Mechanism for Improving Glycemic Control. <i>Medical Science Monitor</i> , 2017 , 23, 2151-2158	3.2	14
74	Lipopolysaccharide-binding protein cannot independently predict type 2 diabetes mellitus: A nested case-control study. <i>Journal of Diabetes</i> , 2016 , 8, 214-9	3.8	6
73	Aldosterone/direct renin concentration ratio as a screening test for primary aldosteronism: A meta-analysis. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016 , 17,	3	6
72	Abdominal Obesity Is More Closely Associated With Diabetic Kidney Disease Than General Obesity. <i>Diabetes Care</i> , 2016 , 39, e179-80	14.6	20
71	Ultrasensitive electrochemical biosensing strategy for microRNA-21 detection based on homogeneous target-initiated transcription amplification. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 783, 22-27	4.1	3
70	Association Between Serum Cortisol and Chronic Kidney Disease in Patients with Essential Hypertension. <i>Kidney and Blood Pressure Research</i> , 2016 , 41, 384-91	3.1	14

69	Lispro administered by the QS-M Needle-Free Jet Injector generates an earlier insulin exposure. <i>Expert Opinion on Drug Delivery</i> , 2016 , 13, 1203-7	8	11
68	PRKAA/AMPK restricts HBV replication through promotion of autophagic degradation. <i>Autophagy</i> , 2016 , 12, 1507-20	10.2	44
67	Combined effects of sex hormone-binding globulin and sex hormones on risk of incident type 2 diabetes. <i>Journal of Diabetes</i> , 2016 , 8, 508-15	3.8	16
66	Effects of acetyl-L-carnitine and methylcobalamin for diabetic peripheral neuropathy: A multicenter, randomized, double-blind, controlled trial. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 777-85 ^{3,9}	3.9	22
65	Clinical proteomics-driven precision medicine for targeted cancer therapy: current overview and future perspectives. <i>Expert Review of Proteomics</i> , 2016 , 13, 367-81	4.2	33
64	Serum LBP Is Associated with Insulin Resistance in Women with PCOS. <i>PLoS ONE</i> , 2016 , 11, e0145337	3.7	15
63	Serum bisphenol A as a predictor of chronic kidney disease progression in primary hypertension: a 6-year prospective study. <i>Journal of Hypertension</i> , 2016 , 34, 332-7	1.9	25
62	Glucose and Palmitate Differentially Regulate PFKFB3/iPFK2 and Inflammatory Responses in Mouse Intestinal Epithelial Cells. <i>Scientific Reports</i> , 2016 , 6, 28963	4.9	10
61	Berberine Ameliorates Hepatic Steatosis and Suppresses Liver and Adipose Tissue Inflammation in Mice with Diet-induced Obesity. <i>Scientific Reports</i> , 2016 , 6, 22612	4.9	67
60	miR-1934, downregulated in obesity, protects against low-grade inflammation in adipocytes. <i>Molecular and Cellular Endocrinology</i> , 2016 , 428, 109-17	4.4	11
59	AMPK Activation by Metformin Suppresses Abnormal Extracellular Matrix Remodeling in Adipose Tissue and Ameliorates Insulin Resistance in Obesity. <i>Diabetes</i> , 2016 , 65, 2295-310	0.9	95
58	The Effectiveness and Safety of Sleeve Gastrectomy in the Obese Elderly Patients: a Systematic Review and Meta-Analysis. <i>Obesity Surgery</i> , 2016 , 26, 3023-3030	3.7	12
57	Ivermectin induces PAK1-mediated cytostatic autophagy in breast cancer. <i>Autophagy</i> , 2016 , 12, 2498-2499	10.2	30
56	Standards of care for type 2 diabetes in China. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32, 442-58	18.5	185
55	Oncoproteomics: Trials and tribulations. <i>Proteomics - Clinical Applications</i> , 2016 , 10, 516-31	3.1	7
54	The prevalence and characteristics of obstructive sleep apnea in hospitalized patients with type 2 diabetes in China. <i>Journal of Sleep Research</i> , 2016 , 25, 39-46	5.8	32
53	Cancer drug resistance: redox resetting renders a way. <i>Oncotarget</i> , 2016 , 7, 42740-42761	3.3	103
52	Efficacy of metformin-based oral antidiabetic drugs is not inferior to insulin glargine in newly diagnosed type 2 diabetic patients with severe hyperglycemia after short-term intensive insulin therapy. <i>Journal of Diabetes</i> , 2015 , 7, 182-91	3.8	3

51	A novel chemiluminescence immunoassay for highly sensitive and specific detection of protein using rolling circle amplification and the multiplex binding system. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 328-333	8.5	13
50	Impaired adipogenesis in adipose tissue associated with hepatic lipid deposition induced by chronic inflammation in mice with chew diet. <i>Life Sciences</i> , 2015 , 137, 7-13	6.8	6
49	Serum metabolomics study of polycystic ovary syndrome based on UPLC-QTOF-MS coupled with a pattern recognition approach. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 4683-95	4.4	47
48	Altered resting state functional network connectivity in children absence epilepsy. <i>Journal of the Neurological Sciences</i> , 2015 , 354, 79-85	3.2	48
47	AMP-kinase pathway is involved in tumor necrosis factor alpha-induced lipid accumulation in human hepatoma cells. <i>Life Sciences</i> , 2015 , 131, 23-9	6.8	21
46	Glutamic acid decarboxylase autoantibodies are dominant but insufficient to identify most Chinese with adult-onset non-insulin requiring autoimmune diabetes: LADA China study 5. <i>Acta Diabetologica</i> , 2015 , 52, 1121-7	3.9	24
45	Redox signaling: Potential arbitrator of autophagy and apoptosis in therapeutic response. <i>Free Radical Biology and Medicine</i> , 2015 , 89, 452-65	7.8	87
44	Serum bisphenol A and progression of type 2 diabetic nephropathy: a 6-year prospective study. <i>Acta Diabetologica</i> , 2015 , 52, 1135-41	3.9	23
43	Increased interhemispheric resting-state in idiopathic generalized epilepsy with generalized tonic-clonic seizures: a resting-state fMRI study. <i>Epilepsy Research</i> , 2014 , 108, 1299-305	3	14
42	Altered spontaneous activity in treatment-naive childhood absence epilepsy revealed by Regional Homogeneity. <i>Journal of the Neurological Sciences</i> , 2014 , 340, 58-62	3.2	30
41	Altered intrinsic functional connectivity of the salience network in childhood absence epilepsy. <i>Journal of the Neurological Sciences</i> , 2014 , 339, 189-95	3.2	37
40	Insulin glargine effectively achieves glycemic control and improves insulin resistance in patients with early type 2 diabetes that exhibit a high risk for cardiovascular disease. <i>Experimental and Therapeutic Medicine</i> , 2014 , 8, 147-152	2.1	4
39	Antiviral treatment for preventing postherpetic neuralgia. <i>The Cochrane Library</i> , 2014 , CD006866	5.2	72
38	Metformin ameliorates hepatic steatosis and inflammation without altering adipose phenotype in diet-induced obesity. <i>PLoS ONE</i> , 2014 , 9, e91111	3.7	124
37	Roles of chronic low-grade inflammation in the development of ectopic fat deposition. <i>Mediators of Inflammation</i> , 2014 , 2014, 418185	4.3	34
36	Rosiglitazone inhibits expression and secretion of PEDF in adipose tissue and liver of male SD rats via a PPAR- γ -independent mechanism. <i>Endocrinology</i> , 2014 , 155, 941-50	4.8	11
35	microRNAs as a new mechanism regulating adipose tissue inflammation in obesity and as a novel therapeutic strategy in the metabolic syndrome. <i>Journal of Immunology Research</i> , 2014 , 2014, 987285	4.5	62
34	Endovascular embolization of refractory traumatic carotid cavernous fistula with micro-coils: a preliminary experience. <i>Turkish Neurosurgery</i> , 2014 , 24, 190-5	0.8	3

33	Altered resting-state connectivity during interictal generalized spike-wave discharges in drug-naïve childhood absence epilepsy. <i>Human Brain Mapping</i> , 2013 , 34, 1761-7	5.9	47
32	The risk factors of mild decline in estimated glomerular filtration rate in a community-based population. <i>Clinical Biochemistry</i> , 2013 , 46, 750-4	3.5	16
31	Efficacy and tolerability of febuxostat in hyperuricemic patients with or without gout: a systematic review and meta-analysis. <i>Clinical Therapeutics</i> , 2013 , 35, 180-9	3.5	37
30	Association of serum pigment epithelium-derived factor with high-sensitivity C-reactive protein in women with polycystic ovary syndrome. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 632-5	5.2	9
29	Metformin inhibits expression and secretion of PEDF in adipocyte and hepatocyte via promoting AMPK phosphorylation. <i>Mediators of Inflammation</i> , 2013 , 2013, 429207	4.3	11
28	Efficacy and safety of traditional chinese medicine for diabetes: a double-blind, randomised, controlled trial. <i>PLoS ONE</i> , 2013 , 8, e56703	3.7	55
27	White matter impairment in the basal ganglia-thalamocortical circuit of drug-naïve childhood absence epilepsy. <i>Epilepsy Research</i> , 2012 , 99, 267-73	3	52
26	Dysregulation of glucose metabolism even in Chinese PCOS women with normal glucose tolerance. <i>Endocrine Journal</i> , 2012 , 59, 765-70	2.9	14
25	Insulin resistance but not impaired β cell function: a key feature in Chinese normal-weight PCOS women with normal glucose regulation. <i>Gynecological Endocrinology</i> , 2012 , 28, 598-601	2.4	6
24	Resting-state fMRI study of treatment-naïve temporal lobe epilepsy patients with depressive symptoms. <i>NeuroImage</i> , 2012 , 60, 299-304	7.9	50
23	Resting state basal ganglia network in idiopathic generalized epilepsy. <i>Human Brain Mapping</i> , 2012 , 33, 1279-94	5.9	89
22	The relationship between high-sensitivity C-reactive protein and ApoB, ApoB/ApoA1 ratio in general population of China. <i>Endocrine</i> , 2012 , 42, 132-8	4	14
21	A prospective study to optimize insulin treatment by switching to insulin glargine in type 2 diabetic patients previously uncontrolled on premixed insulin: the optimization study. <i>Current Medical Research and Opinion</i> , 2012 , 28, 533-41	2.5	11
20	Disrupted functional brain connectivity in partial epilepsy: a resting-state fMRI study. <i>PLoS ONE</i> , 2011 , 7, e28196	3.7	84
19	Serum complement C3 has a stronger association with insulin resistance than high-sensitivity C-reactive protein in women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2011 , 95, 1749-53	4.8	19
18	Vaccination for preventing postherpetic neuralgia. <i>The Cochrane Library</i> , 2011 , CD007795	5.2	12
17	Diffusion and volumetry abnormalities in subcortical nuclei of patients with absence seizures. <i>Epilepsia</i> , 2011 , 52, 1092-9	6.4	42
16	Serum complement C3 has a stronger association with insulin resistance than high sensitive C-reactive protein in non-diabetic Chinese. <i>Inflammation Research</i> , 2011 , 60, 63-8	7.2	10

15	Inflammatory stress exacerbates ectopic lipid deposition in C57BL/6J mice. <i>Lipids in Health and Disease</i> , 2011 , 10, 110	4.4	31
14	Altered functional connectivity in default mode network in absence epilepsy: a resting-state fMRI study. <i>Human Brain Mapping</i> , 2011 , 32, 438-49	5.9	190
13	Serum pigment epithelium-derived factor is elevated in women with polycystic ovary syndrome and correlates with insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 831-6	5.6	40
12	The ApoB/ApoA1 ratio is associated with metabolic syndrome and its components in a Chinese population. <i>Inflammation</i> , 2010 , 33, 353-8	5.1	23
11	Imaging foci of epileptic discharges from simultaneous EEG and fMRI using the canonical HRF. <i>Epilepsy Research</i> , 2010 , 91, 133-42	3	13
10	Acupuncture for Bell's palsy. <i>Journal of Alternative and Complementary Medicine</i> , 2009 , 15, 759-64	2.4	16
9	EEG-fMRI study on the interictal and ictal generalized spike-wave discharges in patients with childhood absence epilepsy. <i>Epilepsy Research</i> , 2009 , 87, 160-8	3	76
8	Antiviral treatment for preventing postherpetic neuralgia. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006866		65
7	Sanchi for Acute Ischemic Stroke. <i>Stroke</i> , 2009 , 40,	6.7	3
6	Oxcarbazepine for neuropathic pain 2009 ,		5
5	Traditional Chinese medicine for epilepsy. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006454		13
4	A case of intravascular B-cell lymphoma presenting as myelopathy and diagnosed post mortem. <i>Journal of the Neurological Sciences</i> , 2008 , 272, 196-8	3.2	9
3	Sanchi for acute ischaemic stroke. <i>The Cochrane Library</i> , 2008 , CD006305	5.2	26
2	Acupuncture for Bell's palsy. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD002914		20
1	Antiviral treatment for preventing postherpetic neuralgia 2007 ,		2