Frederic Noo

List of Publications by Citations

Source: https://exaly.com/author-pdf/10773979/frederic-noo-publications-by-citations.pdf

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

1,784
citations

19
h-index

9-index

55
ext. papers

2,138
ext. citations

4.6
avg, IF

L-index

#	Paper	IF	Citations
50	A two-step Hilbert transform method for 2D image reconstruction. <i>Physics in Medicine and Biology</i> , 2004 , 49, 3903-23	3.8	218
49	Analytic method based on identification of ellipse parameters for scanner calibration in cone-beam tomography. <i>Physics in Medicine and Biology</i> , 2000 , 45, 3489-508	3.8	164
48	Tiny a priori knowledge solves the interior problem in computed tomography. <i>Physics in Medicine and Biology</i> , 2008 , 53, 2207-31	3.8	156
47	Truncated Hilbert transform and image reconstruction from limited tomographic data. <i>Inverse Problems</i> , 2006 , 22, 1037-1053	2.3	140
46	Cone-beam reconstruction using the backprojection of locally filtered projections. <i>IEEE Transactions on Medical Imaging</i> , 2005 , 24, 70-85	11.7	128
45	Exact helical reconstruction using native cone-beam geometries. <i>Physics in Medicine and Biology</i> , 2003 , 48, 3787-818	3.8	115
44	A solution to the long-object problem in helical cone-beam tomography. <i>Physics in Medicine and Biology</i> , 2000 , 45, 623-43	3.8	107
43	Cone-beam filtered-backprojection algorithm for truncated helical data. <i>Physics in Medicine and Biology</i> , 1998 , 43, 2885-909	3.8	102
42	Image covariance and lesion detectability in direct fan-beam x-ray computed tomography. <i>Physics in Medicine and Biology</i> , 2008 , 53, 2471-93	3.8	89
41	Cone-beam reconstruction using 1D filtering along the projection of M -lines. <i>Inverse Problems</i> , 2005 , 21, 1105-1120	2.3	65
40	Investigation of saddle trajectories for cardiac CT imaging in cone-beam geometry. <i>Physics in Medicine and Biology</i> , 2004 , 49, 2317-36	3.8	57
39	Simulation tools for two-dimensional experiments in x-ray computed tomography using the FORBILD head phantom. <i>Physics in Medicine and Biology</i> , 2012 , 57, N237-52	3.8	45
38	A local shift-variant Fourier model and experimental validation of circular cone-beam computed tomography artifacts. <i>Medical Physics</i> , 2009 , 36, 500-12	4.4	45
37	Exact and approximate algorithms for helical cone-beam CT. <i>Physics in Medicine and Biology</i> , 2004 , 49, 2913-31	3.8	31
36	Exact confidence intervals for channelized Hotelling observer performance in image quality studies. <i>IEEE Transactions on Medical Imaging</i> , 2015 , 34, 453-64	11.7	26
35	The cone-beam algorithm of Feldkamp, Davis, and Kress preserves oblique line integrals. <i>Medical Physics</i> , 2004 , 31, 1972-5	4.4	24
34	General reconstruction theory for multislice X-ray computed tomography with a gantry tilt. <i>IEEE Transactions on Medical Imaging</i> , 2004 , 23, 1109-16	11.7	22

33	Dedicated breast CT: radiation dose for circle-plus-line trajectory. <i>Medical Physics</i> , 2012 , 39, 1530-41	4.4	21
32	Technical Note: FreeCT_wFBP: A robust, efficient, open-source implementation of weighted filtered backprojection for helical, fan-beam CT. <i>Medical Physics</i> , 2016 , 43, 1411-20	4.4	20
31	A factorization approach for cone-beam reconstruction on a circular short-scan. <i>IEEE Transactions on Medical Imaging</i> , 2008 , 27, 887-96	11.7	16
30	Estimation of channelized hotelling observer performance with known class means or known difference of class means. <i>IEEE Transactions on Medical Imaging</i> , 2009 , 28, 1198-207	11.7	15
29	A new scheme for view-dependent data differentiation in fan-beam and cone-beam computed tomography. <i>Physics in Medicine and Biology</i> , 2007 , 52, 5393-414	3.8	15
28	Improved two-dimensional rebinning of helical cone-beam computerized tomography data using John gequation. <i>Inverse Problems</i> , 2003 , 19, S41-S54	2.3	15
27	Rebinning-based algorithms for helical cone-beam CT. <i>Physics in Medicine and Biology</i> , 2001 , 46, 2911-37	3.8	15
26	Geometric calibration of the circle-plus-arc trajectory. <i>Physics in Medicine and Biology</i> , 2007 , 52, 6943-60	3.8	14
25	A nonparametric procedure for comparing the areas under correlated LROC curves. <i>IEEE Transactions on Medical Imaging</i> , 2012 , 31, 2050-61	11.7	12
24	A comparison of linear interpolation models for iterative CT reconstruction. <i>Medical Physics</i> , 2016 , 43, 6455	4.4	12
23	The effect of radiation dose reduction on computer-aided detection (CAD) performance in a low-dose lung cancer screening population. <i>Medical Physics</i> , 2017 , 44, 1337-1346	4.4	11
22	Confidence intervals for performance assessment of linear observers. <i>Medical Physics</i> , 2011 , 38 Suppl 1, S57	4.4	9
21	Truncation correction for oblique filtering lines. <i>Medical Physics</i> , 2008 , 35, 5910-20	4.4	8
20	New Theoretical Results on Channelized Hotelling Observer Performance Estimation with Known Difference of Class Means. <i>IEEE Transactions on Nuclear Science</i> , 2013 , 60, 182-193	1.7	7
19	Accurate helical cone-beam CT reconstruction with redundant data. <i>Physics in Medicine and Biology</i> , 2009 , 54, 4625-44	3.8	6
18	Evaluation of the impact of tube current modulation on lesion detectability using model observers. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2008 , 2008, 2705-8	0.9	6
17	Extended ellipse-line-ellipse trajectory for long-object cone-beam imaging with a mounted C-arm system. <i>Physics in Medicine and Biology</i> , 2016 , 61, 1829-51	3.8	5
16	Line plus arc source trajectories and their R-line coverage for long-object cone-beam imaging with a C-arm system. <i>Physics in Medicine and Biology</i> , 2011 , 56, 3447-71	3.8	5

15	On Efficient Assessment of Image-Quality Metrics Based on Linear Model Observers. <i>IEEE Transactions on Nuclear Science</i> , 2012 , 59, 568-578	1.7	4
14	Band-restricted estimation of noise variance in filtered backprojection reconstructions using repeated scans. <i>IEEE Transactions on Medical Imaging</i> , 2010 , 29, 1097-113	11.7	4
13	Accelerating iterative coordinate descent using a stored system matrix. <i>Medical Physics</i> , 2019 , 46, e801-	е β. р 9	4
12	Quantification of Tomographic Incompleteness in Cone-Beam Reconstruction. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2020 , 4, 63-80	4.2	4
11	Accurate Transaxial Region-of-Interest Reconstruction in Helical CT?. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2017 , 1, 334-345	4.2	3
10	Cone-beam artifact evaluation of the factorization method. <i>Medical Physics</i> , 2011 , 38 Suppl 1, S18	4.4	3
9	Cone-beam Tomography from Short-Scan Circle-plus-Arc Data Measured on a C-arm System 2006 ,		3
8	Impact of the non-negativity constraint in model-based iterative reconstruction from CT data. <i>Medical Physics</i> , 2019 , 46, e835-e854	4.4	3
7	Technical Note: FreeCT_ICD: An open-source implementation of a model-based iterative reconstruction method using coordinate descent optimization for CT imaging investigations. <i>Medical Physics</i> , 2018 , 45, 3591	4.4	3
6	Practical estimation of detectability maps for assessment of CT scanner performance 2010,		2
5	Estimation of trained-observer performance with known difference of class means 2010,		2
4	C-arm CT imaging with the extended line-ellipse-line trajectory: first implementation on a state-of-the-art robotic angiography system. <i>Physics in Medicine and Biology</i> , 2020 , 65, 185016	3.8	1
3	Accurate image reconstruction using real C-arm data from a Circle-plus-arc trajectory. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2012 , 7, 73-86	3.9	1
2	Accuracy of channelized hotelling observer performance measures estimated from repeated CT scans 2008 ,		1
1	Exact Efficient Handling of Interrupted Illumination in Helical Cone-Beam Computed Tomography with Arbitrary Pitch. <i>Tsinghua Science and Technology</i> , 2010 , 15, 36-43	3.4	