

# Armando Teixeira-Pinto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10774602/publications.pdf>

Version: 2024-02-01

31  
papers

1,528  
citations

393982

19  
h-index

433756

31  
g-index

32  
all docs

32  
docs citations

32  
times ranked

2080  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Exercise training for adults undergoing maintenance dialysis. The Cochrane Library, 2022, 2022, CD014653.  | 1.5 | 21        |
| 2  | Cognitive dysfunction and mortality in multiple sclerosis: Long-term retrospective review. Multiple Sclerosis Journal, 2022, 28, 1382-1391.  | 1.4 | 3         |
| 3  | Standardised Outcomes in Nephrology – Chronic Kidney Disease (SONG-CKD): a protocol for establishing a core outcome set for adults with chronic kidney disease who do not require kidney replacement therapy. Trials, 2021, 22, 612. | 0.7 | 12        |
| 4  | Dietary Patterns and Mortality in a Multinational Cohort of Adults Receiving Hemodialysis. American Journal of Kidney Diseases, 2020, 75, 361-372.   | 2.1 | 12        |
| 5  | Identifying critically important vascular access outcomes for trials in haemodialysis: an international survey with patients, caregivers and health professionals. Nephrology Dialysis Transplantation, 2020, 35, 657-668.           | 0.4 | 22        |
| 6  | Patient and Caregiver Priorities for Medication Adherence in Gout, Osteoporosis, and Rheumatoid Arthritis: Nominal Group Technique. Arthritis Care and Research, 2020, 72, 1410-1419.  | 1.5 | 19        |
| 7  | Meaning of empowerment in peritoneal dialysis: focus groups with patients and caregivers. Nephrology Dialysis Transplantation, 2020, 35, 1949-1958.  | 0.4 | 46        |
| 8  | Identifying Outcomes Important to Patients with Glomerular Disease and Their Caregivers. Clinical Journal of the American Society of Nephrology: CJASN, 2020, 15, 673-684.   | 2.2 | 66        |
| 9  | Controversy and Debate Series on Core Outcome Sets. Paper 5: Large-scale, mixed-methods, knowledge exchange to establish core outcomes – the SONG approach. Journal of Clinical Epidemiology, 2020, 125, 225-228.                    | 2.4 | 5         |
| 10 | Core Outcome Domains for Trials in Autosomal Dominant Polycystic Kidney Disease: An International Delphi Survey. American Journal of Kidney Diseases, 2020, 76, 361-373.   | 2.1 | 23        |
| 11 | Establishing core outcome domains in pediatric kidney disease: report of the Standardized Outcomes in Nephrology – Children and Adolescents (SONG-KIDS) consensus workshops. Kidney International, 2020, 98, 553-565.                | 2.6 | 58        |
| 12 | Establishing a Core Outcome Set for Peritoneal Dialysis: Report of the SONG-PD (Standardized) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 Diseases, 2020, 75, 404-412.   | 2.1 | 92        |
| 13 | Developing Consensus-Based Outcome Domains for Trials in Children and Adolescents With CKD: An International Delphi Survey. American Journal of Kidney Diseases, 2020, 76, 533-545.  | 2.1 | 19        |
| 14 | Patient and Caregiver Priorities for Outcomes in CKD: A Multinational Nominal Group Technique Study. American Journal of Kidney Diseases, 2020, 76, 679-689.   | 2.1 | 56        |
| 15 | Standardized Outcomes in Nephrology – Glomerular Disease (SONG-GD): establishing a core outcome set for trials in patients with glomerular disease. Kidney International, 2019, 95, 1280-1283.                                       | 2.6 | 20        |
| 16 | An international Delphi survey helped develop consensus-based core outcome domains for trials in peritoneal dialysis. Kidney International, 2019, 96, 699-710.   | 2.6 | 73        |
| 17 | Patient and Caregiver Priorities for Outcomes in Peritoneal Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 74-83.  | 2.2 | 101       |
| 18 | Autoregressive and cross-lagged model for bivariate non-commensurate outcomes. Statistics in Medicine, 2017, 36, 3110-3120.  | 0.8 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The Authors Reply. <i>Kidney International</i> , 2017, 92, 1291.  | 2.6 | 0         |
| 20 | Recurrent glomerulonephritis after kidney transplantation: risk factors and allograft outcomes. <i>Kidney International</i> , 2017, 92, 461-469.                          | 2.6 | 132       |
| 21 | Cognitive reserve in multiple sclerosis: Protective effects of education. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1312-1321.  | 1.4 | 60        |
| 22 | Auditory Verbal Learning Test in a Large Nonclinical Portuguese Population. <i>Applied Neuropsychology Adult</i> , 2015, 22, 321-331.                                     | 0.7 | 73        |
| 23 | Trail Making Test: Regression-based Norms for the Portuguese Population. <i>Archives of Clinical Neuropsychology</i> , 2013, 28, 189-198.                                 | 0.3 | 100       |
| 24 | Semantic Fluency and Phonemic Fluency: Regression-based Norms for the Portuguese Population. <i>Archives of Clinical Neuropsychology</i> , 2013, 28, 262-271.             | 0.3 | 96        |
| 25 | Are Cognitive and Olfactory Dysfunctions in Neuropsychiatric Lupus Erythematosus Dependent on Anxiety or Depression?. <i>Journal of Rheumatology</i> , 2012, 39, 770-776. | 1.0 | 22        |
| 26 | Statistical Analysis of Noncommensurate Multiple Outcomes. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011, 4, 650-656.                                    | 0.9 | 15        |
| 27 | MISSING DATA IN REGRESSION MODELS FOR NON-COMMENSURATE MULTIPLE OUTCOMES. <i>Revstat Statistical Journal</i> , 2011, 9, 37-55.  | 0.0 | 1         |
| 28 | Correlated bivariate continuous and binary outcomes: Issues and applications. <i>Statistics in Medicine</i> , 2009, 28, 1753-1773.  | 0.8 | 76        |
| 29 | Statistical Approaches to Modeling Multiple Outcomes in Psychiatric Studies. <i>Psychiatric Annals</i> , 2009, 39, 729-735.   | 0.1 | 31        |
| 30 | Statistical methodology for classifying units on the basis of multiple-related measures. <i>Statistics in Medicine</i> , 2008, 27, 1329-1350.                             | 0.8 | 23        |
| 31 | Quality of life after intensive care " evaluation with EQ-5D questionnaire. <i>Intensive Care Medicine</i> , 2002, 28, 898-907.   | 3.9 | 126       |