

# Kentaro Hanada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10775439/publications.pdf>

Version: 2024-02-01

116  
papers

7,984  
citations

44069

48  
h-index

51608

86  
g-index

120  
all docs

120  
docs citations

120  
times ranked

7804  
citing authors

#	ARTICLE	IF	CITATIONS
1	A hybrid strategy combining solution NMR spectroscopy and isothermal titration calorimetry to characterize protein-nanodisc interaction. <i>Analytical Biochemistry</i> , 2022, 639, 114521.	2.4	5
2	Natural Ligand-Mimetic and Nonmimetic Inhibitors of the Ceramide Transport Protein CERT. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2098.	4.1	4
3	Whole-Genome Sequencing of Vero E6 (VERO C1008) and Comparative Analysis of Four Vero Cell Sublines. <i>Frontiers in Genetics</i> , 2022, 13, 801382.	2.3	5
4	Hyperosmotic Stress Induces Phosphorylation of CERT and Enhances Its Tethering throughout the Endoplasmic Reticulum. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4025.	4.1	2
5	Modulation of Zika virus replication via glycosphingolipids. <i>Virology</i> , 2022, 572, 17-27.	2.4	4
6	Compartmentalization of casein kinase 1 $\beta$ CSNK1G controls the intracellular trafficking of ceramide. <i>IScience</i> , 2022, 25, 104624.	4.1	8
7	Golgi maturation-dependent glycoenzyme recycling controls glycosphingolipid biosynthesis and cell growth via GOLPH3. <i>EMBO Journal</i> , 2021, 40, e107238.	7.8	45
8	Poliovirus-nonsusceptible Vero cell line for the World Health Organization global action plan. <i>Scientific Reports</i> , 2021, 11, 6746.	3.3	5
9	Identification of SYS1 as a Host Factor Required for Shiga Toxin-Mediated Cytotoxicity in Vero Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4936.	4.1	5
10	Intellectual disability-associated mutations in the ceramide transport protein gene CERT1 lead to aberrant function and subcellular distribution. <i>Journal of Biological Chemistry</i> , 2021, 297, 101338.	3.4	8
11	Organelle contacts: Suborganelle zones to facilitate rapid and accurate interorganelle trafficking of lipids. <i>Traffic</i> , 2020, 21, 189-196.	2.7	4
12	<i>Chlamydia trachomatis</i> infected human cells convert ceramide to sphingomyelin without sphingomyelin synthases 1 and 2. <i>FEBS Letters</i> , 2020, 594, 519-529.	2.8	11
13	Three-Component, One-Pot Tandem Sonogashira/Suzuki-Miyaura Coupling Reactions for the Synthesis of a Library of Ceramide Transport Protein Inhibitors Designed In Silico. <i>Asian Journal of Organic Chemistry</i> , 2020, 9, 267-273.	2.7	4
14	Sphingolipid Metabolism at the ER-Golgi Contact Zone and Its Impact on Membrane Trafficking. <i>Contact (Thousand Oaks (Ventura County, Calif))</i> , 2020, 3, 251525642095951.	1.3	12
15	Identification of Characteristic Genomic Markers in Human Hepatoma HuH-7 and Huh7.5.1-8 Cell Lines. <i>Frontiers in Genetics</i> , 2020, 11, 546106.	2.3	24
16	Sphingomyelin Is Essential for the Structure and Function of the Double-Membrane Vesicles in Hepatitis C Virus RNA Replication Factories. <i>Journal of Virology</i> , 2020, 94, .	3.4	19
17	Blood group P1 antigen-bearing glycoproteins are functional but less efficient receptors of Shiga toxin than conventional glycolipid-based receptors. <i>Journal of Biological Chemistry</i> , 2020, 295, 9490-9501.	3.4	10
18	Comparative characterization of flavivirus production in two cell lines: Human hepatoma-derived Huh7.5.1-8 and African green monkey kidney-derived Vero. <i>PLoS ONE</i> , 2020, 15, e0232274.	2.5	13

#	ARTICLE	IF	CITATIONS
19	Intellectual disability-associated gain-of-function mutations in CERT1 that encodes the ceramide transport protein CERT. <i>PLoS ONE</i> , 2020, 15, e0243980.	2.5	12
20	Structure, functions and regulation of CERT, a lipid transfer protein for the delivery of ceramide at the ER-Golgi membrane contact sites. <i>FEBS Letters</i> , 2019, 593, 2366-2377.	2.8	68
21	Phosphoethanolamine Accumulation Protects Cancer Cells under Glutamine Starvation through Downregulation of PCYT2. <i>Cell Reports</i> , 2019, 29, 89-103.e7.	6.4	29
22	A CRISPR Screen Identifies LAPT4A and TM9SF Proteins as Glycolipid-Regulating Factors. <i>iScience</i> , 2019, 11, 409-424.	4.1	53
23	Natural ligand-nonmimetic inhibitors of the lipid-transfer protein CERT. <i>Communications Chemistry</i> , 2019, 2, .	4.5	27
24	Monoclonal Antibodies against Occludin Completely Prevented Hepatitis C Virus Infection in a Mouse Model. <i>Journal of Virology</i> , 2018, 92, .	3.4	27
25	Novel endogenous simian retroviral integrations in Vero cells: implications for quality control of a human vaccine cell substrate. <i>Scientific Reports</i> , 2018, 8, 644.	3.3	21
26	Both Sphingomyelin and Cholesterol in the Host Cell Membrane Are Essential for Rubella Virus Entry. <i>Journal of Virology</i> , 2018, 92, .	3.4	29
27	Pleckstrin homology domain of p210 BCR-ABL interacts with cardiolipin to regulate its mitochondrial translocation and subsequent mitophagy. <i>Genes To Cells</i> , 2018, 23, 22-34.	1.2	9
28	Both the N- and C- terminal regions of the Chlamydial inclusion protein D (IncD) are required for interaction with the pleckstrin homology domain of the ceramide transport protein CERT. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 1070-1076.	2.1	14
29	Phosphoinositide binding by the PH domain in ceramide transfer protein (CERT) is inhibited by hyperphosphorylation of an adjacent serine-repeat motif. <i>Journal of Biological Chemistry</i> , 2018, 293, 11206-11217.	3.4	21
30	Comprehensive phylogenomic analysis reveals a novel cluster of simian endogenous retroviral sequences in Colobinae monkeys. <i>American Journal of Primatology</i> , 2018, 80, e22882.	1.7	3
31	Lipid transfer proteins rectify inter-organelle flux and accurately deliver lipids at membrane contact sites. <i>Journal of Lipid Research</i> , 2018, 59, 1341-1366.	4.2	58
32	Thermostable hepatitis C virus JFH1-derived variant isolated by adaptation to Huh7.5.1 cells. <i>Journal of General Virology</i> , 2018, 99, 1407-1417.	2.9	5
33	Nanotubes connecting B lymphocytes: High impact of differentiation-dependent lipid composition on their growth and mechanics. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017, 1862, 991-1000.	2.4	15
34	In Vitro Assay to Extract Specific Lipid Types from Phospholipid Membranes Using Lipid-Transfer Proteins: A Lesson from the Ceramide Transport Protein CERT. <i>Neuromethods</i> , 2017, , 81-98.	0.3	1
35	Ceramide Transport from the Endoplasmic Reticulum to the Trans Golgi Region at Organelle Membrane Contact Sites. <i>Advances in Experimental Medicine and Biology</i> , 2017, 997, 69-81.	1.6	17
36	The First Meeting of the National Control Laboratories for Vaccines and Biologicals in the Western Pacific in 2016. <i>Osong Public Health and Research Perspectives</i> , 2017, 8, 91-103.	1.9	8

#	ARTICLE	IF	CITATIONS
37	Role of Intracellular Lipid Logistics in the Preferential Usage of Very Long Chain-Ceramides in Glucosylceramide. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1761.	4.1	17
38	Dihydroceramide accumulation mediates cytotoxic autophagy of cancer cells via autolysosome destabilization. <i>Autophagy</i> , 2016, 12, 2213-2229.	9.1	118
39	Inhibitory Effects of Caffeic Acid, a Coffee-Related Organic Acid, on the Propagation of Hepatitis C Virus. <i>Japanese Journal of Infectious Diseases</i> , 2015, 68, 268-275.	1.2	34
40	Targeting Cellular Squalene Synthase, an Enzyme Essential for Cholesterol Biosynthesis, Is a Potential Antiviral Strategy against Hepatitis C Virus. <i>Journal of Virology</i> , 2015, 89, 2220-2232.	3.4	24
41	ABCB4 exports phosphatidylcholine in a sphingomyelin-dependent manner. <i>Journal of Lipid Research</i> , 2015, 56, 644-652.	4.2	13
42	Glucosylceramide Contained in Koji Mold-Cultured Cereal Confers Membrane and Flavor Modification and Stress Tolerance to <i>Saccharomyces cerevisiae</i> during Coculture Fermentation. <i>Applied and Environmental Microbiology</i> , 2015, 81, 3688-3698.	3.1	27
43	Sphingolipid Metabolism and Interorganellar Transport: Localization of Sphingolipid Enzymes and Lipid Transfer Proteins. <i>Traffic</i> , 2015, 16, 101-122.	2.7	136
44	Osh proteins regulate COPII-mediated vesicular transport of ceramide from the endoplasmic reticulum in budding yeast. <i>Journal of Cell Science</i> , 2014, 127, 376-87.	2.0	36
45	Establishment of HeLa Cell Mutants Deficient in Sphingolipid-Related Genes Using TALENs. <i>PLoS ONE</i> , 2014, 9, e88124.	2.5	60
46	ABCA1, ABCG1, and ABCG4 Are Distributed to Distinct Membrane Meso-Domains and Disturb Detergent-Resistant Domains on the Plasma Membrane. <i>PLoS ONE</i> , 2014, 9, e109886.	2.5	38
47	Co-evolution of sphingomyelin and the ceramide transport protein CERT. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 704-719.	2.4	43
48	Phosphoregulation of the Ceramide Transport Protein CERT at Serine 315 in the Interaction with VAMP-associated Protein (VAP) for Inter-organelle Trafficking of Ceramide in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 10748-10760.	3.4	79
49	Interorganelle Trafficking of Lipids: Preface for the Thematic Review Series. <i>Traffic</i> , 2014, 15, 889-894.	2.7	7
50	The Genome Landscape of the African Green Monkey Kidney-Derived Vero Cell Line. <i>DNA Research</i> , 2014, 21, 673-683.	3.4	198
51	Modulation of Hepatitis C Virus Genome Replication by Glycosphingolipids and Four-Phosphate Adaptor Protein 2. <i>Journal of Virology</i> , 2014, 88, 12276-12295.	3.4	77
52	Sphingolipid synthesis and scavenging in the intracellular apicomplexan parasite, <i>Toxoplasma gondii</i> . <i>Molecular and Biochemical Parasitology</i> , 2013, 187, 43-51.	1.1	39
53	Structural Basis for the Golgi Association by the Pleckstrin Homology Domain of the Ceramide Trafficking Protein (CERT)*. <i>Journal of Biological Chemistry</i> , 2012, 287, 33706-33718.	3.4	51
54	Reconstitution Assay System for Ceramide Transport With Semi-Intact Cells. <i>Methods in Cell Biology</i> , 2012, 108, 117-129.	1.1	3

#	ARTICLE	IF	CITATIONS
55	Limonoid Compounds Inhibit Sphingomyelin Biosynthesis by Preventing CERT Protein-dependent Extraction of Ceramides from the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2012, 287, 24397-24411.	3.4	29
56	The intermembrane ceramide transport catalyzed by CERT is sensitive to the lipid environment. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011, 1808, 229-235.	2.6	18
57	<i>Chlamydia trachomatis</i> Co-opts GBF1 and CERT to Acquire Host Sphingomyelin for Distinct Roles during Intracellular Development. <i>PLoS Pathogens</i> , 2011, 7, e1002198.	4.7	198
58	Intracellular trafficking of ceramide by ceramide transfer protein. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2010, 86, 426-437.	3.8	71
59	Real-time assay method of lipid extraction activity. <i>Analytical Biochemistry</i> , 2010, 399, 162-167.	2.4	18
60	Exit of GPI-Anchored Proteins from the ER Differs in Yeast and Mammalian Cells. <i>Traffic</i> , 2010, 11, 1017-1033.	2.7	33
61	Transmembrane BAX Inhibitor Motif Containing (TMBIM) Family Proteins Perturbs a trans-Golgi Network Enzyme, Gb3 Synthase, and Reduces Gb3 Biosynthesis. <i>Journal of Biological Chemistry</i> , 2010, 285, 35505-35518.	3.4	52
62	Modulation of the activity of cytosolic phospholipase A2 $\uparrow$ (cPLA2 $\uparrow$ ) by cellular sphingolipids and inhibition of cPLA2 $\uparrow$ by sphingomyelin. <i>Journal of Lipid Research</i> , 2010, 51, 720-728.	4.2	29
63	Crystal Structures of the CERT START Domain with Inhibitors Provide Insights into the Mechanism of Ceramide Transfer. <i>Journal of Molecular Biology</i> , 2010, 396, 245-251.	4.2	69
64	Casein Kinase $\uparrow$ 32 Down-Regulates Trafficking of Ceramide in the Synthesis of Sphingomyelin. <i>Molecular Biology of the Cell</i> , 2009, 20, 348-357.	2.1	56
65	Knockdown of autophagy-related gene decreases the production of infectious Hepatitis C virus particles. <i>Autophagy</i> , 2009, 5, 937-945.	9.1	159
66	Characterization of Mutant Serine Palmitoyltransferase 1 in LY $\uparrow$ 6B Cells. <i>Lipids</i> , 2009, 44, 725-732.	1.7	8
67	CERT-mediated trafficking of ceramide. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009, 1791, 684-691.	2.4	152
68	Two sphingolipid transfer proteins, CERT and FAPP2: Their roles in sphingolipid metabolism. <i>IUBMB Life</i> , 2008, 60, 511-518.	3.4	73
69	Structural basis for specific lipid recognition by CERT responsible for nonvesicular trafficking of ceramide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 488-493.	7.1	202
70	Critical Role of Virion-Associated Cholesterol and Sphingolipid in Hepatitis C Virus Infection. <i>Journal of Virology</i> , 2008, 82, 5715-5724.	3.4	186
71	Protein Phosphatase 2C $\uparrow$ Is an Endoplasmic Reticulum Integral Membrane Protein That Dephosphorylates the Ceramide Transport Protein CERT to Enhance Its Association with Organelle Membranes. <i>Journal of Biological Chemistry</i> , 2008, 283, 6584-6593.	3.4	75
72	Protein-sphingolipid interactions within cellular membranes. <i>Journal of Lipid Research</i> , 2008, 49, 251-262.	4.2	55

#	ARTICLE	IF	CITATIONS
73	Decreased Ceramide Transport Protein (CERT) Function Alters Sphingomyelin Production following UVB Irradiation. <i>Journal of Biological Chemistry</i> , 2008, 283, 16682-16692.	3.4	43
74	Consideration about negative controls for LC3 and expression vectors for four colored fluorescent protein-LC3 negative controls. <i>Autophagy</i> , 2008, 4, 131-134.	9.1	94
75	Functional Analysis of .ALPHA.5.BETA.1 Integrin and Lipid Rafts in Invasion of Epithelial Cells by <i>Porphyromonas gingivalis</i> using Fluorescent Beads Coated with Bacterial Membrane Vesicles. <i>Cell Structure and Function</i> , 2008, 33, 123-132.	1.1	53
76	Enhanced ApoA-I-dependent Cholesterol Efflux by ABCA1 from Sphingomyelin-deficient Chinese Hamster Ovary Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 14868-14874.	3.4	59
77	Interorganelle Trafficking of Ceramide Is Regulated by Phosphorylation-dependent Cooperativity between the PH and START Domains of CERT. <i>Journal of Biological Chemistry</i> , 2007, 282, 17758-17766.	3.4	104
78	Sphingomyelin-dependence of cholesterol efflux mediated by ABCG1. <i>Journal of Lipid Research</i> , 2007, 48, 2377-2384.	4.2	65
79	CERT and intracellular trafficking of ceramide. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 644-653.	2.4	124
80	Ceramide traffic in C6 glioma cells: Evidence for CERT-dependent and independent transport from ER to the Golgi apparatus. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1781, 40-51.	2.4	16
81	Regulation of CERT-mediated trafficking of ceramide. <i>Chemistry and Physics of Lipids</i> , 2007, 149, S7.	3.2	1
82	Involvement of sphingoid bases in mediating reactive oxygen intermediate production and programmed cell death in Arabidopsis. <i>Cell Research</i> , 2007, 17, 1030-1040.	12.0	190
83	Depletion of Sphingolipids Facilitates Endosome to Golgi Transport of Ricin. <i>Traffic</i> , 2006, 7, 1243-1253.	2.7	23
84	Discovery of the molecular machinery CERT for endoplasmic reticulum-to-Golgi trafficking of ceramide. <i>Molecular and Cellular Biochemistry</i> , 2006, 286, 23-31.	3.1	70
85	Evidence That Clustered Phosphocholine Head Groups Serve as Sites for Binding and Assembly of an Oligomeric Protein Pore. <i>Journal of Biological Chemistry</i> , 2006, 281, 26014-26021.	3.4	98
86	Efficient Trafficking of Ceramide from the Endoplasmic Reticulum to the Golgi Apparatus Requires a VAMP-associated Protein-interacting FFAT Motif of CERT. <i>Journal of Biological Chemistry</i> , 2006, 281, 30279-30288.	3.4	259
87	Serine Palmitoyltransferase. , 2006, , 25-47.		2
88	Molecular Mechanism of Ceramide Trafficking from the Endoplasmic Reticulum to the Golgi Apparatus in Mammalian Cells. , 2006, , 107-121.		0
89	CERT Mediates Intermembrane Transfer of Various Molecular Species of Ceramides. <i>Journal of Biological Chemistry</i> , 2005, 280, 6488-6495.	3.4	194
90	Diphtheria toxin translocation across cellular membranes is regulated by sphingolipids. <i>Biochemical and Biophysical Research Communications</i> , 2005, 329, 465-473.	2.1	9

#	ARTICLE	IF	CITATIONS
91	Modulation of Amyloid Precursor Protein Cleavage by Cellular Sphingolipids. <i>Journal of Biological Chemistry</i> , 2004, 279, 11984-11991.	3.4	76
92	De Novo Ceramide Accumulation Due to Inhibition of Its Conversion to Complex Sphingolipids in Apoptotic Photosensitized Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 23238-23249.	3.4	54
93	Molecular machinery for non-vesicular trafficking of ceramide. <i>Nature</i> , 2003, 426, 803-809.	27.8	916
94	Stereoselective Synthesis and Structure-Activity Relationship of Novel Ceramide Trafficking Inhibitors. (1R,3R)-N-(3-Hydroxy-1-hydroxymethyl-3-phenylpropyl)dodecanamide and Its Analogues. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 3688-3695.	6.4	38
95	Serine palmitoyltransferase, a key enzyme of sphingolipid metabolism. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2003, 1632, 16-30.	2.4	522
96	Localization, Topology, and Function of the LCB1 Subunit of Serine Palmitoyltransferase in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 4176-4183.	3.4	87
97	Plasmodium falciparum Phospholipase C Hydrolyzing Sphingomyelin and Lysocholinephospholipids Is a Possible Target for Malaria Chemotherapy. <i>Journal of Experimental Medicine</i> , 2002, 195, 23-34.	8.5	73
98	Initial steps of Shigella infection depend on the cholesterol/sphingolipid raft-mediated CD44-IpaB interaction. <i>EMBO Journal</i> , 2002, 21, 4449-4457.	7.8	215
99	Hereditary sensory neuropathy type 1 mutations confer dominant negative effects on serine palmitoyltransferase, critical for sphingolipid synthesis. <i>Journal of Clinical Investigation</i> , 2002, 110, 1301-1308.	8.2	71
100	Hereditary sensory neuropathy type 1 mutations confer dominant negative effects on serine palmitoyltransferase, critical for sphingolipid synthesis. <i>Journal of Clinical Investigation</i> , 2002, 110, 1301-1308.	8.2	43
101	Gs Signaling Is Intact after Disruption of Lipid Rafts. <i>Biochemistry</i> , 2001, 40, 15418-15423.	2.5	44
102	A Novel Inhibitor of Ceramide Trafficking from the Endoplasmic Reticulum to the Site of Sphingomyelin Synthesis. <i>Journal of Biological Chemistry</i> , 2001, 276, 43994-44002.	3.4	126
103	Host cell-derived sphingolipids are required for the intracellular growth of Chlamydia trachomatis. <i>Cellular Microbiology</i> , 2000, 2, 627-637.	2.1	107
104	Specificity of inhibitors of serine palmitoyltransferase (SPT), a key enzyme in sphingolipid biosynthesis, in intact cells. <i>Biochemical Pharmacology</i> , 2000, 59, 1211-1216.	4.4	91
105	Reconstitution of ATP- and Cytosol-dependent Transport of de Novo Synthesized Ceramide to the Site of Sphingomyelin Synthesis in Semi-intact Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 29938-29945.	3.4	56
106	Reduction of Sphingomyelin Level without Accumulation of Ceramide in Chinese Hamster Ovary Cells Affects Detergent-resistant Membrane Domains and Enhances Cellular Cholesterol Efflux to Methyl- $\beta$ -cyclodextrin. <i>Journal of Biological Chemistry</i> , 2000, 275, 34028-34034.	3.4	92
107	Selection of Mammalian Cell Mutants in Sphingolipid Biosynthesis. <i>Methods in Enzymology</i> , 2000, 312, 304-317.	1.0	18
108	Purification of the Serine Palmitoyltransferase Complex Responsible for Sphingoid Base Synthesis by Using Affinity Peptide Chromatography Techniques. <i>Journal of Biological Chemistry</i> , 2000, 275, 8409-8415.	3.4	98

#	ARTICLE	IF	CITATIONS
109	D-Serine inhibits serine palmitoyltransferase, the enzyme catalyzing the initial step of sphingolipid biosynthesis. <i>FEBS Letters</i> , 2000, 474, 63-65.	2.8	23
110	Genetic Evidence for ATP-dependent Endoplasmic Reticulum-to-Golgi Apparatus Trafficking of Ceramide for Sphingomyelin Synthesis in Chinese Hamster Ovary Cells. <i>Journal of Cell Biology</i> , 1999, 144, 673-685.	5.2	160
111	Mammalian Cell Mutants Resistant to a Sphingomyelin-directed Cytolysin. <i>Journal of Biological Chemistry</i> , 1998, 273, 33787-33794.	3.4	178
112	A Mammalian Homolog of the Yeast LCB1 Encodes a Component of Serine Palmitoyltransferase, the Enzyme Catalyzing the First Step in Sphingolipid Synthesis. <i>Journal of Biological Chemistry</i> , 1997, 272, 32108-32114.	3.4	132
113	Inhibitory effect of curcumin on mammalian phospholipase D activity. <i>FEBS Letters</i> , 1997, 417, 196-198.	2.8	45
114	Mammalian cell mutants of membrane phospholipid biogenesis. <i>Trends in Cell Biology</i> , 1997, 7, 324-329.	7.9	11
115	Both Sphingolipids and Cholesterol Participate in the Detergent Insolubility of Alkaline Phosphatase, a Glycosylphosphatidylinositol-anchored Protein, in Mammalian Membranes. <i>Journal of Biological Chemistry</i> , 1995, 270, 6254-6260.	3.4	181
116	Functional reconstitution of sphingomyelin synthase in Chinese hamster ovary cell membranes. <i>Lipids and Lipid Metabolism</i> , 1991, 1086, 151-156.	2.6	30