

Nori Takei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10776695/publications.pdf>

Version: 2024-02-01

71
papers

3,827
citations

172457

29
h-index

128289

60
g-index

75
all docs

75
docs citations

75
times ranked

4886
citing authors

#	ARTICLE	IF	CITATIONS
1	Methamphetamine-Related Psychiatric Symptoms and Reduced Brain Dopamine Transporters Studied With PET. <i>American Journal of Psychiatry</i> , 2001, 158, 1206-1214.	7.2	371
2	Methamphetamine Causes Microglial Activation in the Brains of Human Abusers. <i>Journal of Neuroscience</i> , 2008, 28, 5756-5761.	3.6	332
3	Brain Serotonin and Dopamine Transporter Bindings in Adults With High-Functioning Autism. <i>Archives of General Psychiatry</i> , 2010, 67, 59.	12.3	284
4	Brain Serotonin Transporter Density and Aggression in Abstinent Methamphetamine Abusers. <i>Archives of General Psychiatry</i> , 2006, 63, 90.	12.3	251
5	Association of Dopamine Transporter Loss in the Orbitofrontal and Dorsolateral Prefrontal Cortices With Methamphetamine-Related Psychiatric Symptoms. <i>American Journal of Psychiatry</i> , 2003, 160, 1699-1701.	7.2	226
6	Increased serum levels of glutamate in adult patients with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1472-1477.	4.8	191
7	Two genetic variants of CD38 in subjects with autism spectrum disorder and controls. <i>Neuroscience Research</i> , 2010, 67, 181-191.	1.9	176
8	Recent progress in animal modeling of immune inflammatory processes in schizophrenia: Implication of specific cytokines. <i>Neuroscience Research</i> , 2006, 56, 2-13.	1.9	159
9	Alteration of Plasma Glutamate and Glutamine Levels in Children with High-Functioning Autism. <i>PLoS ONE</i> , 2011, 6, e25340.	2.5	144
10	Decreased serum levels of transforming growth factor- β 21 in patients with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 187-190.	4.8	113
11	Reduced serum levels of brain-derived neurotrophic factor in adult male patients with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1529-1531.	4.8	107
12	Genetic analyses of the brain-derived neurotrophic factor (BDNF) gene in autism. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 200-206.	2.1	100
13	Metabolite Alterations in Basal Ganglia Associated with Methamphetamine-related Psychiatric Symptoms A Proton MRS Study. <i>Neuropsychopharmacology</i> , 2002, 27, 453-461.	5.4	77
14	Advanced paternal age associated with an elevated risk for schizophrenia in offspring in a Japanese population. <i>Schizophrenia Research</i> , 2005, 76, 337-342.	2.0	77
15	Paternal age at birth and high-functioning autistic-spectrum disorder in offspring. <i>British Journal of Psychiatry</i> , 2008, 193, 316-321.	2.8	55
16	Identification of neurodevelopmental trajectories in infancy and of risk factors affecting deviant development: a longitudinal birth cohort study. <i>International Journal of Epidemiology</i> , 2016, 45, 543-553.	1.9	50
17	Is <i>Tajjin Kyofusho</i> a Culture-Bound Syndrome?. <i>American Journal of Psychiatry</i> , 2003, 160, 1358-1358.	7.2	46
18	Decreased Serum Levels of Platelet-Endothelial Adhesion Molecule (PECAM-1) in Subjects with High-Functioning Autism: A Negative Correlation with Head Circumference at Birth. <i>Biological Psychiatry</i> , 2007, 62, 1056-1058.	1.3	42

#	ARTICLE	IF	CITATIONS
19	Psychosocial risk factors for postpartum depression and their relation to timing of onset: The Hamamatsu Birth Cohort (HBC) Study. <i>Journal of Affective Disorders</i> , 2011, 135, 341-346.	4.1	42
20	Decreased expression of reelin receptor VLDLR in peripheral lymphocytes of drug-naive schizophrenic patients. <i>Schizophrenia Research</i> , 2008, 98, 148-156.	2.0	40
21	Cohort Profile: Hamamatsu Birth Cohort for Mothers and Children (HBC Study). <i>International Journal of Epidemiology</i> , 2016, 45, 333-342.	1.9	37
22	Focus on psychiatry in Japan. <i>British Journal of Psychiatry</i> , 2004, 184, 88-92.	2.8	36
23	Irradiation in Adulthood as a New Model of Schizophrenia. <i>PLoS ONE</i> , 2008, 3, e2283.	2.5	35
24	Serum levels of platelet-derived growth factor BB homodimers are increased in male children with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 154-158.	4.8	35
25	SNP analyses of growth factor genes EGF, TGF β 2-1, and HGF reveal haplotypic association of EGF with autism. <i>Biochemical and Biophysical Research Communications</i> , 2007, 360, 715-720.	2.1	34
26	Association studies and gene expression analyses of the DISC1-interacting molecules, pericentrin 2 (<i>PCNT2</i>) and DISC1-binding zinc finger protein (<i>DBZ</i>), with schizophrenia and with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 967-976.	1.7	34
27	Replication study of Japanese cohorts supports the role of STX1A in autism susceptibility. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 454-458.	4.8	34
28	Age-specific 3-month cumulative incidence of postpartum depression: The Hamamatsu Birth Cohort (HBC) Study. <i>Journal of Affective Disorders</i> , 2011, 133, 607-610.	4.1	33
29	An association study between catechol-O-methyl transferase gene polymorphism and methamphetamine psychotic disorder. <i>Psychiatric Genetics</i> , 2006, 16, 133-138.	1.1	32
30	Decreased Serum Levels of Epidermal Growth Factor in Adult Subjects with High-Functioning Autism. <i>Biological Psychiatry</i> , 2007, 62, 267-269.	1.3	32
31	Decreased serum levels of adiponectin in subjects with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 455-458.	4.8	31
32	Association between the glutathione S-transferase M1 gene deletion and female methamphetamine abusers. <i>American Journal of Medical Genetics Part A</i> , 2004, 126B, 43-45.	2.4	28
33	Association analysis of SOD2 variants with methamphetamine psychosis in Japanese and Taiwanese populations. <i>Human Genetics</i> , 2006, 120, 243-252.	3.8	27
34	Gene and Expression Analyses Reveal Enhanced Expression of Pericentrin 2 (<i>PCNT2</i>) in Bipolar Disorder. <i>Biological Psychiatry</i> , 2008, 63, 678-685.	1.3	27
35	Perinatal Asphyxia Reduces Dentate Granule Cells and Exacerbates Methamphetamine-Induced Hyperlocomotion in Adulthood. <i>PLoS ONE</i> , 2008, 3, e3648.	2.5	27
36	Increased levels of serum soluble L-selectin in unmedicated patients with schizophrenia. <i>Schizophrenia Research</i> , 2007, 89, 154-160.	2.0	25

#	ARTICLE	IF	CITATIONS
37	Disruption of reelin signaling attenuates methamphetamine-induced hyperlocomotion. <i>European Journal of Neuroscience</i> , 2007, 25, 3376-3384.	2.6	24
38	Decreased serum levels of hepatocyte growth factor in male adults with high-functioning autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 412-415.	4.8	22
39	Broader autism phenotype as a risk factor for postpartum depression: Hamamatsu Birth Cohort (HBC) Study. <i>Research in Autism Spectrum Disorders</i> , 2014, 8, 1672-1678.	1.5	22
40	Maternal postpartum depressive symptoms predict delay in non-verbal communication in 14-month-old infants. , 2017, 46, 33-45.		22
41	Association of Genetic Risks With Autism Spectrum Disorder and Early Neurodevelopmental Delays Among Children Without Intellectual Disability. <i>JAMA Network Open</i> , 2020, 3, e1921644.	5.9	21
42	Association of late-onset postpartum depression of mothers with expressive language development during infancy and early childhood: the HBC study. <i>PeerJ</i> , 2019, 7, e6566.	2.0	21
43	Short Allele of 5-HTTLPR as a Risk Factor for the Development of Psychosis in Japanese Methamphetamine Abusers. <i>Annals of the New York Academy of Sciences</i> , 2008, 1139, 49-56.	3.8	20
44	The effects of dentate granule cell destruction on behavioural activity and Fos protein expression induced by systemic methamphetamine in rats. <i>British Journal of Pharmacology</i> , 2001, 134, 1411-1418.	5.4	19
45	Serum levels of P-selectin in men with high-functioning autism. <i>British Journal of Psychiatry</i> , 2008, 193, 338-339.	2.8	19
46	Polygenic risk score analysis revealed shared genetic background in attention deficit hyperactivity disorder and narcolepsy. <i>Translational Psychiatry</i> , 2020, 10, 284.	4.8	17
47	Neural damage in the lenticular nucleus linked with tardive dyskinesia in schizophrenia: a preliminary study using proton magnetic resonance spectroscopy. <i>Schizophrenia Research</i> , 2002, 57, 273-279.	2.0	16
48	Reliability and validity of the Japan Ijime Scale and estimated prevalence of bullying among fourth through ninth graders: A large-scale school-based survey. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 551-559.	1.8	16
49	Metabolite Alterations in Basal Ganglia Associated with Psychiatric Symptoms of Abstinent Toluene Users: A Proton MRS Study. <i>Neuropsychopharmacology</i> , 2004, 29, 1019-1026.	5.4	15
50	No changes in serum epidermal growth factor levels in patients with schizophrenia. <i>Psychiatry Research</i> , 2005, 135, 257-260.	3.3	15
51	Reduced expression of apolipoprotein E receptor type 2 in peripheral blood lymphocytes from patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1007-1010.	4.8	15
52	Methamphetamine-Associated Obsessional Symptoms and Effective Risperidone Treatment. <i>Journal of Clinical Psychiatry</i> , 1999, 60, 337-338.	2.2	15
53	<i>Jiko-Shisen-Kyofu</i> (Fear of One's Own Glance), but not <i>Taijin-Kyofusho</i> (Fear of) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Zealand Journal of Psychiatry, 2011, 45, 148-152.	2.3	14
54	Interaction effect of oxytocin receptor (OXTR) rs53576 genotype and maternal postpartum depression on child behavioural problems. <i>Scientific Reports</i> , 2019, 9, 7685.	3.3	14

#	ARTICLE	IF	CITATIONS
55	Effect of Physical State on Pain Mediated Through Emotional Health in Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2019, 71, 1216-1223.	3.4	13
56	COVID-19 vaccination and mental health in hospital workers. <i>Brain and Behavior</i> , 2021, 11, e2382.	2.2	12
57	Perospirone Is a New Generation Antipsychotic. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 531-533.	1.4	11
58	Perinatal Asphyxia in Rat Alters Expression of Novel Schizophrenia Risk Genes. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 341.	2.9	10
59	Neurodevelopmental Trajectory During Infancy and Diagnosis of Autism Spectrum Disorder as an Outcome at 32 Months of Age. <i>Epidemiology</i> , 2019, 30, S9-S14.	2.7	10
60	Elevated risk of attention deficit hyperactivity disorder (ADHD) in Japanese children with higher genetic susceptibility to ADHD with a birth weight under 2000 g. <i>BMC Medicine</i> , 2021, 19, 229.	5.5	10
61	Seasonal Variations of Neuromotor Development By 14 Months of Age: Hamamatsu Birth Cohort for Mothers and Children (HBC Study). <i>PLoS ONE</i> , 2012, 7, e52057.	2.5	9
62	The effects of dentate granule cell destruction on behavioral activity and Fos protein expression induced by systemic MDMA in rats. <i>Neuroscience Research</i> , 2003, 46, 153-160.	1.9	8
63	Season of Birth Predicts Emotional and Behavioral Regulation in 18-Month-Old Infants: Hamamatsu Birth Cohort for Mothers and Children (HBC Study). <i>Frontiers in Public Health</i> , 2016, 4, 152.	2.7	7
64	Increased rate of birth complications and small head size at birth in winter-born male patients with schizophrenia. <i>Schizophrenia Research</i> , 2006, 83, 303-305.	2.0	4
65	Measuring School Climate among Japanese Students—Development of the Japan School Climate Inventory (JaSC). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4426.	2.6	4
66	“Opening doors” for long-term institutionalised patients with schizophrenia in Japan. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 277-278.	4.5	3
67	Identification of neurodevelopmental transition patterns from infancy to early childhood and risk factors predicting descending transition. <i>Scientific Reports</i> , 2022, 12, 4822.	3.3	2
68	F148. A PILOT STUDY OF [11C] (R)-MEQAA PET BRAIN IMAGING ANALYSIS OF ALPHA 7 NICOTINIC ACETYLCHOLINE RECEPTORS AVAILABILITY IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S277-S278.	4.3	1
69	Obsolete medical law in Japan harms doctors' health. <i>Lancet, The</i> , 2020, 395, 1113.	13.7	1
70	Association Between Genetic Risks for Obesity and Working Memory in Children. <i>Frontiers in Neuroscience</i> , 2021, 15, 749230.	2.8	1
71	Manic-switch induced by fluvoxamine in abstinent pure methamphetamine abusers. <i>Journal of Psychiatry and Neuroscience</i> , 2003, 28, 134-5.	2.4	1