

Teruyuki Nakato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1077699/publications.pdf>

Version: 2024-02-01

68
papers

2,218
citations

304368

22
h-index

223531

46
g-index

70
all docs

70
docs citations

70
times ranked

3270
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Asymmetric Supercapacitors Using 3D Nanoporous Carbon and Cobalt Oxide Electrodes Synthesized from a Single Metal-Organic Framework. <i>ACS Nano</i> , 2015, 9, 6288-6296. | 7.3 | 890 |
| 2 | Liquid Crystalline Nanosheet Colloids with Controlled Particle Size Obtained by Exfoliating Single Crystal of Layered Niobate K ₄ Nb ₆ O ₁₇ . <i>Journal of Physical Chemistry B</i> , 2004, 108, 6152-6159. | 1.2 | 109 |
| 3 | Extremely Stable Photoinduced Charge Separation in a Colloidal System Composed of Semiconducting Niobate and Clay Nanosheets. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4123-4127. | 7.2 | 68 |
| 4 | Liquid Crystalline Inorganic Nanosheet Colloids Derived From Layered Materials. <i>Israel Journal of Chemistry</i> , 2012, 52, 881-894. | 1.0 | 68 |
| 5 | Intercalation compound of VOPO ₄ ·2H ₂ O with acrylamide: preparation and exfoliation. <i>Journal of Materials Chemistry</i> , 2001, 11, 1858-1863. | 6.7 | 67 |
| 6 | Polymeric Micelle Assembly with Inorganic Nanosheets for Construction of Mesoporous Architectures with Crystallized Walls. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4222-4225. | 7.2 | 64 |
| 7 | Synthesis of Two Types of Intercalation Compounds of K ₄ Nb ₆ O ₁₇ with Tris(2,2'-bipyridyl) Metal Complex Ions. <i>Bulletin of the Chemical Society of Japan</i> , 1992, 65, 322-328. | 2.0 | 60 |
| 8 | Liquid Crystalline Behavior and Related Properties of Colloidal Systems of Inorganic Oxide Nanosheets. <i>Materials</i> , 2009, 2, 1734-1761. | 1.3 | 57 |
| 9 | Universal Access to Two-Dimensional Mesoporous Heterostructures by Micelle-Directed Interfacial Assembly. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19570-19575. | 7.2 | 52 |
| 10 | Stable liquid crystalline phases of colloidally dispersed exfoliated layered niobates supplementary information (ESI) available: XRD patterns of the samples. See http://www.rsc.org/suppdata/cc/b3/b309628a/ . <i>Chemical Communications</i> , 2004, , 78. | 2.2 | 47 |
| 11 | Liquid Crystalline Colloidal System Obtained by Mixing Niobate and Aluminosilicate Nanosheets: A Spectroscopic Study Using a Probe Dye. <i>Langmuir</i> , 2003, 19, 8057-8064. | 1.6 | 38 |
| 12 | Electrooptic Response of Colloidal Liquid Crystals of Inorganic Oxide Nanosheets Prepared by Exfoliation of a Layered Niobate. <i>Journal of Physical Chemistry C</i> , 2011, 115, 8934-8939. | 1.5 | 37 |
| 13 | Sol-gel transition of nanosheet colloids of layered niobate K ₄ Nb ₆ O ₁₇ . <i>Journal of Materials Chemistry</i> , 2002, 12, 1245-1246. | 6.7 | 32 |
| 14 | Competitive adsorption of phenols on organically modified layered hexaniobate K ₄ Nb ₆ O ₁₇ . <i>Microporous and Mesoporous Materials</i> , 2006, 96, 84-92. | 2.2 | 31 |
| 15 | Pickering Emulsions Prepared by Layered Niobate K ₄ Nb ₆ O ₁₇ Intercalated with Organic Cations and Photocatalytic Dye Decomposition in the Emulsions. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 4338-4347. | 4.0 | 30 |
| 16 | Intercalation of a free-base porphyrin into layered tetratitanic acid. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 1405. | 1.1 | 29 |
| 17 | Sol-Gel Transition of Niobium Oxide Nanosheet Colloids: A Hierarchical Aspect of a Novel Macroscopic Property Appearing in Colloidally Dispersed States of Layered Niobate K ₄ Nb ₆ O ₁₇ . <i>Langmuir</i> , 2003, 19, 3157-3163. | 1.6 | 29 |
| 18 | Mesophase of colloidally dispersed nanosheets prepared by exfoliation of layered titanate and niobate. <i>Thin Solid Films</i> , 2006, 495, 24-28. | 0.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Photoinduced Charge Separation in a Colloidal System of Exfoliated Layered Semiconductor Controlled by Coexisting Aluminosilicate Clay. <i>Journal of Physical Chemistry B</i> , 2009, 113, 1323-1331. | 1.2 | 26 |
| 20 | Humidity-Dependent Reversible Aggregation of Rhodamine 6G Dye Immobilized within Layered Niobate K ₄ Nb ₆ O ₁₇ . <i>Langmuir</i> , 2004, 20, 7583-7588. | 1.6 | 25 |
| 21 | Photoinduced electron transfer in nanostructured assemblies of layered semiconducting oxide and methylviologen: Effect of the location of acceptor molecules. <i>Microporous and Mesoporous Materials</i> , 2009, 123, 280-288. | 2.2 | 25 |
| 22 | Photochemical behavior of rhodamine 6G dye intercalated in photocatalytically active layered hexaniobate. <i>Microporous and Mesoporous Materials</i> , 2008, 113, 81-89. | 2.2 | 23 |
| 23 | Thermo-responsive hydrogels containing mesoporous silica toward controlled and sustainable releases. <i>Materials Letters</i> , 2016, 168, 176-179. | 1.3 | 23 |
| 24 | Hierarchical structure of niobate nanosheets in aqueous solution. <i>Journal of Applied Crystallography</i> , 2007, 40, s101-s105. | 1.9 | 22 |
| 25 | Aspect-ratio-dependent phase transitions and concentration fluctuations in aqueous colloidal dispersions of charged platelike particles. <i>Physical Review E</i> , 2012, 85, 011403. | 0.8 | 22 |
| 26 | Multiphase coexistence and destabilization of liquid crystalline binary nanosheet colloids of titanate and clay. <i>Soft Matter</i> , 2014, 10, 3161. | 1.2 | 22 |
| 27 | Interlayer modification of a layered H-octosilicate (H-RUB-18) with methanol: formation of a highly ordered organosilicate nanohybrid. <i>Journal of Materials Chemistry</i> , 2010, 20, 3202. | 6.7 | 21 |
| 28 | Panoscopic organization of anisotropic colloidal structures from photofunctional inorganic nanosheet liquid crystals. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 955-962. | 1.3 | 21 |
| 29 | Universal Access to Two-Dimensional Mesoporous Heterostructures by Micelle-Directed Interfacial Assembly. <i>Angewandte Chemie</i> , 2020, 132, 19738-19743. | 1.6 | 18 |
| 30 | Dispersion of Layered Hexaniobate in Organic Solvents through Silylation and Liquid Crystalline Behavior of the Colloidal Suspension. <i>Chemistry Letters</i> , 2007, 36, 1240-1241. | 0.7 | 14 |
| 31 | Synergistic photocatalytic hydrogen evolution over oxide nanosheets combined with photochemically inert additives. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 5547-5550. | 1.3 | 14 |
| 32 | Radiation Pressure Induced Hierarchical Structure of Liquid Crystalline Inorganic Nanosheets. <i>ACS Photonics</i> , 2018, 5, 1288-1293. | 3.2 | 14 |
| 33 | Structural response of organically modified layered niobate K ₄ Nb ₆ O ₁₇ to the adsorption of 2,4-dichlorophenol. <i>Microporous and Mesoporous Materials</i> , 2008, 110, 223-231. | 2.2 | 12 |
| 34 | Photoinduced Electron Transfer between Ruthenium-bipyridyl Complex and Methylviologen in Suspensions of Smectite Clays. <i>Journal of Physical Chemistry C</i> , 2012, 116, 8562-8570. | 1.5 | 12 |
| 35 | Decomposition of a cyanine dye in binary nanosheet colloids of photocatalytically active niobate and inert clay. <i>Journal of Materials Science</i> , 2014, 49, 915-922. | 1.7 | 11 |
| 36 | Development of Structural Color by Niobate Nanosheet Colloids. <i>Chemistry Letters</i> , 2020, 49, 717-720. | 0.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Adsorption of Phenols in Water by Organically Modified Layered Niobate K ₄ Nb ₆ O ₁₇ . <i>Chemistry Letters</i> , 2003, 32, 72-73. | 0.7 | 10 |
| 38 | Effects of sol-gel transition of clay colloids on the spectroscopic behavior of cationic dye adsorbed on the clay particles. <i>Applied Clay Science</i> , 2015, 118, 29-37. | 2.6 | 10 |
| 39 | Photoinduced electron transfer in semiconductor-clay binary nanosheet colloids controlled by clay particles as a turnout switch. <i>Applied Catalysis B: Environmental</i> , 2019, 241, 499-505. | 10.8 | 10 |
| 40 | Textural diversity of hierarchical macroscopic structures of colloidal liquid crystalline nanosheets organized under electric fields. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 522, 373-381. | 2.3 | 9 |
| 41 | A Review of Flax Fiber Reinforced Thermoset Polymer Composites: Structure and Mechanical Performance. <i>Journal of Natural Fibers</i> , 2022, 19, 9656-9680. | 1.7 | 9 |
| 42 | Preparation of a layered hexaniobate-titania nanocomposite and its photocatalytic activity on removal of phenol in water. <i>Journal of Porous Materials</i> , 2009, 16, 151-156. | 1.3 | 8 |
| 43 | Mesoscopic Architectures Made of Electrically Charged Binary Colloidal Nanosheets in Aqueous System. <i>Langmuir</i> , 2019, 35, 14543-14552. | 1.6 | 8 |
| 44 | Perspective: Recent Developments in Hybrid Hydrogels Containing Inorganic Nanomaterials. <i>Nanoscience and Nanotechnology Letters</i> , 2016, 8, 355-359. | 0.4 | 7 |
| 45 | Photoinduced electron accumulation in colloidally dispersed wide band-gap semiconductor nanosheets. <i>Journal of Colloid and Interface Science</i> , 2011, 354, 38-44. | 5.0 | 6 |
| 46 | Optical Trapping and Orientation Manipulation of 2D Inorganic Materials Using a Linearly Polarized Laser Beam. <i>Clays and Clay Minerals</i> , 2018, 66, 138-145. | 0.6 | 6 |
| 47 | Electrically Induced Alignment of Semiconductor Nanosheets in Niobate-Clay Binary Nanosheet Colloids toward Significantly Enhanced Photocatalysis. <i>Langmuir</i> , 2021, 37, 7789-7800. | 1.6 | 6 |
| 48 | Colloidal State of Exfoliated Oxide Nanosheets of Layered Niobate Characterized with a Molecular-Level Spectroscopic Technique and Macroscopic Observations. <i>Bulletin of the Chemical Society of Japan</i> , 2007, 80, 2451-2456. | 2.0 | 5 |
| 49 | Microscope Observation of Morphology of Colloidally Dispersed Niobate Nanosheets Combined with Optical Trapping. <i>Langmuir</i> , 2019, 35, 5568-5573. | 1.6 | 5 |
| 50 | Colloidal Nanosheets. <i>Nanostructure Science and Technology</i> , 2017, , 201-260. | 0.1 | 5 |
| 51 | Flow-Induced Assembly of Colloidal Liquid Crystalline Nanosheets Toward Unidirectional Macroscopic Structures. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 2967-2974. | 0.9 | 4 |
| 52 | Preparation of a Layered Titanoniobic Acid-Alumina Nanocomposite and Its Potential Applicability to Removal of Organic Contaminants in Water. <i>Journal of Porous Materials</i> , 2004, 11, 79-86. | 1.3 | 3 |
| 53 | Photoelectrochemical behavior of a rhodamine dye intercalated in a photocatalytically active layered niobate and photochemically inert clay. <i>Journal of the Ceramic Society of Japan</i> , 2008, 116, 555-560. | 0.5 | 3 |
| 54 | Impacts of negatively charged colloidal clay particles on photoisomerization of both anionic and cationic azobenzene molecules. <i>RSC Advances</i> , 2022, 12, 10855-10861. | 1.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Adsorptive and Photocatalytic Removal of Phenol by Layered Niobates Organically Modified Through Intercalation and Silylation. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 8341-8348. | 0.9 | 2 |
| 56 | Deposition of plasmonic silver nanoparticles onto semiconducting oxide nanosheets and their photochromic behavior. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 809-812. | 0.5 | 2 |
| 57 | Photoinduced electron transfer between semiconducting nanosheets and acceptor molecules in the presence of colloidal clay particles. <i>Applied Clay Science</i> , 2016, 130, 76-82. | 2.6 | 2 |
| 58 | Electrolyte-dependence of the macroscopic textures generated in the colloidal liquid crystals of niobate nanosheets. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 556, 106-112. | 2.3 | 2 |
| 59 | The effects of graphene hybridization on mechanical properties of GFRP composites. <i>AIP Conference Proceedings</i> , 2021, , . | 0.3 | 2 |
| 60 | Visible-light-induced electron transfer in intercalation-type composites organized on photocatalytically active layered niobate. <i>Journal of the Ceramic Society of Japan</i> , 2011, 119, 528-531. | 0.5 | 1 |
| 61 | Behavior of polymer chains grafted from latex particles at soft interfaces. <i>Colloid and Polymer Science</i> , 2014, 292, 547-555. | 1.0 | 1 |
| 62 | Electric-Alignment Immobilization of Liquid Crystalline Colloidal Nanosheets with the Aid of a Natural Organic Polymer. <i>Langmuir</i> , 2019, 35, 7003-7008. | 1.6 | 1 |
| 63 | Synthetic Nanosheets from Ion-Exchangeable Layered Solids. <i>Nanostructure Science and Technology</i> , 2017, , 55-100. | 0.1 | 1 |
| 64 | Optical manipulation of a single clay nanosheet hybridized with a porphyrin derivative. <i>OSA Continuum</i> , 2020, 3, 1545. | 1.8 | 1 |
| 65 | RÅ¼cktitelbild: Polymeric Micelle Assembly with Inorganic Nanosheets for Construction of Mesoporous Architectures with Crystallized Walls (<i>Angew. Chem.</i> 14/2015). <i>Angewandte Chemie</i> , 2015, 127, 4478-4478. | 1.6 | 0 |
| 66 | Orientalional Control and Photocatalytic Properties of Liquid Crystals Composed of Titanium Oxide Nanosheets. <i>Hosokawa Powder Technology Foundation ANNUAL REPORT</i> , 2007, 15, 72-76. | 0.0 | 0 |
| 67 | Optical control of orientation of nanosheet in colloidal state. , 2018, , . | | 0 |
| 68 | Formation of a Giant Anisotropically Ordered Assembled Structure of Inorganic Nanosheets through an Optically Induced Stream. <i>Langmuir</i> , 2022, 38, 6647-6652. | 1.6 | 0 |