

Jacques Albanese

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10777924/publications.pdf>

Version: 2024-02-01

25
papers

2,957
citations

394286

19
h-index

610775

24
g-index

28
all docs

28
docs citations

28
times ranked

2202
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Isovolemic hypertonic solutes (sodium chloride or mannitol) in the treatment of refractory posttraumatic intracranial hypertension: 2 mL/kg 7.5% saline is more effective than 2 mL/kg 20% mannitol. <i>Critical Care Medicine</i> , 2003, 31, 1683-1687. | 0.4 | 363 |
| 2 | Increasing mean arterial pressure in patients with septic shock: Effects on oxygen variables and renal function*. <i>Critical Care Medicine</i> , 2005, 33, 780-786. | 0.4 | 349 |
| 3 | Ketamine Decreases Intracranial Pressure and Electroencephalographic Activity in Traumatic Brain Injury Patients during Propofol Sedation. <i>Anesthesiology</i> , 1997, 87, 1328-1334. | 1.3 | 275 |
| 4 | Safety of sedation with ketamine in severe head injury patients: Comparison with sufentanil. <i>Critical Care Medicine</i> , 2003, 31, 711-717. | 0.4 | 258 |
| 5 | Decompressive craniectomy for severe traumatic brain injury: Evaluation of the effects at one year*. <i>Critical Care Medicine</i> , 2003, 31, 2535-2538. | 0.4 | 230 |
| 6 | Empirical antimicrobial therapy of septic shock patients: Adequacy and impact on the outcome*. <i>Critical Care Medicine</i> , 2003, 31, 462-467. | 0.4 | 189 |
| 7 | De-escalation versus continuation of empirical antimicrobial treatment in severe sepsis: a multicenter non-blinded randomized noninferiority trial. <i>Intensive Care Medicine</i> , 2014, 40, 1399-1408. | 3.9 | 182 |
| 8 | Sufentanil, fentanyl, and alfentanil in head trauma patients. <i>Critical Care Medicine</i> , 1999, 27, 407-411. | 0.4 | 149 |
| 9 | Ventilator-associated pneumonia: Breaking the vicious circle of antibiotic overuse*. <i>Critical Care Medicine</i> , 2007, 35, 379-385. | 0.4 | 142 |
| 10 | Effects of sufentanil or ketamine administered in target-controlled infusion on the cerebral hemodynamics of severely brain-injured patients*. <i>Critical Care Medicine</i> , 2005, 33, 1109-1113. | 0.4 | 141 |
| 11 | TERLIPRESSIN IN CATECHOLAMINE-RESISTANT SEPTIC SHOCK PATIENTS. <i>Shock</i> , 2004, 22, 314-319. | 1.0 | 129 |
| 12 | Oxygen Tissue Saturation Is Lower in Nonsurvivors than in Survivors after Early Resuscitation of Septic Shock. <i>Anesthesiology</i> , 2009, 111, 366-371. | 1.3 | 115 |
| 13 | Sufentanil Increases Intracranial Pressure in Patients with Head Trauma. <i>Anesthesiology</i> , 1993, 79, 493-497. | 1.3 | 112 |
| 14 | Long-term (6-year) effect of selective digestive decontamination on antimicrobial resistance in intensive care, multiple-trauma patients*. <i>Critical Care Medicine</i> , 2003, 31, 2090-2095. | 0.4 | 102 |
| 15 | Influence on outcome of ventilator-associated pneumonia in multiple trauma patients with head trauma treated with selected digestive decontamination*. <i>Critical Care Medicine</i> , 2002, 30, 1741-1746. | 0.4 | 60 |
| 16 | Risk factors of nosocomial catheter-associated urinary tract infection in a polyvalent intensive care unit. <i>Intensive Care Medicine</i> , 2003, 29, 929-932. | 3.9 | 30 |
| 17 | A REAPPRAISAL OF ISOPROTERENOL IN GOAL-DIRECTED THERAPY OF SEPTIC SHOCK. <i>Shock</i> , 2006, 26, 353-357. | 1.0 | 25 |
| 18 | Impact of intensive care on renal function before graft harvest: results of a monocentric study. <i>Critical Care</i> , 2007, 11, R103. | 2.5 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Non-adherence to guidelines: an avoidable cause of failure of empirical antimicrobial therapy in the presence of difficult-to-treat bacteria. <i>Intensive Care Medicine</i> , 2010, 36, 75-82. | 3.9 | 22 |
| 20 | CELL ADHESION MOLECULES AS A MARKER REFLECTING THE REDUCTION OF ENDOTHELIAL ACTIVATION INDUCED BY GLUCOCORTICOIDS. <i>Shock</i> , 2004, 21, 311-314. | 1.0 | 18 |
| 21 | An international survey on aminoglycoside practices in critically ill patients: the AMINO III study. <i>Annals of Intensive Care</i> , 2021, 11, 49. | 2.2 | 15 |
| 22 | IMPACT OF TERLIPRESSIN ON RENAL GRAFT FUNCTION. <i>Shock</i> , 2008, 29, 667-669. | 1.0 | 9 |
| 23 | Raising Mean Arterial Pressure in Patients with Septic Shock. <i>Critical Care Medicine</i> , 2006, 34, 269. | 0.4 | 0 |
| 24 | Principes de traitement de lâ€™hypertension intracrâ€™nienne. , 2007, , 375-393. | | 0 |
| 25 | Prise en charge du traumatisâ€™ crâ€™nien isolâ€™. , 2007, , 317-346. | | 0 |