

Jacques Ripart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1077913/publications.pdf>

Version: 2024-02-01

22
papers

730
citations

687363

13
h-index

794594

19
g-index

22
all docs

22
docs citations

22
times ranked

206
citing authors

#	ARTICLE	IF	CITATIONS
1	Spontaneous uterine rupture at 14 weeks gestation during a pregnancy consecutive to an oocyte donation in a woman with Turner's syndrome. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2015, 34, 101-103.	1.4	10
2	Reversal of a rocuronium-induced grade IV anaphylaxis via early injection of a large dose of sugammadex. <i>Canadian Journal of Anaesthesia</i> , 2014, 61, 558-562.	1.6	12
3	Complications des postures en anesthésie. <i>Praticien En Anesthésie Réanimation</i> , 2013, 17, 8-19.	0.0	2
4	Ultrasound-Guided Ophthalmic Regional Anesthesia. <i>Regional Anesthesia and Pain Medicine</i> , 2012, 37, 369-371.	2.3	23
5	Regional Anesthesia and Eye Surgery. <i>Anesthesiology</i> , 2010, 113, 1236-1242.	2.5	59
6	Anaesthesia for Cataract Surgery. <i>Drugs and Aging</i> , 2010, 27, 21-38.	2.7	40
7	Does Sciatic Parasacral Injection Spread to the Obturator Nerve? An Anatomic Study. <i>Anesthesia and Analgesia</i> , 2008, 106, 664-667.	2.2	7
8	A Comparison of Mepivacaine Versus Lidocaine for Episcleral (Sub-Tenon's) Block for Cataract Surgery in an Ambulatory Setting. <i>Regional Anesthesia and Pain Medicine</i> , 2006, 31, 206-210.	2.3	0
9	A Comparison of Mepivacaine Versus Lidocaine for Episcleral (Sub-Tenon's) Block for Cataract Surgery in an Ambulatory Setting. <i>Regional Anesthesia and Pain Medicine</i> , 2006, 31, 206-210.	2.3	0
10	Regional Anesthesia for Eye Surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2005, 30, 72-82.	2.3	17
11	Regional anesthesia for eye surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2005, 30, 72-82.	2.3	16
12	Parasacral approach to block the sciatic nerve: A 400-case survey. <i>Regional Anesthesia and Pain Medicine</i> , 2005, 30, 193-197.	2.3	23
13	Is It in the Episcleral Space or in the Medial Canthal Extraconal Space?. <i>Anesthesiology</i> , 2004, 101, 1045-1046.	2.5	0
14	Ophthalmic Regional Anesthesia. <i>Anesthesiology</i> , 2004, 100, 370-374.	2.5	58
15	Comparison of the Parasacral Approach and the Posterior Approach, with Single- and Double-Injection Techniques, to Block the Sciatic Nerve. <i>Anesthesiology</i> , 2003, 98, 1436-1441.	2.5	61
16	Sub-tenon's anesthesia. <i>Ophthalmology</i> , 2002, 109, 215-216.	5.2	3
17	Peribulbar versus Retrobulbar Anesthesia for Ophthalmic Surgery. <i>Anesthesiology</i> , 2001, 94, 56-62.	2.5	132
18	Ophthalmic Blocks at the Medial Canthus. <i>Anesthesiology</i> , 2001, 95, 1533-1535.	2.5	32

#	ARTICLE	IF	CITATIONS
19	Ophthalmic Regional Anesthesia: Medial Canthus Episcleral (Sub-Tenon) Anesthesia Is More Efficient than Peribulbar Anesthesia. <i>Anesthesiology</i> , 2000, 92, 1278-1285.	2.5	144
20	Caruncle Single Injection Episcleral (Sub-Tenon) Anesthesia for Cataract Surgery: Mepivacaine Versus a Lidocaine-Bupivacaine Mixture. <i>Anesthesia and Analgesia</i> , 2000, 91, 107-109.	2.2	17
21	Medial canthus episcleral (sub-Tenon) anesthesia imaging. <i>Clinical Anatomy</i> , 1998, 11, 390-395.	2.7	53
22	Medial Canthus Single-Injection Episcleral (Sub-Tenon Anesthesia). <i>Anesthesia and Analgesia</i> , 1998, 87, 42-45.	2.2	21